

## DAFTAR PUSTAKA

- Adiyasa, M. R., & Meiyanti, M. (2021). Pemanfaatan obat tradisional di Indonesia: distribusi dan faktor demografis yang berpengaruh. *Jurnal Biomedika Dan Kesehatan*, 4(3), 130–138. <https://doi.org/10.18051/jbiomedkes.2021.v4.130-138>
- Akinwumi, B. C., Bordun, K. A. M., & Anderson, H. D. (2018). Biological activities of stilbenoids. *International Journal of Molecular Sciences*, 19(3). <https://doi.org/10.3390/ijms19030792>
- Alemayehu, E., Fiseha, T., Bambo, G. M., Kebede, S. S., Bisetegn, H., Tilahun, M., Debach, H., Ebrahim, H., Mohammed, O., Belete, M. A., & Gedefie, A. (2023). Prevalence of hyperuricemia among type 2 diabetes mellitus patients in Africa: a systematic review and meta-analysis. *BMC Endocrine Disorders*, 23(153), 1–11. <https://doi.org/10.1080/21642850.2024.2324091>
- Amalia, M., Saputri, F. C., Sauriasari, R., & Widyantoro, B. (2024). Complete blood count , lipid profiles , and inflammatory markers associated with atherosclerotic cardiovascular. *F1000Research*, 12(1470), 1–13.
- Amelia, E., Wahyuni, I., & Marianingsih, P. (2021). The Diversification Use of Melinjo (Gnetum gnemon) in Banten Local Food. *Joint Proceedings of the 2nd and the 3rd International Conference on Food Security Innovation (ICFSI 2018-2019)*, 203–206.
- Arfah, A. I., Rachman, M. E., Nazaruddin, A., & Fattah, N. (2021). Pemberian Ekstrak Kulit Mangga Arumanis (*Magnifera Indica L.*) Berpengaruh Terhadap Kadar Asam Urat Pada Tikus Putih Jantan (*Rattus Norvegicus*). *Wal'afiat Hospital Journal*, 02(02), 119–129.

- <https://whj.umi.ac.id/index.php/whj/article/view/whj2205>
- Ariasti, D., & Lestari, W. (2015). Hubungan Antara Konsumsi Emping Melinjo Dengan Kejadian Asam Urat Pada Warga Di Desa Wadungggetas Wonosari Klaten. *Jurnal Ilmu Kesehatan KOSALA*, 3(2), 38–44.
- Ayad, R., & Akkal, S. (2019). Phytochemistry and biological activities of algerian Centaurea and related genera. In *Studies in Natural Products Chemistry* (1st ed., Vol. 63). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-817901-7.00012-5>
- Barkas, F., Elisaf, M., Liberopoulos, E., Kalaitzidis, R., & Liamis, G. (2018). Uric acid and incident chronic kidney disease in dyslipidemic individuals. *Current Medical Research and Opinion*, 34(7), 1193–1199. <https://doi.org/10.1080/03007995.2017.1372157>
- Barua, C. C., Haloi, P., & Barua, I. C. (2015). *Gnetum gnemon* Linn.: A Comprehensive Review on its Biological, Pharmacological and Pharmacognostical Potentials. *International Journal of Pharmacognosy and Phytochemical Research*, 7(3), 531–539. [www.ijppr.com](http://www.ijppr.com)
- Borghi, C., Rosei, E. A., Bardin, T., Dawson, J., Dominiczak, A., Kielstein, J. T., Manolis, A. J., Perez-Ruiz, F., & Mancia, G. (2015). Serum uric acid and the risk of cardiovascular and renal disease. *Journal of Hypertension*, 33(9), 1729–1741. <https://doi.org/10.1097/HJH.0000000000000701>
- Bustamam, N. (2018). Pengaruh Derajat Hipertensi, Lama Hipertensi dan Hiperlipidemia dengan Gangguan Jantung dan Ginjal Pasien Hipertensi di Posbindu Cisalak Pasar, 2017. *Jurnal Kesmas Indonesia*, 10(1), 54–67.
- Cheng-yuan, W., & Jian-gang, D. (2023). Research progress on the prevention and

- treatment of hyperuricemia by medicinal and edible plants and its bioactive components. *Front Nutr*, 10(1186161), 1–14.  
<https://doi.org/10.3389/fnut.2023.1186161>
- Dewi, N. P. (2020). Uji Kualitatif dan Kuantitatif Metabolit Sekunder Ekstrak Etanol Daun Awar-Awar (*Ficus septica* Burm.f) dengan Metode Spektrofotometer UV-VIS. *Acta Holistica Pharmaciana*, 2(1), 16–24.
- Dianati, N. A. (2015). Gout and Hyperuricemia. *J Majority*, 4(3), 82–89.
- Domínguez-Oliva, A., Hernández-Ávalos, I., Martínez-Burnes, J., Olmos-Hernández, A., Verduzco-Mendoza, A., & Mota-Rojas, D. (2023). The Importance of Animal Models in Biomedical Research: Current Insights and Applications. In *Animals* (Vol. 13, Issue 7, pp. 1–24). MDPI.  
<https://doi.org/10.3390/ani13071223>
- Duta-Bratu, C. G., Nitulescu, G. M., Mihai, D. P., & Olaru, O. T. (2023). Resveratrol and Other Natural Oligomeric Stilbenoid Compounds and Their Therapeutic Applications. *Plants*, 12(2935), 1–16.  
<https://doi.org/10.3390/plants12162935>
- El Ridi, R., & Tallima, H. (2017). Physiological functions and pathogenic potential of uric acid: A review. *Journal of Advanced Research*, 8(5), 487–493.  
<https://doi.org/10.1016/j.jare.2017.03.003>
- Fadhiilah, A., Mahati, E., Wijayahadi, N., & Nindita, Y. (2023). Effect of Melinjo Seed Extract on GSH Levels of Hyperuricemic Wistar Rats. *Jurnal Kedokteran Diponegoro (Diponegoro Medical Journal)*, 12(3), 104–111.  
<https://doi.org/10.14710/dmj.v12i3.37507>
- Feng, X., Yang, Y., Xie, H., Zhuang, S., Fang, Y., Dai, Y., Jiang, P., Chen, H.,

- Tang, H., & Tang, L. (2022). The Association Between Hyperuricemia and Obesity Metabolic Phenotypes in Chinese General Population: A Retrospective Analysis. *Frontiers in Nutrition*, 9. <https://doi.org/10.3389/fnut.2022.773220>
- FitzGerald, J. D., Dalbeth, N., Mikuls, T., Brignardello-Petersen, R., Guyatt, G., Abeles, A. M., Gelber, A. C., Harrold, L. R., Khanna, D., King, C., Levy, G., Libbey, C., Mount, D., Pillinger, M. H., Rosenthal, A., Singh, J. A., Sims, J. E., Smith, B. J., Wenger, N. S., ... Neogi, T. (2020). 2020 American College of Rheumatology Guideline for the Management of Gout. *Arthritis Care & Research*, 72(6), 744–760. <https://doi.org/10.1002/acr.24180>
- Fraga-Corral, M., Otero, P., Cassani, L., Echave, J., Garcia-Oliveira, P., Carpena, M., Chamorro, F., Lourenço-Lopes, C., Prieto, M. A., & Simal-Gandara, J. (2021). Traditional applications of tannin rich extracts supported by scientific data: Chemical composition, bioavailability and bioaccessibility. *Foods*, 10(251), 1–33. <https://doi.org/10.3390/foods10020251>
- Gandhi, A., Hashemzehi, T., & Batura, D. (2019). The management of acute renal colic. *British Journal of Hospital Medicine*, 80(1), C2–C6. <https://doi.org/10.12968/hmed.2019.80.1.C2>
- Gherghina, M. E., Peride, I., Tiglis, M., Neagu, T. P., Niculae, A., & Checherita, I. A. (2022). Uric Acid and Oxidative Stress—Relationship with Cardiovascular, Metabolic, and Renal Impairment. *International Journal of Molecular Sciences*, 23(6), 1–16. <https://doi.org/10.3390/ijms23063188>
- Gliozi, M., Malara, N., Muscoli, S., & Mollace, V. (2016). The treatment of hyperuricemia. *International Journal of Cardiology*, 213, 23–27.

<https://doi.org/https://doi.org/10.1016/j.ijcard.2015.08.087>

Gong, M., Wen, S., Nguyen, T., Wang, C., Jin, J., & Zhou, L. (2020). Converging Relationships of Obesity and Hyperuricemia with Special Reference to Metabolic Disorders and Plausible Therapeutic Implications. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 13, 943–962.  
<https://doi.org/10.2147/DMSO.S232377>

Hardani, Andriani, H., Ustiawaty, J., Utami, E. F., Istiqomah, R. R., Fardani, R. A., Sukmana, D. J., & Auliya, N. H. (2020). Metode Penelitian Kualitatif & Kuantitatif. In *Revista Brasileira de Linguística Aplicada* (Vol. 5, Issue 1).

Harfiani, E. (2017). Evaluation Effectivity Anti Rheumatoid Arthritis of Hydroethanolic Extract Ageratum Conyzoides L. Leaves in Complete Freund's Adjuvant Induced Arthritis Rats. *The 2nd International Conference on Herbal Traditional Medicine (HTM2017)*.

Hasan, A. E. Z., Husnawati, Puspita, C. A., & Setiyono, A. (2020). Efektivitas Ekstrak Kulit Melinjo (*Gnetum gnemon*) sebagai Penurun Kadar Asam Urat pada Tikus Putih (*Rattus norvegicus*) Hiperurisemia (Effectiveness of *Gnetum gnemon* Peel Extract as an Antihyperuricemic in White Rats *Rattus norvegicus*). *Curr. Biochem.*, 7(1), 21–28.

Hasriyani, Sabaan, W., Ridwan, Dahbul, N. A., & Kasari, E. (2022). Testing Antioxidant Activity and Total Flavonoid Levels in Ethanol Extracts of Melinjo Seeds and Skin (*Gnetum gnemon* L.) Using DPPH Method. *Prosiding 16th Urecol: Seri MIPA Dan Kesehatan*, 12(3), 735–747.  
<https://repository.urecol.org/index.php/proceeding/article/view/2497>

Hidayah, H., Nurfirzatulloh, I., Insani, M., & Shafira, R. A. (2023). Aktivitas

- Triterpenoid Sebagai Senyawa Antiinflamasi. *Jurnal Ilmiah Wahana Pendidikan*, 9(16), 1–23.
- Hurria, Yuhara, N. A., Tahar, N., Gultom, O. R., Duppa, M. T., Amir, N. I., Andrifianie, F., Athaillah, Utami, Y. P., Ahmad, F. F., Khairuddin, Adjeng, A. N. T., Subehan, & Supardan, A. Di. (2023). *Fitokimia* (M. Arba & B. Hardianti (eds.)). Eureka Media Aksara.
- Husna, F., Suyatna, F. D., Arozal, W., & Purwaningsih, E. H. (2019). Model Hewan Coba pada Penelitian Diabetes. *Mini Review Article Pharmaceutical Sciences and Research (PSR)*, 6(3), 131–141.
- Indrawan, ignm B., Kambayana, G., & Putra, T. R. (2017). Hubungan konsumsi purin tinggi dengan hiperurisemias: suatu penelitian potong lintang pada penduduk suku bali di Kota Denpasar. *Jurnal Penyakit Dalam Udayana (Udayana Journal of Internal Medicine)*, 1(1), 38–44. [www.jpdunud.org](http://www.jpdunud.org)
- Ingimarsson, J. P., Krambeck, A. E., & Pais, V. M. (2016). Diagnosis and Management of Nephrolithiasis. *Surgical Clinics of North America*, 96(3), 517–532. <https://doi.org/10.1016/j.suc.2016.02.008>
- Julianto, T. S. (2019). *Fitokimia Tinjauan Metabolit Sekunder dan Skrining Fitokimia*. Buku Kedokteran EGC.
- Katzung, B. G., Masters, S. B., & Trevor, A. J. (2013). *Basic & Clinical Pharmacology* (12th ed.). The McGraw-Hill.
- Kimura, Y., Tsukui, D., & Kono, H. (2021). Uric acid in inflammation and the pathogenesis of atherosclerosis. *International Journal of Molecular Sciences*, 22(22), 1–19. <https://doi.org/10.3390/ijms222212394>
- Kishi, S., Yamauchi, T., Asama, T., & Suzuki, Y. (2021). Effect of Melinjo seed

- extract intake to decrease serum uric acid. *Gout and Uric & Nucleic Acids*, 45(1), 31–39.
- Konno, H., Kanai, Y., Katagiri, M., Watanabe, T., Mori, A., Ikuta, T., Tani, H., Fukushima, S., Tatefuji, T., & Shirasawa, T. (2013). Melinjo (*Gnetum gnemon* L.) seed extract decreases serum uric acid levels in nonobese Japanese males: A randomized controlled study. *Evidence-Based Complementary and Alternative Medicine*, 20(13), 1–9. <https://doi.org/10.1155/2013/589169>
- Kusuma, A. P., Apsari, P. A., Sari, D. N. E., & Indrati, O. (2018). Formulasi Tablet Effervescent Ekstrak Biji Melinjo (*Gnetum gnemon* L.) Menggunakan PEG 6000 Sebagai Lubrikan dan Asam sitrat-Asam Tartrat Sebagai Sumber Asam. *Eksakta: Jurnal Ilmu-Ilmu MIPA*, 18(1), 30–41. doi: 10.20885/Eksakta.vol18.iss1.art4
- Ky, I., Le Floch, A., Zeng, L., Pechamat, L., Jourdes, M., & Teissedre, P. L. (2015). Tannins. In *Encyclopedia of Food and Health* (pp. 247–255). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-384947-2.00683-8>
- Lestari, S., Aryani, R. D., & Palipi, D. (2021). Pengaruh Ketinggian Tempat Tumbuh Terhadap Kandungan Fitokimia dan Antioksidan Ekstrak Akar Sawi Langit (*Vernonia cinerea* L.). *Biotropic : The Journal of Tropical Biology*, 5(2), 84–93. <https://doi.org/10.29080/biotropic.2021.5.2.84-93>
- Li, Q., Li, X., Wang, J., Liu, H., Kwong, J. S.-W., Chen, H., Li, L., Chung, S.-C., Shah, A., Chen, Y., An, Z., Sun, X., Hemingway, H., Tian, H., & Li, S. (2019). Diagnosis and treatment for hyperuricemia and gout: a systematic review of clinical practice guidelines and consensus statements. *BMJ Open*, 9(8), e026677. <https://doi.org/10.1136/bmjopen-2018-026677>

- Lijun, L., Zhang, Y., & Zeng, C. (2020). Update on the epidemiology, genetics, and therapeutic options of hyperuricemia. *American Journal of Translational Research*, 12(7), 3167–3181.
- Masuoka, N. (2021). Stilbene compounds are specific inhibitors of the superoxide anion generation catalyzed by xanthine oxidase. *Food Chemistry: X*, 12, 100146. <https://doi.org/10.1016/j.fochx.2021.100146>
- Mattio, L. M., Catinella, G., Dallavalle, S., & Pinto, A. (2020). Stilbenoids: A natural arsenal against bacterial pathogens. *Antibiotics*, 9(336), 1–40. <https://doi.org/10.3390/antibiotics9060336>
- Meisenberg, G., & Simmons, W. H. (2012). The Metabolism of Purines and Pyrimidines. In *Principles of Medical Biochemistry* (pp. 471–480). Elsevier. <https://doi.org/10.1016/b978-0-323-07155-0.00028-9>
- Neogi, T. (2016). Gout. *Annals of Internal Medicine*, 165(1), ITC1. <https://doi.org/10.7326/AITC201607050>
- Ningrum, R., Purwanti, E., & Sukarsono. (2017). Alkaloid compound identification of Rhodomyrtus tomentosa stem as biology instructional material for senior high school X grade. *JPBI (Jurnal Pendidikan Biologi Indonesia)*, 2(3), 231–236. <https://doi.org/10.22219/jpbi.v2i3.3863>
- Nugroho, A. (2017). *Buku Ajar Teknologi Bahan Alam*. Lambung Mangkurat University Press.
- Panche, A. N., Diwan, A. D., & Chandra, S. R. (2016). Flavonoids: An overview. *Journal of Nutritional Science*, 5(47), 1–15. <https://doi.org/10.1017/jns.2016.41>
- Prajnaparamita, K., & Susanti, S. (2021). Karakter Morfologis dan Perkembangan

- Anatomis Biji Melinjo (*Gnetum gnemon* L.). *Jurnal Biogenesis*, 17(2), 49–60.
- Purwanto, D., Bahri, S., & Ridhay, A. (2017). UJI Aktivitas Antioksidan Ekstrak Buah Purnajiwia (*Kopsia arborea* Blume.) Dengan Berbagai Pelarut. *Kovalen*, 3(1), 24–32.
- Putri, P. A., Chatri, M., Advinda, L., & Violita. (2023). Karakteristik Saponin Senyawa Metabolit Sekunder pada Tumbuhan. *Jurnal Serambi Biologi*, 8(2), 252–256.
- Rai, S., Acharya-Siwakoti, E., Kafle, A., Devkota, H. P., & Bhattacharai, A. (2021). Plant-Derived Saponins: A Review of Their Surfactant Properties and Applications. *Sci*, 3(44), 1–19. <https://doi.org/10.3390/sci3040044>
- Rayhan, A. G. M., Maharani, N., Mahati, E., & Nindita, Y. (2023). Effect of Melinjo Seed Extract on Uric Acid Levels of Hyperuricemic Male Wistar Rats. *Jurnal Kedokteran Diponegoro (Diponegoro Medical Journal)*, 12(1), 10–15. <https://doi.org/10.14710/jkd>
- Richette, P., Doherty, M., Pascual, E., Barskova, V., Becce, F., Castaneda, J., Coyfish, M., Guillo, S., Jansen, T., Janssens, H., Lioté, F., Mallen, C. D., Nuki, G., Perez-Ruiz, F., Pimentao, J., Punzi, L., Pywell, A., So, A. K., Tausche, A.-K., ... Bardin, T. (2020). 2018 updated European League Against Rheumatism evidence-based recommendations for the diagnosis of gout. *Annals of the Rheumatic Diseases*, 79(1), 31–38. <https://doi.org/10.1136/annrheumdis-2019-215315>
- Roman, Y. M. (2023). The Role of Uric Acid in Human Health: Insights from the Uricase Gene. *Journal of Personalized Medicine*, 13(9), 1–17. <https://doi.org/10.3390/jpm13091409>

- Rosa, D., Yuswandi, M. A., Siregar, T. M., Sugata, M., & Arianditha, E. (2020). Uji Aktivitas Antioksidan Ekstrak Biji dan Kulit Buah Melinjo (*Gnetum gnemon* L.). *FaST - Jurnal Sains Dan Teknologi*, 4(1), 92–98.
- Russo, E., Leoncini, G., Esposito, P., Garibotto, G., Pontremoli, R., & Viazzi, F. (2020). Fructose and Uric Acid: Major Mediators of Cardiovascular Disease Risk Starting at Pediatric Age. *International Journal of Molecular Sciences*, 21(12). <https://doi.org/10.3390/ijms21124479>
- Salem, C. Ben, Slim, R., Fathallah, N., & Hmouda, H. (2016). Drug-induced hyperuricaemia and gout. *Rheumatology*, kew293. <https://doi.org/10.1093/rheumatology/kew293>
- Saraswaty, V., Ketut Adnyana, I., Pudjiraharti, S., Mozef, T., Insanu, M., Kurniati, N. F., & Rachmawati, H. (2017). Fractionation using adsorptive macroporous resin HPD-600 enhances antioxidant activity of *Gnetum gnemon* L. seed hard shell extract. *Journal of Food Science and Technology*, 54(10), 3349–3357. <https://doi.org/10.1007/s13197-017-2793-3>
- Sari, N. K., Soemardji, A. A., & Fidrianny, I. (2019). The Effect of Melinjo (*Gnetum gnemon* L.) Leaves and Melinjo Peel Extracts on Induced-Hyperuricemia Male Rats Model. *Journal of Medicine and Health*, 2(4), 956–964.
- Shekelle, P. G., Newberry, S. J., FitzGerald, J. D., Motala, A., O'Hanlon, C. E., Tariq, A., Okunogbe, A., Han, D., & Shanman, R. (2017). Management of Gout: A Systematic Review in Support of an American College of Physicians Clinical Practice Guideline. *Annals of Internal Medicine*, 166(1), 37. <https://doi.org/10.7326/M16-0461>

Singh, J. V., Bedi, P. M. S., Singh, H., & Sharma, S. (2020). Xanthine oxidase inhibitors: patent landscape and clinical development (2015–2020). *Expert Opinion on Therapeutic Patents*, 30(10), 769–780.

<https://doi.org/10.1080/13543776.2020.1811233>

Skoczyńska, M., Chowaniec, M., Szymczak, A., Langner-Hetmańczuk, A., Maciążek-Chyra, B., & Wiland, P. (2020). Pathophysiology of hyperuricemia and its clinical significance – a narrative review. *Rheumatology*, 58(5), 312–323. <https://doi.org/10.5114/reum.2020.100140>

Sofyan, N. A., Ilyas, S., & Machrina, Y. (2023). Effect of Skin Melinjo Extract (Gnetum Gnemon) On Expression URAT1 and GLUT9 Genes In Hyperuricemia. *International Journal of Ecophysiology*, 05(01), 13–18. <https://doi.org/10.32734/ijoep.v5i1.11718>

Stamp, L. K., Merrimen, T. R., Barclay, M. L., Singh, J. A., Roberts, R. L., Wright, D. F., & Dalbeth, N. (2014). Impaired response or insufficient dosage? – examining the potential causes of "inadequate response" to allopurinol in the treatment of gout. *Semin Arthritis Rheum*, 44(2), 170–174. [https://doi.org/10.1007/978-3-031-23488-0\\_36](https://doi.org/10.1007/978-3-031-23488-0_36)

Sugiyono. (2019). *Metode Penelitian Kuantitatif Kualitatif dan Research & Development* (1st ed., Vol. 1). ALFABETA.

Sun, H., Wu, Y., Bian, H., Yang, H., Wang, H., & Meng, X. (2021). Function of Uric Acid Transporters and Their Inhibitors in Hyperuricaemia. *Frontiers in Pharmacology*, 12(667753), 1–15. <https://doi.org/10.3389/fphar.2021.667753>

Tamura, Y., Morimoto, C., Kuribayashi-Okuma, E., Uchida, S., Hosoyamada, M., Nakagawa, T., & Shibata, S. (2021). Melinjo seed extract stimulates intestinal

- ABCG2 expression to reduce serum uric acid levels in hyperuricemic rats. *Journal of Functional Foods*, 87(1), 104849. <https://doi.org/10.1016/j.jff.2021.104849>
- Tanamal, M. T., Papilaya, P. M., & Smith, A. (2017). Kandungan Senyawa Flavonoid PADA Daun Melinjo (*Gnetum gnemon L.*) Berdasarkan Perbedaan Tempat Tumbuh. *BIOPENDIX: Jurnal Biologi, Pendidikan Dan Terapan*, 3(2), 142–147. <https://doi.org/10.30598/biopendixvol3issue2page142-147>
- Tang, D. H., Ye, Y. S., Wang, C. Y., Li, Z. L., Zheng, H., & Ma, K. L. (2017). Potassium oxonate induces acute hyperuricemia in the tree shrew (*Tupaia belangeri chinensis*). *Experimental Animals*, 66(3), 209–216. <https://doi.org/10.1538/expanim.16-0096>
- Tatefuji, T., Yanagihara, M., Fukushima, S., & Hashimoto, K. (2014). Safety assessment of melinjo (*Gnetum gnemon L.*) seed extract: Acute and subchronic toxicity studies. *Food and Chemical Toxicology*, 67, 230–235. <https://doi.org/10.1016/j.fct.2014.02.030>
- Twaij, B. M., & Hasan, M. N. (2022). Bioactive Secondary Metabolites from Plant Sources: Types, Synthesis, and Their Therapeutic Uses. *International Journal of Plant Biology*, 13(1), 4–14. <https://doi.org/10.3390/ijpb13010003>
- Usman, S. Y., Darmawan, G., Hamijoyo, L., & Wachjudi, R. G. (2019). Hyperuricemia Prevalence and Its Metabolic Syndrome Profiles. *Indonesian Journal of Rheumatology*, 11(2), 175–180. <https://doi.org/10.37275/ijr.v11i2.118>
- Wati, D., Ilyas, S., & Yurnadi. (2024). *Prinsip Dasar Tikus Sebagai Model Penelitian*. USU Press.

- Wazir, D., Ahmad, S., Muse, R., Mahmood, M., & Shukor, M. Y. (2021). Antioxidant activities of different parts of *Gnetum gnemon* L. *Journal of Plant Biochemistry and Biotechnology*, 20(2), 234–240.  
<https://doi.org/10.1007/s13562-011-0051-8>
- Widyastiwi, Nurliyananda, F., & Roseno, M. (2022). Aktivitas Antihiperurisemia Ekstrak Etanol 96% Rimpang Temu Giring (*Curcuma heyneana* Val.) Pada Mencit Jantan yang Diinduksi Kalium Oksonat dan Jus Hati Ayam. *Majalah Farmasi Dan Teknologi*, 26(2), 52–56.  
<https://doi.org/10.20956/mff.v26i2.20283>
- World Health Organization. (2000). *WHO General Guidelines for Methodologies on Research and Evaluation of Traditional Medicine*.
- Wulandari, S., & Muntholib, dan. (2014). Inhibisi Xantin Oksidase Oleh Ekstrak Etanol Kulit Melinjo (*Gnetum gnemon*) Relatif Terhadap Allopurinol. *Jurnal Online Universitas Negeri Malang*, 1(1), 1–9.
- Xiong, Q., Liu, J., & Xu, Y. (2019). Effects of Uric Acid on Diabetes Mellitus and Its Chronic Complications. *International Journal of Endocrinology*, 1–8.  
<https://doi.org/10.1155/2019/9691345>
- Yang, F., Yin, Y., Luo, J. J., & Wang, H. (2012). Uric Acid, Hyperuricemia and Vascular Diseases. *Front Biosci*, 17, 656–669.  
<https://www.researchgate.net/publication/51895211>
- Yin, J., Wang, X., Ge, X., Ding, F., Shi, Z., Ge, Z., Huang, G., Zhao, N., Chen, D., Zhang, J., Agnihotri, S., Cao, Y., Ji, J., & Lin, F. (2023). Hypoxanthine phosphoribosyl transferase 1 metabolizes temozolomide to activate AMPK for driving chemoresistance of glioblastomas. *Nature Communication*, 14(5913),

1–15. <https://doi.org/10.1038/s41467-023-41663-2>

Zhang, Nie, Q., Zhang, Z., Zhao, J., Zhang, F., Wang, C., Wang, X., & Song, G. (2021). Resveratrol affects the expression of uric acid transporter by improving inflammation. *Molecular Medicine Reports*, 24(2), 1–9. <https://doi.org/10.3892/mmr.2021.12203>