

## DAFTAR PUSTAKA

- Abildgaard, J., Ploug, T., Al-Saoudi, E., Wagner, T., Thomsen, C., Ewertsen, C., Bzorek, M., Pedersen, B. K., Pedersen, A. T., & Lindegaard, B. (2021). Changes in abdominal subcutaneous adipose tissue phenotype following menopause is associated with increased visceral fat mass. *Scientific Reports*, 11(1), 14750. <https://doi.org/10.1038/s41598-021-94189-2>
- Adiba, C., Pradigdo, S. F., & Kartasurya, M. I. (2020). Association between Social Media Exposure to Food and Beverages with Nutrient Intake of Female Adolescents. *Kesmas: National Public Health Journal*, 15(4). <https://doi.org/10.21109/kesmas.v15i4.3561>
- Amana, D. R., Wilson, W., & Hermawati, E. (2021). Hubungan tingkat aktivitas fisik dengan tingkat depresi pada mahasiswa tahun kedua Program Studi Kedokteran Fakultas Kedokteran Universitas Tanjungpura. *Jurnal Cerebellum*, 6(4), 94–99. <https://doi.org/10.26418/jc.v6i4.47800>
- Angoorani, H., Karimi, Z., Naderi, F., & Mazaherinezhad, A. (2018). Is ultrasound-measured abdominal fat thickness a reliable method for predicting metabolic diseases in obese and overweight women? *Medical Journal of The Islamic Republic of Iran*, 32(1), 453–458. <https://doi.org/10.14196/mjiri.32.78>
- Azuma, M., Chihara, Y., Yoshimura, C., Murase, K., Hamada, S., Tachikawa, R., Matsumoto, T., Inouchi, M., Tanizawa, K., Handa, T., Oga, T., Mishima, M., & Chin, K. (2015). Association Between Endothelial Function (Assessed on Reactive Hyperemia Peripheral Arterial Tonometry) and Obstructive Sleep Apnea, Visceral Fat Accumulation, and Serum Adiponectin. *Circulation Journal*, 79(6), 1381–1389. <https://doi.org/10.1253/circj.CJ-14-1303>
- Bagyura, Z., Kiss, L., Lux, Á., Csobay-Novák, C., Jermendy, Á. L., Polgár, L., Tabák, Á. G., Soós, P., Szelid, Z., Merkely, B., Köhidai, L., & Pállinger, É. (2023). *Nadya Shabira, 2024*
- HUBUNGAN ANTARA LEMAK VISCELAR DAN PENANDA INFLAMASI LEUKOSIT, NLR, PLR PADA MAHASISWA FAKULTAS KEDOKTERAN UNIVERSITAS PEMBANGUNAN NASIONAL VETERAN JAKARTA 2024*
- UPN Veteran Jakarta, Fakultas Kedokteran  
[[www.upnvi.ac.id](http://www.upnvi.ac.id) - [www.library.upnvi.ac.id](http://www.library.upnvi.ac.id) - [www.repository.upnvi.ac.id](http://www.repository.upnvi.ac.id)]

Neutrophil-to-Lymphocyte Ratio Is an Independent Risk Factor for Coronary Artery Disease in Central Obesity. *International Journal of Molecular Sciences*, 24(8), 7397. <https://doi.org/10.3390/ijms24087397>

Buonacera, A., Stancanelli, B., Colaci, M., & Malatino, L. (2022). Neutrophil to Lymphocyte Ratio: An Emerging Marker of the Relationships between the Immune System and Diseases. *International Journal of Molecular Sciences*, 23(7), 3636. <https://doi.org/10.3390/ijms23073636>

Çalışkan, S., Sungur, M., Kaba, S., Özsoy, E., Koca, O., & Öztürk, M. İ. (2018). Neutrophil-to-Lymphocyte Ratio in Renal Cell Carcinoma Patients. *Folia medica*, 60(4), 553–557. <https://doi.org/10.2478/folmed-2018-0027>

Chaudry, O., Grimm, A., Friedberger, A., Kemmler, W., Uder, M., Jakob, F., Quick, H. H., von Stengel, S., & Engelke, K. (2020). Magnetic Resonance Imaging and Bioelectrical Impedance Analysis to Assess Visceral and Abdominal Adipose Tissue. *Obesity*, 28(2), 277–283. <https://doi.org/10.1002/oby.22712>

Chicanne, G., Barrachina, M. N., Durbec, A., Bertrand-Michel, J., Troitiño, S., Hermida-Nogueira, L., Sueiro, A. M., Pardo, M., Payrastre, B., & García, Á. (2022). Platelet Lipidome Fingerprint: New Assistance to Characterize Platelet Dysfunction in Obesity. *International Journal of Molecular Sciences*, 23(15), 8326. <https://doi.org/10.3390/ijms23158326>

Cremona, A., Hayes, K., O’Gorman, C. S., Laighin, C. N., Ismail, K. I., Donnelly, A. E., Hamilton, J., & Cotter, A. (2019). Inter and intra-reliability of ultrasonography for the measurement of abdominal subcutaneous & visceral adipose tissue thickness at 12 weeks gestation. *BMC Medical Imaging*, 19(1), 95. <https://doi.org/10.1186/s12880-019-0393-6>

Cuatrecasas, G., de Cabo, F., Coves, M. J., Patrascioiu, I., Aguilar, G., March, S., Nadya Shabira, 2024

*HUBUNGAN ANTARA LEMAK VISCELAR DAN PENANDA INFLAMASI LEUKOSIT, NLR, PLR PADA MAHASISWA FAKULTAS KEDOKTERAN UNIVERSITAS PEMBANGUNAN NASIONAL VETERAN JAKARTA 2024*

UPN Veteran Jakarta, Fakultas Kedokteran

[[www.upnvet.ac.id](http://www.upnvet.ac.id) - [www.library.upnvet.ac.id](http://www.library.upnvet.ac.id) - [www.repository.upnvet.ac.id](http://www.repository.upnvet.ac.id)]

- Balfegó, M., Bretxa, C., Calbo, M., Cuatrecasas, G., Aranda, G., Orois, A., Bové, I., Muñoz-Marron, E., & García-Lorda, P. (2020). Ultrasound measures of abdominal fat layers correlate with metabolic syndrome features in patients with obesity. *Obesity Science & Practice*, 6(6), 660–667. <https://doi.org/10.1002/osp4.453>
- Davison-Castillo, P., McMahon, B., Aguila, S., Bark, D., Ashworth, K., Allawzi, A., Campbell, R. A., Montenont, E., Nemkov, T., D'Alessandro, A., Clendenen, N., Shih, L., Sanders, N. A., Higa, K., Cox, A., Padilla-Romo, Z., Hernandez, G., Wartchow, E., Trahan, G. D., ... Di Paola, J. (2019). TNF- $\alpha$ -driven inflammation and mitochondrial dysfunction define the platelet hyperreactivity of aging. *Blood*, 134(9), 727–740. <https://doi.org/10.1182/blood.2019000200>
- Erdal, E., & İnanır, M. (2019). Platelet-to-lymphocyte ratio (PLR) and Plateletcrit (PCT) in young patients with morbid obesity. *Revista da Associação Médica Brasileira*, 65(9), 1182–1187. <https://doi.org/10.1590/1806-9282.65.9.1182>
- Friedrich, M., Pohin, M., & Powrie, F. (2019). Cytokine Networks in the Pathophysiology of Inflammatory Bowel Disease. *Immunity*, 50(4), 992–1006. <https://doi.org/10.1016/j.jimmuni.2019.03.017>
- Gadde, K. M., Martin, C. K., Berthoud, H.-R., & Heymsfield, S. B. (2018). Obesity: Pathophysiology and Management. *Journal of the American College of Cardiology*, 71(1), 69–84. <https://doi.org/10.1016/j.jacc.2017.11.011>
- Gao, B., Liu, Y., Ding, C., Liu, S., Chen, X., & Bian, X. (2020). Comparison of visceral fat area measured by CT and bioelectrical impedance analysis in Chinese patients with gastric cancer: a cross-sectional study. *BMJ Open*, 10(7), e036335. <https://doi.org/10.1136/bmjopen-2019-036335>
- García-Sánchez, A., Gámez-Nava, J. I., Díaz-de la Cruz, E. N., Cardona-Muñoz, E. Nadya Shabira, 2024  
*HUBUNGAN ANTARA LEMAK VISCERAL DAN PENANDA INFLAMASI LEUKOSIT, NLR, PLR PADA MAHASISWA FAKULTAS KEDOKTERAN UNIVERSITAS PEMBANGUNAN NASIONAL VETERAN JAKARTA 2024*  
UPN Veteran Jakarta, Fakultas Kedokteran  
[\[www.upnvet.ac.id\]](http://www.upnvet.ac.id) - [\[www.library.upnvet.ac.id\]](http://www.library.upnvet.ac.id) - [\[www.repository.upnvet.ac.id\]](http://www.repository.upnvet.ac.id)

G., Becerra-Alvarado, I. N., Aceves-Aceves, J. A., Sánchez-Rodríguez, E. N., & Miranda-Díaz, A. G. (2020). The Effect of Visceral Abdominal Fat Volume on Oxidative Stress and Proinflammatory Cytokines in Subjects with Normal Weight, Overweight and Obesity. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, *Volume 13*, 1077–1087.  
<https://doi.org/10.2147/DMSO.S245494>

Gasparyan, A. Y., Ayvazyan, L., Mukanova, U., Yessirkepov, M., & Kitas, G. D. (2019). The Platelet-to-Lymphocyte Ratio as an Inflammatory Marker in Rheumatic Diseases. *Annals of Laboratory Medicine*, *39*(4), 345–357.  
<https://doi.org/10.3343/alm.2019.39.4.345>

Gros, A., Ollivier, V., & Ho-Tin-NoÃ©, B. (2015). Platelets in Inflammation: Regulation of Leukocyte Activities and Vascular Repair. *Frontiers in Immunology*, *5*. <https://doi.org/10.3389/fimmu.2014.00678>

Hansen, G. T., Sobreira, D. R., Weber, Z. T., Thornburg, A. G., Aneas, I., Zhang, L., Sakabe, N. J., Joslin, A. C., Haddad, G. A., Strobel, S. M., Laber, S., Sultana, F., Sahebdel, F., Khan, K., Li, Y. I., Claussnitzer, M., Ye, L., Battaglino, R. A., & Nóbrega, M. A. (2023). Genetics of sexually dimorphic adipose distribution in humans. *Nature Genetics*, *55*(3), 461–470.  
<https://doi.org/10.1038/s41588-023-01306-0>

Howard, R., Kanetsky, P. A., & Egan, K. M. (2019). Exploring the prognostic value of the neutrophil-to-lymphocyte ratio in cancer. *Scientific Reports*, *9*(1), 19673.  
<https://doi.org/10.1038/s41598-019-56218-z>

Humaira, D. I., Berawi, K. N., & Morfi, C. W. (2020). Hubungan Obesitas Sentral dengan Hitung Jenis Leukosit pada Laki-Laki Dewasa di Lingkungan Universitas Lampung. *Medula*, *10*(1), 43–48.

Janochova, K., Haluzik, M., & Buzga, M. (2019). Visceral fat and insulin resistance - what we know? *Biomedical Papers*, 163(1), 19–27.  
<https://doi.org/10.5507/bp.2018.062>

Karakaya, S., Altay, M., Kaplan Efe, F., Karadağ, İ., Ünsal, O., Bulur, O., Eser, M., & Taner Ertuğrul, D. (2019). The neutrophil-lymphocyte ratio and its relationship with insulin resistance in obesity. *Turkish journal of medical sciences*, 49(1), 245–248. <https://doi.org/10.3906/sag-1804-68>

Karastergiou, K. (2015). The Interplay Between Sex, Ethnicity, and Adipose Tissue Characteristics. *Current Obesity Reports*, 4(2), 269–278.  
<https://doi.org/10.1007/s13679-015-0149-8>

Kataoka, H., Nitta, K., & Hoshino, J. (2023). Visceral fat and attribute-based medicine in chronic kidney disease. *Frontiers in Endocrinology*, 14. <https://doi.org/10.3389/fendo.2023.1097596>

Kim, E. Y., Lee, J. W., Yoo, H. M., Park, C. H., & Song, K. Y. (2015). The Platelet-to-Lymphocyte Ratio Versus Neutrophil-to-Lymphocyte Ratio: Which is Better as a Prognostic Factor in Gastric Cancer? *Annals of Surgical Oncology*, 22(13), 4363–4370. <https://doi.org/10.1245/s10434-015-4518-z>

Ko, S.-H., & Kim, H.-S. (2020). Menopause-Associated Lipid Metabolic Disorders and Foods Beneficial for Postmenopausal Women. *Nutrients*, 12(1), 202. <https://doi.org/10.3390/nu12010202>

Koenen, M., Hill, M. A., Cohen, P., & Sowers, J. R. (2021). Obesity, Adipose Tissue and Vascular Dysfunction. *Circulation Research*, 128(7), 951–968. <https://doi.org/10.1161/CIRCRESAHA.121.318093>

Kolb, H. (2022). Obese visceral fat tissue inflammation: from protective to

Nadya Shabira, 2024

HUBUNGAN ANTARA LEMAK VISCERAL DAN PENANDA INFLAMASI LEUKOSIT, NLR, PLR PADA MAHASISWA

FAKULTAS KEDOKTERAN UNIVERSITAS PEMBANGUNAN NASIONAL VETERAN JAKARTA 2024

UPN Veteran Jakarta, Fakultas Kedokteran

[[www.upnvj.ac.id](http://www.upnvj.ac.id) - [www.library.upnvj.ac.id](http://www.library.upnvj.ac.id) - [www.repository.upnvj.ac.id](http://www.repository.upnvj.ac.id)]

detrimental? *BMC Medicine*, 20(1), 494.  
<https://doi.org/10.1186/s12916-022-02672-y>

Kong, M., Xu, M., Zhou, Y., Geng, N., Lin, N., Song, W., Li, S., Piao, Y., Han, Z., Guo, R., Yang, C., Luo, N., Wang, Z., Ma, L., Xu, Q., Wang, L., Qiu, W., Li, J., Shi, D., ... Duan, Z. (2022). Assessing Visceral Obesity and Abdominal Adipose Tissue Distribution in Healthy Populations Based on Computed Tomography: A Large Multicenter Cross-Sectional Study. *Frontiers in Nutrition*, 9. <https://doi.org/10.3389/fnut.2022.871697>

Lee, A., Kim, Y. J., Oh, S.-W., Lee, C. M., Choi, H. C., Joh, H.-K., Oh, B., Hwang, S.-S., Kim, S. J., & Kwon, O. D. (2018). Cut-Off Values for Visceral Fat Area Identifying Korean Adults at Risk for Metabolic Syndrome. *Korean Journal of Family Medicine*, 39(4), 239–246. <https://doi.org/10.4082/kjfm.17.0099>

Mathew, D. E., Jayakaran, J. A. J., Hansdak, S. G., & Iyadurai, R. (2023). Cost effective and adaptable measures of estimation of visceral adiposity. *Clinical Epidemiology and Global Health*, 23, 101362. <https://doi.org/10.1016/j.cegh.2023.101362>

Matias, I., Belluomo, I., & Cota, D. (2016). The Fat Side of the Endocannabinoid System: Role of Endocannabinoids in the Adipocyte. *Cannabis and Cannabinoid Research*, 1(1), 176–185. <https://doi.org/10.1089/can.2016.0014>

Mittal, B. (2019). Subcutaneous adipose tissue & visceral adipose tissue. *Indian Journal of Medical Research*, 149(5), 571–573. [https://doi.org/10.4103/ijmr.IJMR\\_1910\\_18](https://doi.org/10.4103/ijmr.IJMR_1910_18)

Moraes, D. de, Mousovich-Neto, F., Cury, S. S., Oliveira, J., Souza, J. dos S., Freire, P. P., Dal-Pai-Silva, M., Mori, M. A. da S., Fernandez, G. J., & Carvalho, R. F. (2023). The Transcriptomic Landscape of Age-Induced Changes in Human

Nadya Shabira, 2024

*HUBUNGAN ANTARA LEMAK VISCERAL DAN PENANDA INFLAMASI LEUKOSIT, NLR, PLR PADA MAHASISWA FAKULTAS KEDOKTERAN UNIVERSITAS PEMBANGUNAN NASIONAL VETERAN JAKARTA 2024*  
UPN Veteran Jakarta, Fakultas Kedokteran

[[www.upnvj.ac.id](http://www.upnvj.ac.id) - [www.library.upnvj.ac.id](http://www.library.upnvj.ac.id) - [www.repository.upnvj.ac.id](http://www.repository.upnvj.ac.id)]

Visceral Fat and the Predicted Omentum-Liver Connectome in Males. *Biomedicines*, 11(5), 1446. <https://doi.org/10.3390/biomedicines11051446>

Nishitani, N., & Sakakibara, H. (2014). Association of Psychological Stress Response of Fatigue with White Blood Cell Count in Male Daytime Workers. *Industrial Health*, 52(6), 531–534. <https://doi.org/10.2486/indhealth.2013-0045>

Osadnik, T., Bujak, K., Osadnik, K., Czarnecka, H., Pawlas, N., Reguła, R., Fronczek, M., Lejawa, M., Gawlita, M., Gonera, M., Góral, M., Strzelczyk, J. K., Gierlotka, M., Lekston, A., Kasperczyk, J., Poloński, L., & Gąsior, M. (2019). Novel inflammatory biomarkers may reflect subclinical inflammation in young healthy adults with obesity. *Endokrynologia Polska*, 70(2), 135–142. <https://doi.org/10.5603/EP.a2019.0002>

Park, J. H., Moon, J. H., Kim, H. J., Kong, M. H., & Oh, Y. H. (2020). Sedentary Lifestyle: Overview of Updated Evidence of Potential Health Risks. *Korean Journal of Family Medicine*, 41(6), 365–373. <https://doi.org/10.4082/kjfm.20.0165>

Park, J., Jang, K. M., & Park, K.-K. (2020). Apamin Suppresses LPS-Induced Neuroinflammatory Responses by Regulating SK Channels and TLR4-Mediated Signaling Pathways. *International Journal of Molecular Sciences*, 21(12), 4319. <https://doi.org/10.3390/ijms21124319>

Pinho, C. P. S., Diniz, A. da S., de Arruda, I. K. G., Leite, A. P. D. L., Petribú, M. de M. V., & Rodrigues, I. G. (2017). Predictive models for estimating visceral fat: The contribution from anthropometric parameters. *PLOS ONE*, 12(7), e0178958. <https://doi.org/10.1371/journal.pone.0178958>

Purwanti, R., & Syauqy, A. (2022). HUBUNGAN ANTARA PARAMETER ANTROPOMETRI DAN PROFIL LIPID PADA WANITA SEHAT DI Nadya Shabira, 2024

*HUBUNGAN ANTARA LEMAK VISCERAL DAN PENANDA INFLAMASI LEUKOSIT, NLR, PLR PADA MAHASISWA FAKULTAS KEDOKTERAN UNIVERSITAS PEMBANGUNAN NASIONAL VETERAN JAKARTA 2024*  
UPN Veteran Jakarta, Fakultas Kedokteran

[[www.upnvet.ac.id](http://www.upnvet.ac.id) - [www.library.upnvet.ac.id](http://www.library.upnvet.ac.id) - [www.repository.upnvet.ac.id](http://www.repository.upnvet.ac.id)]

SEMARANG. *GIZI INDONESIA*, 45(2), 91–100.  
<https://doi.org/10.36457/gizindo.v45i2.666>

Putra, I. W. A., Widiyanti, E. S., Wanaditya, G. K., & Sumada, I. M. A. C. (2023). Obesitas pada kehamilan sebagai faktor risiko terjadinya serum IL-6 dan TNF- $\alpha$  maternal yang tinggi. *Intisari Sains Medis*, 14(3), 1294–1298. <https://doi.org/10.15562/ism.v14i3.1903>

Rizkiah, E. C., Nadiyah, N., Novianti, A., Gifari, N., & Sapang, M. (2023). Hubungan Beban Glikemik, Aktivitas Fisik, Stres Kerja Dengan Lemak Visceral Pada Pekerja Di Dinas Tenaga Kerja Dan Transmigrasi Provinsi Banten. *Jurnal Ilmu Kesehatan dan Gizi*, 1(3), 172–184. <https://doi.org/10.55606/jikg.v1i3.1487>

Rodríguez-Rodríguez, E., López-Sobaler, A. M., Ortega, R. M., Delgado-Losada, M. L., López-Parra, A. M., & Aparicio, A. (2020). Association between Neutrophil-to-Lymphocyte Ratio with Abdominal Obesity and Healthy Eating Index in a Representative Older Spanish Population. *Nutrients*, 12(3), 855. <https://doi.org/10.3390/nu12030855>

Slinger, E., Wensveen, F., Kater, A. P., & Eldering, E. (2015). CLL Disease Severity Is Enhanced in Tcl1 Mice Deficient for Pro-Apoptotic Regulator Noxa. *Blood*, 126(23), 4144–4144. <https://doi.org/10.1182/blood.V126.23.4144.4144>

Suárez-Cuenca, J. A., Ruíz-Hernández, A. S., Mendoza-Castañeda, A. A., Domínguez-Pérez, G. A., Hernández-Patricio, A., Vera-Gómez, E., De la Peña-Sosa, G., Banderas-Lares, D. Z., Montoya-Ramírez, J., Blas-Azotla, R., Ortíz-Fernández, M., Salamanca-García, M., Melchor-López, A., Mondragón-Terán, P., Contreras-Ramos, A., & Alcaráz-Estrada, S. L. (2019). Neutrophil-to-lymphocyte ratio and its relation with pro-inflammatory mediators, visceral adiposity and carotid intima-media thickness in population

with obesity. *European Journal of Clinical Investigation*, 49(5). <https://doi.org/10.1111/eci.13085>

Swainson, M. G., Batterham, A. M., Tsakirides, C., Rutherford, Z. H., & Hind, K. (2017). Prediction of whole-body fat percentage and visceral adipose tissue mass from five anthropometric variables. *PLOS ONE*, 12(5), e0177175. <https://doi.org/10.1371/journal.pone.0177175>

Turner, L., Galante, J., Vainre, M., Stochl, J., Dufour, G., & Jones, P. B. (2020). Immune dysregulation among students exposed to exam stress and its mitigation by mindfulness training: findings from an exploratory randomised trial. *Scientific Reports*, 10(1), 5812. <https://doi.org/10.1038/s41598-020-62274-7>

Uribe-Querol, E., & Rosales, C. (2020). Phagocytosis: Our Current Understanding of a Universal Biological Process. *Frontiers in Immunology*, 11. <https://doi.org/10.3389/fimmu.2020.01066>

Wardhani, R. R., & Mufliah, N. (2021). Identifikasi Sedentary Behaviour di Masa Pandemic Covid-19: Narrative Review. *Journal Physical Therapy UNISA*, 1(1), 15–23. <https://doi.org/10.31101/jitu.2017>

Weinstock, A., Brown, E. J., Garabedian, M. L., Pena, S., Sharma, M., Lafaille, J., Moore, K. J., & Fisher, E. A. (2019). Single-Cell RNA Sequencing of Visceral Adipose Tissue Leukocytes Reveals that Caloric Restriction Following Obesity Promotes the Accumulation of a Distinct Macrophage Population with Features of Phagocytic Cells. *Immunometabolism*, 1(1). <https://doi.org/10.20900/immunometab20190008>

Wenni, A. A., Nasruddin, H., Limoa, L. T., Armanto Makmun, & Hasan, H. (2023). Hubungan Aktivitas Fisik Dan Sedentary Lifestyle Dengan Status Gizi Mahasiswa Program Profesi Dokter Angkatan 2017 Fakultas Kedokteran Nadya Shabira, 2024

*HUBUNGAN ANTARA LEMAK VISCERAL DAN PENANDA INFLAMASI LEUKOSIT, NLR, PLR PADA MAHASISWA FAKULTAS KEDOKTERAN UNIVERSITAS PEMBANGUNAN NASIONAL VETERAN JAKARTA 2024*

UPN Veteran Jakarta, Fakultas Kedokteran

[[www.upnvj.ac.id](http://www.upnvj.ac.id) - [www.library.upnvj.ac.id](http://www.library.upnvj.ac.id) - [www.repository.upnvj.ac.id](http://www.repository.upnvj.ac.id)]

Universitas Muslim Indonesia. *Fakumi Medical Journal: Jurnal Mahasiswa Kedokteran*, 3(6), 444–451. <https://doi.org/10.33096/fmj.v3i6.251>

Williams, R., & Periasamy, M. (2020). Genetic and Environmental Factors Contributing to Visceral Adiposity in Asian Populations. *Endocrinology and Metabolism*, 35(4), 681–695. <https://doi.org/10.3803/EnM.2020.772>

Winters-van Eekelen, E., van der Velde, J. H. P. M., Boone, S. C., Westgate, K., Brage, S., Lamb, H. J., Rosendaal, F. R., & de Mutsert, R. (2021). Objectively Measured Physical Activity and Body Fatness: Associations with Total Body Fat, Visceral Fat, and Liver Fat. *Medicine & Science in Sports & Exercise*, 53(11), 2309–2317. <https://doi.org/10.1249/MSS.0000000000002712>

Yazaki, L. G., Faria, J. C. P., Souza, F. I. S. de, & Sarni, R. O. S. (2022). Neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios of overweight children and adolescents. *Revista da Associação Médica Brasileira*, 68(8), 1006–1010. <https://doi.org/10.1590/1806-9282.20211253>

Yu, J.-Y., Choi, W.-J., Lee, H.-S., & Lee, J.-W. (2019). Relationship between inflammatory markers and visceral obesity in obese and overweight Korean adults. *Medicine*, 98(9), e14740. <https://doi.org/10.1097/MD.00000000000014740>

Zamboni, M., Nori, N., Brunelli, A., & Zoico, E. (2021). How does adipose tissue contribute to inflammageing? *Experimental Gerontology*, 143, 111162. <https://doi.org/10.1016/j.exger.2020.111162>