

DAFTAR PUSTAKA

- Agustin, H., Arifianto and Winarti, R. (2024) ‘The Relationship Of The Incident Of Diabetes Distress And Self Care In Diabetes Mellitus Patients In Semarang’, *Jurnal Ilmu dan Teknologi Kesehatan STIKES Widya Husada*, 15(2), pp. 50–54. doi: 10.3366/jitk.v15i1.602.
- Alfalsah, D., Sutawardana, J. and Murtaqib (2021) ‘Hubungan Diabetes Distress dengan Overactive Bladder Pada Pasien Diabetes Melitus Tipe 2 Di RSUD dr. Soebandi Jember’, *Journal of Nursing Care & Biomolecular*, 6(2), pp. 68–79. Available at: <https://jnc.stikesmaharani.ac.id/index.php/JNC/article/download/233/212>.
- American Association of Diabetes Educator. 2017. ADCES7 Self-Care Behaviors <https://www.diabeteseducator.org/patient-resources/ande7-selfcarebehaviors/healthy-eating>. [Diakses pada tanggal 21 September 2024]
- Anisa, S. and Harmia, E. (2024) ‘Hubungan Persepsi Penyakit Dengan Diabetes Distress Pada Penderita Diabetes Mellitus Tipe Ii Di Desa Kualu Wilayah Kerja Upt Blud Puskesmas Tambang Tahun 2023’, 2(4), pp. 698–706.
- Anita, D. and Prihatiningsih, D. (2018) ‘Correspondence to : Diyah Candra Anita , Nursing Study Program Faculty of Health Sciences , ‘ Aisyiyah University of Yogyakarta , Indonesia , E-mail : diyah.candra@gmail.com’ , 03(04), pp. 207–217.
- Arifin, B. et al. (2017) ‘Translation, Revision, and Validation of the Diabetes Distress Scale for Indonesian Type 2 Diabetic Outpatients with Various Types of Complications’, *Value in Health Regional Issues*, 12, pp. 63–73. doi: 10.1016/j.vhri.2017.03.010.
- Badan Kebijakan Pembangunan Kesehatan (2023) ‘Survei Kesehatan Indonesia (SKI)’, pp. 1–965.
- Baek, R., Tanenbaum, M. and Gonzalez, J. (2014) ‘Diabetes burden and diabetes distress: The buffering effect of social support’, *Chronic Obstructive Pulmonary Disease*, 48(2), pp. 145–155. doi: 10.1002/9780470755976.ch51.
- Bando, H. (2021) ‘Review of Renal Sciences Recent Perspectives for Clinical Problems of Lower Urinary Tract Dysfunction (LUTD) in Diabetes Mellitus (DM)’, *SunText Review of Renal Sciences*, 1(1), pp. 1–3.
- Barker, M. M. et al. (2023) ‘Age at Diagnosis of Type 2 Diabetes and Depressive Symptoms, Diabetes-Specific Distress, and Self-Compassion’, *Diabetes Care*, 46(3), pp. 579–586. doi: 10.2337/dc22-1237.
- Begum, F. and Nesa, M. (2023) ‘The Impact of Overactive Bladder on Quality of

- Life Affecting Physical Life, Social Life and Psychological Health among Women', *Scholars Journal of Applied Medical Sciences*, 11(05), pp. 926–930. doi: 10.36347/sjams.2023.v11i05.019.
- Bener, A. (2011) 'High Prevalence of Depression, Anxiety and Stress Symptoms Among Diabetes Mellitus Patients', *The Open Psychiatry Journal*, 5(1), pp. 5–12. doi: 10.2174/1874354401105010005.
- Berry, E. et al. (2015) 'Diabetes distress: Understanding the hidden struggles of living with diabetes and exploring intervention strategies', *Postgraduate Medical Journal*, 91(1075), pp. 278–283. doi: 10.1136/postgradmedj-2014-133017.
- Bhaskara, G. et al. (2022) 'Factors Associated with Diabetes-Related Distress in Type 2 Diabetes Mellitus Patients', *Diabetes, Metabolic Syndrome and Obesity*, 15, pp. 2077–2085. doi: 10.2147/DMSO.S363431.
- Bo, A. et al. (2019) 'Prevalence and correlates of diabetes distress, perceived stress and depressive symptoms among adults with early-onset Type 2 diabetes: cross-sectional survey results from the Danish DD2 study', *Diabetic Medicine*, 37(10), pp. 1679–1687. doi: 10.1111/dme.14087.
- Bree, K & Santiago-Lastra, Y 2019, Urological care for patients with diabetesinduced lower urinary tract dysfunction. in Urological Care for Patients with Progressive Neurological Conditions. Springer International Publishing, pp. 159-166. https://doi.org/10.1007/978-3-030-23277-1_18
- Buck, A. C. et al. (1976) 'Bladder Dysfunction and Neuropathy in Diabetes A.', *Diabetologia*, 12, pp. 251–258.
- Burakgazi, A. Z., Alsowaity, B., Burakgazi, Z. A., Unal, D., & Kelly, J. J. (2012). Bladder dysfunction in peripheral neuropathies. *Muscle & nerve*, 45(1), 2–8. <https://doi.org/10.1002/mus.22178>
- Chess-Williams, R. et al. (2021) 'Chronic psychological stress and lower urinary tract symptoms', *LUTS: Lower Urinary Tract Symptoms*, 13(4), pp. 414–424. doi: 10.1111/luts.12395.
- Chess-Williams, R. and Sellers, D. J. (2023) 'Pathophysiological Mechanisms Involved in Overactive Bladder/Detrusor Overactivity', *Current Bladder Dysfunction Reports*, 18(2), pp. 79–88. doi: 10.1007/s11884-023-00690-x.
- Chinedu., A. and Foluso, O. (2023) 'Diabetes Distress: The Untold Hidden Struggle of Living with Diabetes Mellitus', *African Journal of Health, Nursing and Midwifery*, 6(2), pp. 99–111. doi: 10.52589/ajhn-98vrwpip.
- Chuang, Y. C. et al. (2019) 'Prevalence of overactive bladder in China, Taiwan and South Korea: Results from a cross-sectional, population-based study', *LUTS:*

- Lower Urinary Tract Symptoms*, 11(1), pp. 48–55. doi: 10.1111/luts.12193.
- Corwin 2009. Buku Saku Patofisiologi. Jakarta: Kedokteran EGC
- Daneshgari, F. et al. (2009) ‘Diabetic Bladder Dysfunction: Current Translational Knowledge’, *Journal of Urology*, 182(6 SUPPL.). doi: 10.1016/j.juro.2009.08.070.
- Daneshgari, F., Liu, G. and Imrey, P. B. (2006) ‘Time Dependent Changes in Diabetic Cystopathy in Rats Include Compensated and Decompensated Bladder Function’, *Journal of Urology*, 176(1), pp. 380–386. doi: 10.1016/S0022-5347(06)00582-9.
- Darantika, W. and Meutia, R. (2023) ‘Evaluation of the patient’s level of knowledge of the use of type II diabetes mellitus drugs treated at Medan Adventist hospital’, *Journal of Pharmaceutical and Sciences*, 6(3), pp. 1050–1058.
- De Groot, M., Myers, B. A., Stump, T., Dana, D., Kolacz, J., & Porges, S. W. (2023). 628-P: Symptoms of Autonomic Nervous System Dysregulation and Diabetes Distress in T2D Adults. *Diabetes*, 72(Supplement_1), 628-P. <https://doi.org/10.2337/db23-628-P>
- De Groot, M., Myers, B. A., Stump, T., Dana, D., Kolacz, J., & Porges, S. W. (2024). 690-P: Relationship of Diabetes Distress and Symptoms of Autonomic Nervous System Dysregulation in Type 1 Diabetes Adults. *Diabetes*, 73(Supplement_1), 690-P. <https://doi.org/10.2337/db24-690-P>
- Devarajoooh, C. and Chinna, K. (2017) ‘Depression, distress and self-efficacy: The impact on diabetes self-care practices’, *PLoS ONE*, 12(3), pp. 1–16. doi: 10.1371/journal.pone.0175096.
- Dharma. 2017. Metodologi Penelitian Keperawatan (Panduan Melaksanakan Dan Menerapkan Hasil Penelitian). Jakarta: Trans Info Media.
- Dinas Kesehatan Provinsi DKI Jakarta (2021) ‘Laporan Tahunan Rsud Tarakan Tahun 2021’, pp. 1–119. Available at: rsudtarakan.jakarta.go.id.
- Farida, U., Sari Poespita D. W, K. and Putri Millania Paringsih, D. (2023) ‘Hubungan Self-Management Pengobatan Terhadap Kadar Gula Darah Pada Pasien Rawat Jalan Diabetes Melitus Tipe 2 Di Puskesmas’, *Journal Syifa Sciences and Clinical Research*, 5(2), pp. 327–337. doi: 10.37311/jsscr.v5i2.20833.
- Fayyad, A. M., Hill, S. R. and Jones, G. (2009) ‘Prevalence and risk factors for bothersome lower urinary tract symptoms in women with diabetes mellitus from hospital-based diabetes clinic.’, *International urogynecology journal and pelvic floor dysfunction*, 20(11), pp. 1339–1344. doi: 10.1007/s00192-

009-0949-z.

- Firdaus, A. K. *et al.* (2024) ‘Hubungan Neuropati Diabetikum Dengan Distres Psikologis Pada Penderita Diabetes Melitus Tipe 2 Berdasarkan Roy’S Adaptation Model (Ram) Di Rumah Sakit Citra Husada Jember’, 2(2), pp. 61–75. doi: 10.5455/mnj.v1i2.644.
- Firdaus. 2021. Metodologi Penelitian Kuantitatif. Riau: Dotplus.
- Fisher, L. *et al.* (2009) ‘Predicting diabetes distress in patients with Type 2 diabetes: A longitudinal study’, *Diabetic Medicine*, 26(6), pp. 622–627. doi: 10.1111/j.1464-5491.2009.02730.x.
- Fisher, L., Polonsky, W. H. and Hessler, D. (2019) ‘Addressing diabetes distress in clinical care: a practical guide’, *Diabetic Medicine*, 36(7), pp. 803–812. doi: 10.1111/dme.13967.
- Fowler, M. J. (2008) ‘Microvascular and macrovascular complications of diabetes’, *Clinical Diabetes*, 29(3), pp. 116–122. doi: 10.2337/diaclin.29.3.116.
- Gahlan, D. *et al.* (2018) ‘Prevalence and determinants of diabetes distress in patients of diabetes mellitus in a tertiary care centre’, *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*, 12(3), pp. 333–336. doi: 10.1016/j.dsx.2017.12.024.
- Girard, B. M., Campbell, S. E. and Vizzard, M. A. (2023) ‘Stress-induced symptom exacerbation: Stress increases voiding frequency, somatic sensitivity, and urinary bladder inflammation when combined with low concentration cyclophosphamide treatment in mice’, *Frontiers in Urology*, 3(March), pp. 1–14. doi: 10.3389/fruro.2023.1079790.
- Grundy, L., Caldwell, A. and Brierley, S. M. (2018) ‘Mechanisms Underlying Overactive Bladder and Interstitial Cystitis/Painful Bladder Syndrome’, *Frontiers in Neuroscience*, 12(December), pp. 1–11. doi: 10.3389/fnins.2018.00931.
- Harahap, A. M., Ariati, A. and Siregar, Z. A. (2020) ‘Hubungan Indeks Massa Tubuh Dengan Kadar Gula Darah Pada Penderita Diabetes Mellitus Di Desa Sisumut, Kecamatan Kotapinang’, *Ibnu Sina: Jurnal Kedokteran dan Kesehatan - Fakultas Kedokteran Universitas Islam Sumatera Utara*, 19(2), pp. 81–86. doi: 10.30743/ibnusina.v19i2.44.
- Haylen, B. T. *et al.* (2010) ‘An International Urogynecological Association (IUGA)/International Continence Society (ICS) joint report on the terminology for female pelvic floor dysfunction’, *International Urogynecology Journal*, 21(1), pp. 5–26. doi: 10.1007/s00192-009-0976-9.
- He, Q. *et al.* (2024) ‘Diabetes mellitus, systemic inflammation and overactive bladder’, *Frontiers in Endocrinology*, 15(April), pp. 1–11. doi:

- 10.3389/fendo.2024.1386639.
- Hegazy, A., Sabry, R. and Maamoun, M. (2022) ‘Diabetic Distress in a Sample of Egyptian Diabetic Elderly Patients’, *Ain Shams Medical Journal*, 73(1), pp. 171–181. doi: 10.21608/asmj.2022.233554.
- Hema, P., Agung, M., Devia, W., Boby, P.L., Febri, K., Roberto, M., 2019. Manajemen Diabetes Distress.
- Hernandez-Tejada, M., Lynch, C., Strom, J., & Egede, L. (2012). Effect of Perceived Control on Quality of Life in Indigent Adults with Type 2 Diabetes. *Diabetes Educ.*, 38(2), 256–262. <https://doi.org/10.1177/0145721711436135>.
- Holt, R. I. G. (2019) ‘Editorial : Diabetes distress’, *Diabetic Medicine*, 36(7), pp. 793–794. doi: 10.1111/dme.14039.
- Hu, Y., Li, L. and Zhang, J. (2020) ‘Diabetes Distress in Young Adults with Type 2 Diabetes: A Cross-Sectional Survey in China’, *Journal of Diabetes Research*, 2020, pp. 6–8. doi: 10.1155/2020/4814378.
- Hutchinson, A. et al. (2020) ‘AJGP-09-2020-Clinical-Hutchinson-Overactive-Bladder-Syndrome-WEB’, 49(9), pp. 593–598.
- Huynh, G. et al. (2021) ‘Diabetes-related distress among people with type 2 diabetes in Ho Chi Minh City, Vietnam: Prevalence and associated factors’, *Diabetes, Metabolic Syndrome and Obesity*, 14, pp. 683–690. doi: 10.2147/DMSO.S297315.
- Ibrahim, A. et al. (2023) ‘Association between diabetes distress and sociodemographic and/or socioeconomic factors among adults: A cross-sectional study’, *Helijon*, 9(11), p. e21767. doi: 10.1016/j.heliyon.2023.e21767.
- Ikeda, M. and Nozawa, K. (2015) ‘Prevalence of overactive bladder and its related factors in Japanese patients with diabetes mellitus’, *Endocrine Journal*, 62(9), pp. 847–854. doi: 10.1507/endocrj.EJ15-0237.
- Inouye, B. M. et al. (2018) ‘Diabetic bladder dysfunction is associated with bladder inflammation triggered through hyperglycemia, not polyuria’, *Research and Reports in Urology*, 10, pp. 219–225. doi: 10.2147/RRU.S177633.
- International Diabetes Federation (2021) *International Diabetes Federation, Diabetes Research and Clinical Practice*. doi: 10.1016/j.diabres.2013.10.013.
- Ismy, J. (2018) ‘Penatalaksanaan Over Active Bladder (OAB)’, *Aceh Surgery Update 2*, 2(1), pp. 53–62.

- Jannoo, Z. *et al.* (2017) ‘Examining diabetes distress, medication adherence, diabetes self-care activities, diabetes-specific quality of life and health-related quality of life among type 2 diabetes mellitus patients’, *Journal of Clinical and Translational Endocrinology*, 9, pp. 48–54. doi: 10.1016/j.jcte.2017.07.003.
- Jassim, S. K., Abbass, Z. and Tiryag, A. M. (2024) ‘A Study of Diabetes Correlated Emotional Distress among Patients with Type 2 Diabetes Mellitus: A cross Sectional Study’, *Academia Open*, 9(2), pp. 2–14. doi: 10.21070/acopen.9.2024.10292.
- Jin, Z. *et al.* (2023) ‘Progress in overactive bladder: novel avenues from psychology to clinical opinions’, *PeerJ*, 11. doi: 10.7717/PEERJ.16112.
- Kalra, S., Verma, K. and Balhara, Y. (2018) ‘Diabetes distress.’, *Journal of Social Health and Diabetes*, 6(1), pp. 4–7. doi: 10.4103/jshd.jshd_22_17.
- Kamrul-Hasan, A. B. M. *et al.* (2022) ‘Prevalence and predictors of diabetes distress among adults with type 2 diabetes mellitus: a facility-based cross-sectional study of Bangladesh’, *BMC Endocrine Disorders*, 22(1), pp. 1–9. doi: 10.1186/s12902-022-00938-3.
- Karoli, R. *et al.* (2014) ‘A study of bladder dysfunction in women with type 2 diabetes mellitus’, *Indian Journal of Endocrinology and Metabolism*, 18(4), pp. 552–557. doi: 10.4103/2230-8210.137518.
- Kasteleyn, M. J. *et al.* (2015) ‘Diabetes-related distress over the course of illness: Results from the Diacourse study’, *Diabetic Medicine*, 32(12), pp. 1617–1624. doi: 10.1111/dme.12743.
- Kebapci, N. *et al.* (2007) ‘Bladder Dysfunction in Type 2 Diabetic Patients’, *Neurourology and Urodynamics*, 26, pp. 814–819. doi: 10.1002/nau.
- Keifer, M. (2014) ‘Diabetes Distress and Diabetes Outcomes: the Association between Distress and Patient-Provider Communication, Quality of Life, and Glycemic Control’, pp. 1–203.
- Khadour, F. A. *et al.* (2024) ‘Risk factors associated with the severity of overactive bladder among Syrian patients with type 2 diabetes’, *Scientific Reports*, 14(1), pp. 1–8. doi: 10.1038/s41598-024-67326-w.
- Kontesa, M., Lestari, R. and Training, B. (2024) ‘Pengaruh Bladder Training Teknik Menunda Berkemih Terhadap Inkontinensia Urine Pada Lansia’, *Jurnal Keperawatan*, 17(2), pp. 62–68.
- Kretchy, I. A. *et al.* (2020) ‘The Association between Diabetes-Related Distress and Medication Adherence in Adult Patients with Type 2 Diabetes Mellitus: A Cross-Sectional Study’, *Journal of Diabetes Research*, 2020. doi:

10.1155/2020/4760624.

- Kullman, F. *et al.* (2019) ‘Stress-induced autonomic dysregulation of mitochondrial function in the rat urothelium’, *Physiology & behavior*, 38(2), pp. 572–581. doi: 10.1002/nau.23876.
- Kurza, D. and Kobos, E. (2022) ‘Diabetes distress in adult patients with type 1 and type 2 diabetes.’, *Medical Science Pulse*, 16(4), pp. 56–65. doi: 10.5604/01.3001.0016.1166.
- Lai, H. *et al.* (2015) ‘Correlation between psychological stress levels and the severity of overactive bladder symptoms’, *BMC Urology*, 15(1), pp. 1–7. doi: 10.1186/s12894-015-0009-6.
- Lai, H. H. *et al.* (2016) ‘The relationship between anxiety and overactive bladder/urinary incontinence symptoms in the clinical population’, *Physiology & behavior*, 98, pp. 50–57. doi: 10.1002/hep.30150.Ductular.
- Lee, W. C. *et al.* (2004) ‘Effects of diabetes on female voiding behavior’, *Journal of Urology*, 172(3), pp. 989–992. doi: 10.1097/01.ju.0000136255.83054.0c.
- Lee, W. C. *et al.* (2009) ‘Investigation of Urodynamic Characteristics and Bladder Sensory Function in the Early Stages of Diabetic Bladder Dysfunction in Women With Type 2 Diabetes’, *Journal of Urology*, 181(1), pp. 198–203. doi: 10.1016/j.juro.2008.09.021.
- Lee, W. C. *et al.* (2023) ‘The impact of diabetes on overactive bladder presentations and associations with health-seeking behavior in China, South Korea, and Taiwan: Results from a cross-sectional, population-based study’, *Journal of the Chinese Medical Association*, 87(2), pp. 196–201. doi: 10.1097/JCMA.0000000000001044.
- Lengga, V. M., Mulyati, T. and Mariam, S. R. (2023) ‘Pengaruh Diabetes Self Management Education (DSME) Terhadap Tingkat Pengetahuan Penyakit Diabetes Melitus Pada Pasien Diabetes Melitus’, *Jurnal Penelitian Perawat Profesional*, 5(1), pp. 103–112.
- Lestari, Zulkarnain and Sijid, S. A. (2021) ‘Diabetes Melitus: Review Etiologi, Patofisiologi, Gejala, Penyebab, Cara Pemeriksaan, Cara Pengobatan dan Cara Pencegahan’, *UIN Alauddin Makassar*, (November), pp. 237–241. Available at: <http://journal.uin-alauddin.ac.id/index.php/psb>.
- Liawati, N., Pertiwi, E. and Purnairawan, Y. (2024) ‘Hubungan Penerimaan Diri Dan Tingkat Stres Pada Penderita Diabetes Mellitus’, *Jurnal Keperawatan*, 16(4), pp. 1255–1262. doi: 10.22216/jen.v2i3.1160.
- Liptaková, E. 2021 ‘Statistical measures of the association between two ordinal variables’, *Slovak Journal of Sport Science*, 7 2 , pp. 55–61.

- Liu, R. T. *et al.* (2011) ‘Prevalence of overactive bladder and associated risk factors in 1359 patients with type 2 diabetes’, *Female Urology*, 78(5), pp. 1040–1045. doi: 10.1016/j.urology.2011.05.017.
- Lu, Z. *et al.* (2023) ‘Associations between overactive bladder and sleep patterns: a cross-sectional study based on 2007–2014 NHANES’, *BMC Urology*, 23(1), pp. 1–9. doi: 10.1186/s12894-023-01329-z.
- Luh, N. *et al.* (2024) ‘Hubungan Tingkat Stres dengan Kadar Glukosa Darah Puasa pada Pasien DM Tipe 2 di RSUD Sanjiwani Gianyar’, *Aesculapius Medical Journal* |, 4(2), pp. 234–238.
- Malik, N., Arshad, M. and Muazzam, A. (2024) ‘Diabetes Distress, Depression and Coping Strategies in Adults with Type 2 Diabetes’, *Pakistan Biomedical Journal*, 7(4), pp. 24–29.
- Martinez-Vega, I. P., Doubova, S. V. and Pérez-Cuevas, R. (2017) ‘Distress and its association with self-care in people with type 2 diabetes’, *Salud Mental*, 40(2), pp. 47–55. doi: 10.17711/SIM.0185-3325.2017.007.
- Mills, K. A. *et al.* (2021) ‘Psychological stress induced bladder overactivity in female mice is associated with enhanced afferent nerve activity’, *Scientific Reports*, 11(1), pp. 1–12. doi: 10.1038/s41598-021-97053-5.
- Miot, H.A. 2020 ‘Analysis of ordinal data in clinical dan experimental studies’, Jornal Vascular Brasileiro, 19, pp. 1–4. <https://doi.org/10.1590/1677-5449.200185>
- Modarres, M., Gholam, S., Habibi, P., & Anari, A. G. (2020). Relationship between Self Care Management with Glycemic Control in Type 2 Diabetic Patients. *International Journal of Preventive Medicine*, 11, 1–5. <https://doi.org/10.4103/ijpvm.IJPVM>
- Moller, C. F., & Olesen, K. P. (1976). Diabetic cystopathy. IV: Micturition cystourethrography compared with urodynamic investigation. *Danish medical bulletin*, 23(6), 291–294.
- Naba, O.S., Adu, A.A., Tedju Hinga, I.A., 2021. Gambaran Karakteristik Pasien Diabetes Melitus di Wilayah Kerja Puskesmas Sikumana Kota Kupang. *Media Kesehatan Masyarakat* 3, 186–194. doi:10.35508/mkm.v3i2.3468
- Nalendra, A.R.A., et al. 2021. ‘Statistika Seri Dasar dengan SPSS’, Media Sains Indonesia [Preprint].
- Nasrum, A. 2018. ‘Uji Normalitas Data untuk Penelitian’, *Uji Normalitas Data Untuk Penelitian*, p. 117
- Notoatmodjo, S. (2018) Metodologi Penelitian Kesehatan. Revisi. Jakarta: Rineka

Cipta.

- Nugroho. 2020. Biostatistik Inferensial Kesehatan Masyarakat. Lakeisha.
- Nugroho, F. C., Banase, E. F. T., Hamu, A. H., Making, M. A., Vanchapo, A. R., Nubi, L. B., & Banggut, E. D. (2024). Hubungan antara Diabetes Distress dengan Self-Care Pasien Diabetes Mellitus Tipe II Puskesmas Oesapa Kota Kupang. *Jurnal Ners Universitas Pahlawan*, 8(1), 658–666. <http://journal.universitaspahlawan.ac.id/index.php/ners>
- Nugroho, F. C. et al. (2024) ‘Hubungan antara Diabetes Distress dengan Self-Care Pasien Diabetes Mellitus Tipe II Puskesmas Oesapa Kota Kupang’, *Jurnal Ners Universitas Pahlawan*, 8(1), pp. 658–666. Available at: <http://journal.universitaspahlawan.ac.id/index.php/ners>.
- Nurmaguphita, D. and Sugiyanto, S. (2019) ‘Gambaran Distress Pada Penderita Diabetes Mellitus’, *Jurnal Keperawatan Jiwa*, 6(2), p. 76. doi: 10.26714/jkj.6.2.2018.76-82.
- Nursalam (2020) Metodologi Penelitian Ilmu Keperawatan. 5th Edn. Edited By P. Lestari. Jakarta Selatan: Salemba Medika. 1
- Nursalam (2003). Konsep dan Penerapan Metodologi Penelitian Ilmu Keperawatan Pedoman Skripsi, Tesis dan Instrumen Penelitian Keperawatan. Jakarta : Salemba Medika
- Palleschi, G. et al. (2013) ‘1959 Overactive Bladder in Diabetes Mellitus Patients: a Questionnaire Based Observational Investigation’, *Journal of Urology*, 189(4S), pp. e803–e804. doi: 10.1016/j.juro.2013.02.2378.
- Palleschi, G. et al. (2014) ‘Overactive bladder in diabetes mellitus patients: A questionnaire-based observational investigation’, *World Journal of Urology*, 32(4), pp. 1021–1025. doi: 10.1007/s00345-013-1175-3.
- Palmer, M. and Willis-Gray, M. (2017) ‘Overactive bladder in women’, *American Journal of Nursing*, 117(4), pp. 34–41. doi: 10.1136/bmj-2020-063526.
- Pankiv, V. et al. (2024) ‘Association between diabetes distress and sociodemographic factors among adults in Ukraine’, *Miznarodnij Endokrinologicnj Zurnal*, 20(5), pp. 394–399. doi: 10.22141/2224-0721.20.5.2024.1426.
- Park, H. S. et al. (2024) ‘Impact of diabetes distress on glycemic control and diabetic complications in type 2 diabetes mellitus’, *Scientific Reports*, 14(1), pp. 1–8. doi: 10.1038/s41598-024-55901-0.
- Parsa, S., Aghamohammadi, M. and Abazari, M. (2019) ‘Diabetes distress and its clinical determinants in patients with type II diabetes’, *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*, 13(2), pp. 1275–1279.

doi: 10.1016/j.dsx.2019.02.007.

- Patricia, D., Gódi, S. (2024). Screening of Oxidative Stress Biomarkers and Inflammatory Cytokines in the Pathogenesis of Diabetic Neuropathy. *Research Journal of Biotechnology*, 19(7), 108-119. Available from: 10.25303/1907rjbt1080119
- Perrin, N. E. *et al.* (2017) 'The prevalence of diabetes-specific emotional distress in people with Type 2 diabetes: a systematic review and meta-analysis', *Diabetic Medicine*, 34(11), pp. 1508–1520. doi: 10.1111/dme.13448.
- Polonsky, W. *et al.* (2005) 'Assessing Psychosocial Distress in', *Diabetes Care*, 28(3), pp. 626–631.
- Poole, L., & Hackett, R. A. (2024). Diabetes distress: the psychological burden of living with diabetes. *The lancet. Diabetes & endocrinology*, 12(7), 439–441. [https://doi.org/10.1016/S2213-8587\(24\)00126-8](https://doi.org/10.1016/S2213-8587(24)00126-8)
- Pranata, S. & Khasanah, D. 2017. Merawat Penderita Diabetes Melitus. Pertama. Yogyakarta: Pustaka Panesa.
- Priambodo, N., Kriswiastiny, R. and Fitriani, D. (2022) 'Hubungan lama menderita Diabetes Melitus dan kadar gula darah dengan kualitas hidup pada pasien Diabetes Melitus tipe 2', *Medula*, 13(2), pp. 38–44. Available at: <http://journalofmedula.com/index.php/medula/article/view/386>.
- Purnomo, Basuki B.. (2014). Dasar- Dasar Urologi ed.3 . Jakarta: Sagung seto
- Quandt, S. *et al.* (2013) 'Older Adults' Fears about Diabetes: Using Common Sense Models of Disease to Understand Fear Origins and Implications for Self-Management', *NIH Public Access*, 32(7), pp. 1–18. doi: 10.1177/0733464811435506.Older.
- Qudah, S. *et al.* (2024) 'The prevalence of overactive bladder and its impact on the quality of life: A cross-sectional study', *Arab Journal of Urology*, 22(1), pp. 39–47. doi: 10.1080/2090598X.2023.2221403.
- Raharjo, H. *et al.* (2022) *Panduan Tata Laksana Gejala Saluran Kemih Bagian Bawah Non-Neurogenik pada Perempuan*. Ikatan Ahli Urologi Indonesia (IAUI) Redaksi.
- Raineri, M. (2023). Diabetic Neuropathy: Clinical Management—Genitourinary Dysfunction in Diabetes. 491-529. Available from: 10.1007/978-3-031-15613-7_28
- Rita, N. 2018. Hubungan Jenis Kelamin, Olah Raga Dan Obesitas Dengan Kejadian Diabetes Mellitus Pada Lansia, Jik- Jurnal Ilmu Kesehatan, 2(1), pp. 93–100. Available at: <https://doi.org/10.33757/jik.v2i1.52>.

- Rizal, A. A. F. and Faridah, D. (2024) ‘Hubungan Kepatuhan Pemeriksaan Rutin Gula Darah Dengan Kadar Gula Darah Sewaktu Pada Penderita Diabetes Melitus Tipe Ii Di Puskesmas Pasundan’, *Jurnal Keperawatan Dirgahayu*, 6(488), p. 2292.
- Rosdina, S., Saputra, B. and Roslita, R. (2024) ‘Hubungan Self Efficacy Terhadap Kepatuhan Latihan Fisik Pada Penderita Diabetes Melitus Tipe 2’, *Health Care : Jurnal Kesehatan*, 13(1), pp. 47–58.
- Rosita, R., Kusumaningtiar, D. A., Irfandi, A., & Ayu, I. M. (2022). Aktivitas Fisik Lansia Dengan Diabetes Melitus Tipe 2 Di Puskesmas Balaraja Kabupaten Tangerang. *Jurnal Kesehatan Masyarakat (Undip)*, 10(3), 364–371. <https://doi.org/10.14710/jkm.v10i3.33186>
- Roy, M. *et al.* (2018) ‘Type 2 diabetes and influence of diabetes-specific distress on depression’, *Diabetes Research and Clinical Practice*, 143, pp. 194–198. doi: 10.1016/j.diabres.2018.07.006.
- Ruangchaisiwat, A. *et al.* (2023) ‘Prevalence and the association between clinical factors and Diabetes-Related Distress (DRD) with poor glycemic control in patients with type 2 diabetes: A Northern Thai cross-sectional study’, *PLoS ONE*, 18(11 November), pp. 1–15. doi: 10.1371/journal.pone.0294810.
- Saam, Z. & Wahyuni, S. (2013). Psikologi Keperawatan. Jakarta: Rajawali Pers
- Saito, M. (2012) ‘Editorial Comment to Higher glycosylated hemoglobin levels increase the risk of overactive bladder syndrome in patients with type2 diabetes mellitus’, *International Journal of Urology*, 19(11), pp. 1001–1002. doi: 10.1111/j.1442-2042.2012.03097.x.
- Sango, K., Yako, H., Takaku, S., & Niimi, N. (2024). [Pathogenic Mechanisms of Diabetic Neuropathy]. *Brain and nerve*, 76(5), 671–680. <https://doi.org/10.11477/mf.1416202658>
- Saputra, I. *et al.* (2020) ‘Indeks Massa Tubuh dengan Kadar Hb-A1c pada Pasien Diabetes Melitus Tipe II’, *Jurnal Ilmiah Kesehatan Sandi Husada*, 12(2), pp. 597–603. doi: 10.35816/jiskh.v12i2.360.
- Sarkar, U., Fisher, L., & Dean Schillinger. (2006). Is Self-Efficacy Associated With Diabetes Self-Management Across Race / Ethnicity. *Diabetes Care*, 29(4), 823–829. <http://care.diabetesjournals.org/content/29/4/823.full.pdf> <https://doi.org/10.2337/dc06-0381>
- Sheikh, M. A. *et al.* (2022) ‘Overactive bladder: A multicenter study in Pakistan’, *Journal of the Pakistan Medical Association*, 72(1), pp. 17–21. doi:

- 10.47391/JPMA.20-1463.
- Shokouhi, N. *et al.* (2021) ‘Sleep Quality and Fatigue in Women with Overactive Bladder: A Case-Control Study’, *Shiraz E Medical Journal*, 22(11). doi: 10.5812/semj.112902.
- Suhailah, D., Hasneli, Y., & Herlina. (2023). Gambaran dukungan keluarga pada penderita diabetes melitus di wilayah kerja Puskesmas Sail Kota Pekanbaru. *Jurnal Ilmu Kesehatan Dan Gizi (JIG)*, 1(1), 55–70.
- Skinner, T. C., Joensen, L. and Parkin, T. (2020) ‘Twenty-five years of diabetes distress research’, *Diabetic Medicine*, 37(3), pp. 393–400. doi: 10.1111/dme.14157.
- Smith, D.B. (2006). Urinary incontinence and diabetes: a review. *Journal of wound, ostomy, and continence nursing : official publication of The Wound, Ostomy and Continence Nurses Society*, 33 6, 619-23 .
- Soelistijo, S. (2021) ‘Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021’, *Global Initiative for Asthma*, p. 46. Available at: www.ginasthma.org.
- Sofia, R. *et al.* (2023) ‘Determinan Kualitas Hidup Pasien Diabetes Melitus Tipe 2 Di Puskesmas Banda Sakti Lhokseumawe’, *Jurnal Ilmiah Manusia Dan Kesehatan*, 6(2), pp. 307–315. doi: 10.31850/makes.v6i2.2247.
- Sturt, J. *et al.* (2015) ‘The Detection and Management of Diabetes Distress in People With Type 1 Diabetes’, *Current Diabetes Reports*, 15(11). doi: 10.1007/s11892-015-0660-z.
- Sugiritama, I. W. et al. (2015) Gambaran Imt (Indeks Massa Tubuh) Kategori Berat Badan Lebih Dan Obesitas Pada Masyarakat Banjar Demulih,Kecamatan Susut, Kabupaten Bangli. Denpasar
- Sumardi, R. *et al.* (2012) ‘Test - retest reliability of the Indonesian version of the Overactive Bladder Symptom Score (OABSS) and its correlation with standard assessment tools.’, *Acta medica Indonesiana*, 44(3), pp. 214–221.
- Sun, X. *et al.* (2024) ‘Diabetes-related stress in older adults with type 2 diabetes and chronic complication: Multiple effects of social-ecological support on self-management behavior’, *Medicine (United States)*, 103(17), p. E37951. doi: 10.1097/MD.00000000000037951.
- Susanti, N. *et al.* (2024) ‘Hubungan usia, jenis kelamin terhadap pola makan dan risiko diabetes melitus di desa air hitam’, 5(September), pp. 7484–7491.
- Suskind, A. (2017) ‘The Aging Overactive Bladder: A Review of Aging-Related Changes from the Brain to the Bladder’, *Curr Bladder Dysfunct*, 12(1), pp. 42–47. doi: 10.1007/s11884-017-0406-7.

- Swarjana. 2012. Metodologi Penelitian Kesehatan. Yogayakarta: Andi Offset.
- Symon, A. K. et al. (2018) 'Diabetes related distress in adults with type 2 diabetes mellitus: a community-based study', *International Journal Of Community Medicine And Public Health*, 6(1), p. 151. doi: 10.18203/2394-6040.ijcmph20185234.
- Tanik, N. et al. (2016) 'Association between overactive bladder and polyneuropathy in diabetic patients', *International Neurourology Journal*, 20(3), pp. 232–239. doi: 10.5213/INJ.1632508.254.
- Tarjo. 2019. Metode Penelitian Sistem 3x Baca. Yogyakarta: Deepublish.
- Thao, N. P. et al. (2024) 'Impact of distress on the nutritional status of patients with type 2 diabetes mellitus at the National Hospital of Endocrinology in 2022', *Human Nutrition and Metabolism*, 37(August 2023), p. 200278. doi: 10.1016/j.hnm.2024.200278.
- Trojanowski, P. J., Pardon, A., Reynolds, C., O'Donnell, H. K., Alonso, G. T., Majidi, S., Snell-Bergeon, J., Wadwa, R. P., & Driscoll, K. A. (2024). Body mass index moderates the association between diabetes distress and objective self-management behaviours in adolescents with type 1 diabetes and elevated A1Cs. *Diabetic medicine : a journal of the British Diabetic Association*, 41(7), e15325. <https://doi.org/10.1111/dme.15325>
- Tziomalos, K. and Athyros, V. G. (2015) 'Diabetic nephropathy: New risk factors and improvements in diagnosis', *Review of Diabetic Studies*, 12(1), pp. 110–118. doi: 10.1900/rds.2015.12.110.
- Vakharia, J. et al. (2022) '579-P: Diabetes-Related Distress Is Inversely Associated with Weight Loss with Lifestyle Intervention in T2D', *Diabetes*, 71(Supplement_1), pp. 579-P. doi: 10.2337/db22-579-P.
- Vedantam, D. et al. (2022) 'Stress-Induced Hyperglycemia: Consequences and Management', *Cureus*, 1(7), pp. 1–13. doi: 10.7759/cureus.26714.
- Vega, I. P. M., S. V. Doubova, R. P. Cuevas. 2017. Distress and its association with self care in people with type 2 diabetes. Original Article. 40(2): 47-55.
- Verdecias, N. et al. (2022) '588-P: Examining Psychosocial and Comorbidity Factors Associated with Diabetes Distress among Medicaid Beneficiaries', *Diabetes*, 71(Supplement_1), pp. 588-P. doi: 10.2337/db22-588-P.
- Wahyudi, R., Mufidah, N. and Firdausita, S. (2023) 'Diabetes Self-Management and Distress Levels in Patients With Diabetes Mellitus: a Cross Sectional Study', *IJNP (Indonesian Journal of Nursing Practices)*, 6(2), pp. 100–108. doi: 10.18196/ijnp.v6i2.16880.

- Wardian, J. and Sun, F. (2014) 'Factors Associated With Diabetes-Related Distress: Implications for Diabetes Self-Management', *Social Work in Health Care*, 53(4), pp. 364–381. doi: 10.1080/00981389.2014.884038.
- Wijaya, Y. (2014) 'Pelatihan Pengelolaan Emosi dengan Teknik Mindfulness untuk Menurunkan Distres pada Penyandang Diabetes Mellitus Tipe 2 Di Puskesmas Kebon Jeruk', *Jakarta Jurnal Psikologi*, 12(2), pp. 48–53.
- Wittig, L. *et al.* (2019) 'Diabetic Bladder Dysfunction:A Review', *Urology*, 123, pp. 1–6. doi: 10.1016/j.urology.2018.10.010.
- Wong, M. H. *et al.* (2024) 'Prevalence and factors associated with diabetes-related distress in type 2 diabetes patients: a study in Hong Kong primary care setting', *Scientific Reports*, 14(1), pp. 1–7. doi: 10.1038/s41598-024-61538-w.
- Xu, D. *et al.* (2018) 'Overactive bladder symptom severity, bother, help-seeking behavior, and quality of life in patients with type 2 diabetes: A path analysis', *Health and Quality of Life Outcomes*, 16(1), pp. 1–7. doi: 10.1186/s12955-017-0829-z.
- Yahya, N. S., Abdul, M. Z. and Che, D. A. Z. (2023) 'Prevalence and Determinants of Diabetes Distress Among Type 2 Diabetes Mellitus (T2Dm) With Insulin Therapy in a Primary Health Care Centre', *Journal of Health and Translational Medicine*, 26(Special Issue 2), pp. 418–423. doi: 10.22452/jummec.sp2023no2.47.
- Yajurvedi, H., Ramadas, N. and Rajaraman, B. (2018) 'Stress and Glucose metabolism: A Review', *Imaging Journal of Clinical and Medical Sciences*, (March), pp. 008–012. doi: 10.17352/2455-8702.000037.
- Yuan, Z. *et al.* (2015) 'Diabetic cystopathy: A review', *Journal of Diabetes*, 7(4), pp. 442–447. doi: 10.1111/1753-0407.12272.
- Zainuddin, M., Utomo, W. and Herlina (2015) 'Hubungan Stres Dengan Kualitas Hidup Penderita Diabetes Mellitus Tipe 2', *Jom*, 2(1), pp. 890–898.
- Zhang, Y. Y. *et al.* (2024) 'Prevalence and Correlators of Diabetes Distress in Adults with Type 2 Diabetes: A Cross-Sectional Study', *Patient Preference and Adherence*, 18(January), pp. 111–130. doi: 10.2147/PPA.S442838.
- Zhu, J. *et al.* (2019) 'Associations Between Risk Factors and Overactive Bladder: A Meta-analysis', *Female Pelvic Medicine & Reconstructive Surgery*, 25(3), pp. 238–246. doi: 10.1097/SPV.