

## DAFTAR PUSTAKA

- Adjei, D.N. *et al.* (2017) ‘Relationship between educational and occupational levels, and Chronic Kidney Disease in a multi-ethnic sample- The HELIUS study’, *PLOS ONE*, 12(11), p. e0186460. Available at: <https://doi.org/10.1371/journal.pone.0186460>.
- Alammash, S.A., Guo, S. and Vinnikova, A. (2021) ‘Saudi Arabia and the Heart of Islam in Vision 2030: Impact on International Relations’, *Arab Journal for Scientific Publishing (AJSP)*, 2663, pp. 5798–5815.
- Ammirati, A.L. (2020) ‘Chronic Kidney Disease’, *Revista da Associação Médica Brasileira*, 66(suppl 1), pp. s03–s09. Available at: <https://doi.org/10.1590/1806-9282.66.s1.3>.
- Anderson, A.H. *et al.* (2021) ‘Novel Risk Factors for Progression of Diabetic and Nondiabetic CKD: Findings From the Chronic Renal Insufficiency Cohort (CRIC) Study’, *American Journal of Kidney Diseases*, 77(1), pp. 56-73.e1. Available at: <https://doi.org/10.1053/j.ajkd.2020.07.011>.
- Badan Pusat Statistik (2024a) *Ringkasan Eksekutif Pengeluaran dan Konsumsi Penduduk Indonesia Maret 2024*. Jakarta: Badan Pusat Statistik. Available at: <https://www.bps.go.id/id/publication/2024/10/18/6f19d2799dae28f948594030/ringkasan-eksekutif-pengeluaran-dan-konsumsi-penduduk-indonesia--maret-2024.html> (Accessed: 9 January 2025).
- Badan Pusat Statistik (2024b) *Statistik Indonesia 2024*.
- Badan Pusat Statistik Bali (2023) *Pola Konsumsi dan Distribusi Pendapatan Provinsi Bali 2023*. Denpasar: BPS Bali. Available at: <https://bali.bps.go.id/id/publication/2024/06/28/892924a28e1f5be21a3e9178/pola-konsumsi-dan-distribusi-pendapatan-provinsi-bali-2023.html> (Accessed: 8 January 2025).
- Baek, S.D. *et al.* (2012) ‘Does stage III chronic kidney disease always progress to end-stage renal disease? A ten-year follow-up study’, *Scandinavian Journal of Urology and Nephrology*, 46(3), pp. 232–238. Available at: <https://doi.org/10.3109/00365599.2011.649045>.
- Bikbov, B. *et al.* (2020) ‘Global, regional, and national burden of chronic kidney disease, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017’, *The Lancet*, 395(10225), pp. 709–733. Available at: [https://doi.org/10.1016/S0140-6736\(20\)30045-3](https://doi.org/10.1016/S0140-6736(20)30045-3).
- BPKH (2024) *11 Penyakit yang Tidak Memenuhi Syarat Istithaah Kesehatan Haji, Badan Pengelola Keuangan Haji*. Available at: <https://bpkh.go.id/penyakit-yang-tidak-memenuhi-istithaah-kesehatan-haji/#:~:text=5.%20Gagal%20Ginjal.%20Gagal%20ginjal%20adalah> (Accessed: 5 October 2024).

- BPKH RI (2024) *Infografis - Data Jemaah Haji Lansia Indonesia Tahun 1444 H / 2023 M*, BPKH RI. Available at: <https://bpkh.go.id/infografis-data-jemaah-haji-lansia-indonesia-tahun-1444-h-2023-m/> (Accessed: 29 March 2024).
- Byber, K. et al. (2016) ‘Cadmium or cadmium compounds and chronic kidney disease in workers and the general population: a systematic review’, *Critical Reviews in Toxicology*, 46(3), pp. 191–240. Available at: <https://doi.org/10.3109/10408444.2015.1076375>.
- Carlassara, L., Zanoni, F. and Gharavi, A.G. (2021) ‘Familial Aggregation of CKD: Gene or Environment?’, *American Journal of Kidney Diseases*, 77(6), pp. 861–862. Available at: <https://doi.org/10.1053/j.ajkd.2020.12.010>.
- Carrero, J.J. et al. (2018) ‘Sex and gender disparities in the epidemiology and outcomes of chronic kidney disease’, *Nature Reviews Nephrology*, 14(3), pp. 151–164. Available at: <https://doi.org/10.1038/nrneph.2017.181>.
- CDC (2022) *Prevention and Risk Management for Chronic Kidney Disease*, Centers for Disease Control and Prevention. Available at: <https://www.cdc.gov/kidneydisease/prevention-risk.html> (Accessed: 5 May 2024).
- CDC (no date) *Risk Factors for Chronic Kidney Disease*, CDC. Available at: <https://www.cdc.gov/kidney-disease/risk-factors/index.html#:~:text=Risk%20factors%20for%20CKD%20include%20diabetes%2C%20high,blood%20pressure%2C%20heart%20failure%2C%20and%20family%20history>. (Accessed: 3 October 2024).
- Chen, T.K., Knically, D.H. and Grams, M.E. (2019) ‘Chronic Kidney Disease Diagnosis and Management’, *JAMA*, 322(13), p. 1294. Available at: <https://doi.org/10.1001/jama.2019.14745>.
- Choirunnisa’, A. et al. (2023) ‘Association Between Cadmium Exposure and Kidney Disorder Among Workers in the Battery Industry’, *The Indonesian Journal of Occupational Safety and Health*, 12(2), pp. 304–312. Available at: <https://doi.org/10.20473/ijosh.v12i2.2023.304-312>.
- Chou, Y.-H. and Chen, Y.-M. (2021) ‘Aging and Renal Disease: Old Questions for New Challenges’, *Aging and disease*, 12(2), p. 515. Available at: <https://doi.org/10.14336/AD.2020.0703>.
- Delima et al. (2017) ‘Faktor Risiko Penyakit Ginjal Kronik: Studi Kasus Kontrol di Empat Rumah Sakit di Jakarta Tahun 2014’, *Buletin Penelitian Kesehatan*, 45(1), pp. 17–26. Available at: <https://doi.org/10.22435/bpk.v45i1.5771.17-26>.
- Direktorat Jenderal Penyelenggaraan Haji dan Umrah (2022) *Daftar Tunggu Jemaah Haji Indonesia Menurut Usia*, Kementerian Agama Ri. Available at: <https://satudata.kemenag.go.id/dataset/detail/daftar-tunggu-jemaah-haji-indonesia-menurut-usia> (Accessed: 28 March 2024).
- Duan, J. et al. (2019) ‘Prevalence and risk factors of chronic kidney disease and diabetic kidney disease in Chinese rural residents: a cross-sectional survey’,

- Scientific Reports*, 9(1). Available at: <https://doi.org/10.1038/s41598-019-46857-7>.
- Evangelista, L.S., Cho, W.K. and Kim, Y. (2018) ‘Obesity and chronic kidney disease: A population-based study among South Koreans’, *PLoS ONE*, 13(2), pp. 1–13. Available at: <https://doi.org/10.1371/journal.pone.0193559>.
- Farrell, D.R. and Vassalotti, J.A. (2024) ‘Screening, identifying, and treating chronic kidney disease: why, who, when, how, and what?’, *BMC Nephrology*, 25(1), pp. 25–34. Available at: <https://doi.org/10.1186/s12882-024-03466-5>.
- Febriyanti, N. and Adisasmita, A.C. (2023) ‘Trend Epidemiologi Kematian Jemaah Haji Indonesia Tahun 2017 - 2023’, *Jurnal Epidemiologi Kesehatan Indonesia*, 7(2), pp. 85–91.
- Franco-Acevedo, A., Echavarria, R. and Melo, Z. (2021) ‘Sex Differences in Renal Function: Participation of Gonadal Hormones and Prolactin’, *Endocrinies*, 2(3), pp. 185–202. Available at: <https://doi.org/10.3390/endocrinies2030019>.
- Fu, Y.-C. et al. (2022) ‘The Association Between Smoking and Renal Function in People Over 20 Years Old.’, *Frontiers in medicine*, 9, p. 870278. Available at: <https://doi.org/10.3389/fmed.2022.870278>.
- Gatwood, J. et al. (2018) ‘Evidence of chronic kidney disease in veterans with incident diabetes mellitus’, *PLOS ONE*, 13(2), p. e0192712. Available at: <https://doi.org/10.1371/journal.pone.0192712>.
- Gembillo, G. et al. (2021) ‘Kidney Disease in Diabetic Patients: From Pathophysiology to Pharmacological Aspects with a Focus on Therapeutic Inertia’, *International Journal of Molecular Sciences*, 22(9), p. 4824. Available at: <https://doi.org/10.3390/ijms22094824>.
- Global Burden of Disease Collaborative Network (2022) *Global Burden of Disease Study 2021 (GBD 2021) Results*. Seattle. Available at: <https://vizhub.healthdata.org/gbd-results/> (Accessed: 22 October 2024).
- Gultom, M.D. and Sudaryo, M.K. (2023) ‘Hubungan Hipertensi dengan Kejadian Gagal Ginjal Kronik di RSUD DR. Djasamen Saragih Kota Pematang Siantar Tahun 2020’, *Jurnal Epidemiologi Kesehatan Komunitas*, 8(1), pp. 40–47. Available at: <https://doi.org/10.14710/jekk.v8i1.11722>.
- Hall, J. et al. (2014a) ‘Obesity, hypertension, and chronic kidney disease’, *International Journal of Nephrology and Renovascular Disease*, p. 75. Available at: <https://doi.org/10.2147/IJNRD.S39739>.
- Hall, J. et al. (2014b) ‘Obesity, hypertension, and chronic kidney disease’, *International Journal of Nephrology and Renovascular Disease*, p. 75. Available at: <https://doi.org/10.2147/IJNRD.S39739>.
- Herman, L.L. et al. (2024) *Angiotensin-Converting Enzyme Inhibitors (ACEI)*. StatsPearls. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK431051/> (Accessed: 16 October 2024).

- Hervinda, S., Novadian and Tjekyan, R.M.S. (2014) ‘Prevalensi dan Faktor Risiko Penyakit Ginjal Kronik di RSUP Dr. Mohammad Hoesin Palembang Tahun 2012’, *MKS*, 46(4), pp. 275–281.
- Hill, N.R. *et al.* (2016) ‘Global Prevalence of Chronic Kidney Disease – A Systematic Review and Meta-Analysis’, *PLOS ONE*, 11(7), p. e0158765. Available at: <https://doi.org/10.1371/journal.pone.0158765>.
- Hustrini, N.M., Susalit, E. and Rotmans, J.I. (2022) ‘Prevalence and risk factors for chronic kidney disease in Indonesia: An analysis of the National Basic Health Survey 2018’, *Journal of Global Health*, 12, p. 04074. Available at: <https://doi.org/10.7189/jogh.12.04074>.
- Ikawati, K. *et al.* (2018) ‘Komponen Sindrom Metabolik sebagai Faktor Risiko Penyakit Ginjal Kronik Stadium Terminal (Studi di RSUP Dr. Kariadi dan RSUD Kota Semarang)’, *Jurnal Epidemiologi Kesehatan Komunitas*, 3(1), pp. 18–28.
- Jager, K.J. *et al.* (2019) ‘A single number for advocacy and communication—worldwide more than 850 million individuals have kidney diseases’, *Kidney International*, 96(5), pp. 1048–1050. Available at: <https://doi.org/https://doi.org/10.1016/j.kint.2019.07.012>.
- Jairoun, A.A., Ping, C.C. and Ibrahim, B. (2024) ‘Predictors of chronic kidney disease survival in type 2 diabetes: a 12-year retrospective cohort study utilizing estimated glomerular filtration rate’, *Scientific Reports*, 14(1), p. 9014. Available at: <https://doi.org/10.1038/s41598-024-58574-x>.
- Ji, A. *et al.* (2019) ‘Prevalence and associated risk factors of chronic kidney disease in an elderly population from eastern China’, *International Journal of Environmental Research and Public Health*, 16(22). Available at: <https://doi.org/10.3390/ijerph16224383>.
- Johnson, R.J., Wesseling, C. and Newman, L.S. (2019) ‘Chronic Kidney Disease of Unknown Cause in Agricultural Communities’, *New England Journal of Medicine*, 380(19), pp. 1843–1852. Available at: <https://doi.org/10.1056/NEJMra1813869>.
- Jun, L.L. *et al.* (2014) ‘Association of body mass index with outcomes in patients with CKD’, *Journal of the American Society of Nephrology*, 25(9), pp. 2088–2096. Available at: <https://doi.org/10.1681/ASN.2013070754>.
- Kalantar-Zadeh, K. *et al.* (2017) ‘The Obesity Paradox in Kidney Disease: How to Reconcile It With Obesity Management’, *Kidney International Reports*, 2(2), pp. 271–281. Available at: <https://doi.org/10.1016/j.ekir.2017.01.009>.
- Kementerian Agama (2024) *1,8 Juta Jemaah Haji 2024, 63% dari Asia*, Direktorat Jenderal Penyelenggaraan Haji dan Umrah. Available at: <https://haji.kemenag.go.id/v5/detail/1-8-juta-jemaah-haji-2024-63-dari-asia-1> (Accessed: 6 January 2025).
- Kementerian Agama RI (2023) *Jumlah Penduduk Menurut Agama*, Kementerian Agama Available at:

- <https://satudata.kemenag.go.id/dataset/detail/jumlah-penduduk-menurut-agama> (Accessed: 9 January 2025).
- Kementerian Agama RI (2024) *Waiting List Nasional, DJPHU*. Available at: <https://haji.kemenag.go.id/sidb/admin/index.php?page=wl-01&nav=1> (Accessed: 24 October 2024).
- Kementerian Kesehatan RI (2013) *Riset Kesehatan Dasar Tahun 2013*.
- Kementerian Kesehatan RI (2017) *Diagnosis, Klasifikasi, Pencegahan, Terapi Penyakit Ginjal Kronis, Pengendalian dan Pencegahan Penyakit Tidak Menular (P2PTM)*. Available at: <https://p2ptm.kemkes.go.id/kegiatan-p2ptm/subdit-penyakit-jantung-dan-pembuluh-darah/diagnosis-klasifikasi-pencegahan-terapi-penyakit-ginjal-kronis> (Accessed: 22 September 2024).
- Kementerian Kesehatan RI (2018) *Riset Kesehatan Dasar Tahun 2018*.
- Kementerian Kesehatan RI (2022) *Penyakit Ginjal Kronik dan Penyebabnya, Kementerian Kesehatan RI*. Available at: [https://yankes.kemkes.go.id/view\\_artikel/582/gagal-ginjal-kronik-dan-penyebabnya#:~:text=Definisi%20gagal%20ginjal%20kronik%20adalah%20kerusakan%20ginjal%20baik,mencapai%203%20bulan%20maka%20disebut%20gangguan%20ginjal%20akut](https://yankes.kemkes.go.id/view_artikel/582/gagal-ginjal-kronik-dan-penyebabnya#:~:text=Definisi%20gagal%20ginjal%20kronik%20adalah%20kerusakan%20ginjal%20baik,mencapai%203%20bulan%20maka%20disebut%20gangguan%20ginjal%20akut). (Accessed: 9 May 2024).
- Kementerian Kesehatan RI (2023a) *Keputusan Menteri Kesehatan Republik Indonesia Nomor HK.01.07/Menkes/1634/2023 Tentang Pedoman Nasional Pelayanan Kedokteran Tata Laksana Penyakit Ginjal Kronik*.
- Kementerian Kesehatan RI (2023b) *Keputusan Menteri Kesehatan Republik Indonesia Nomor HK.01.07/MENKES/2118/2023 Tentang Standar Teknis Pemeriksaan Kesehatan dalam Rangka Penetapan Status Istitaah kesehatan Jemaah Haji, Kementerian Kesehatan RI*. HK.01.07/MENKES/2118/2023. Indonesia.
- Kementerian Kesehatan RI (2023c) *Profil Kesehatan Indonesia Tahun 2022*. Jakarta: Kementerian Kesehatan RI.
- Kementerian Kesehatan RI (2024a) ‘*Kebijakan Pemeriksaan Kesehatan Haji*’, *Kementerian Kesehatan RI [Preprint]*. Jakarta.
- Kementerian Kesehatan RI (2024b) *Keputusan Menteri Kesehatan Republik Indonesia Nomor HK.01.07/MENKES/177/2024 Tentang Formularium Obat dan Perbekalan Kesehatan pada Pelayanan Kesehatan Haji*. Jakarta.
- Kementerian Kesehatan RI (2024c) *Pedoman Pemeriksaan Kesehatan Jemaah Haji untuk Tim Penyelenggara Kesehatan Haji Provinsi dan Kabupaten/Kota*. Jakarta: Kementerian Kesehatan RI.
- Kementerian Kesehatan RI (2024d) *Profil Kesehatan Indonesia Tahun 2023, Profil Kesehatan Indonesia Tahun 2023*. Jakarta: Kementerian Kesehatan RI.
- Kettani, H. (2019) *The World Muslim Population*. First. New York: Jenny Stanford Publishing. Available at: <https://doi.org/10.1201/9780429422539>.

- Khajehdehi, P. *et al.* (2014) ‘Prevalence of chronic kidney disease and its contributing risk factors in southern Iran: a cross-sectional adult population-based study’, *Iranian journal of kidney diseases*, 8(2), pp. 109–115. Available at: <http://europepmc.org/abstract/MED/24685733>.
- Kim, J.Y. *et al.* (2023) ‘Association between familial aggregation of chronic kidney disease and its incidence and progression’, *Scientific Reports*, 13(1), p. 5131. Available at: <https://doi.org/10.1038/s41598-023-32362-5>.
- Kovesdy, C.P. (2022) ‘Epidemiology of chronic kidney disease: an update 2022’, *Kidney International Supplements*, 12(1), pp. 7–11. Available at: <https://doi.org/10.1016/j.kisu.2021.11.003>.
- Ku, E. *et al.* (2019) ‘Hypertension in CKD: Core Curriculum 2019’, *American Journal of Kidney Diseases*, 74(1), pp. 120–131. Available at: <https://doi.org/10.1053/j.ajkd.2018.12.044>.
- Ku, E., Johansen, K.L. and McCulloch, C.E. (2018) ‘Time-Centered Approach to Understanding Risk Factors for the Progression of CKD.’, *Clinical journal of the American Society of Nephrology : CJASN*, 13(5), pp. 693–701. Available at: <https://doi.org/10.2215/CJN.10360917>.
- Lai, Y.J. *et al.* (2017) ‘Association between obesity and risk of chronic kidney disease: A nationwide Cohort study in Taiwan’, *Nutrition, Metabolism and Cardiovascular Diseases*, 27(11), pp. 1008–1014. Available at: <https://doi.org/10.1016/j.numecd.2017.08.006>.
- Lan, R. *et al.* (2023) ‘Risky working conditions and chronic kidney disease’, *Journal of Occupational Medicine and Toxicology*, 18(1), p. 26. Available at: <https://doi.org/10.1186/s12995-023-00393-3>.
- Lee, S. *et al.* (2021) ‘Smoking, Smoking Cessation, and Progression of Chronic Kidney Disease: Results From KNOW-CKD Study’, *Nicotine & Tobacco Research*, 23(1), pp. 92–98. Available at: <https://doi.org/10.1093/ntr/ntaa071>.
- Levey, A.S. *et al.* (2020) ‘Nomenclature for kidney function and disease: report of a Kidney Disease: Improving Global Outcomes (KDIGO) Consensus Conference’, *Kidney International*, 97(6), pp. 1117–1129. Available at: <https://doi.org/10.1016/j.kint.2020.02.010>.
- Levey, A.S. and Coresh, J. (2012) ‘Chronic kidney disease’, *The Lancet*, 379(9811), pp. 165–180. Available at: [https://doi.org/10.1016/S0140-6736\(11\)60178-5](https://doi.org/10.1016/S0140-6736(11)60178-5).
- Lin, J. *et al.* (2011) ‘Association of Dietary Patterns With Albuminuria and Kidney Function Decline in Older White Women: A Subgroup Analysis From the Nurses’ Health Study’, *American Journal of Kidney Diseases*, 57(2), pp. 245–254. Available at: <https://doi.org/10.1053/j.ajkd.2010.09.027>.
- Lipoeto, N.I., Geok Lin, K. and Angeles-Agdeppa, I. (2013) ‘Food consumption patterns and nutrition transition in South-East Asia’, *Public Health Nutrition*, 16(9), pp. 1637–1643. Available at: <https://doi.org/10.1017/S1368980012004569>.

- Lloyd, H. *et al.* (2019) ‘Prevalence and risk factors for chronic kidney disease in primary health care in the southern region of New Zealand’, *Nephrology*, 24(3), pp. 308–315. Available at: <https://doi.org/10.1111/nep.13395>.
- Lv, J.-C. and Zhang, L.-X. (2019) ‘Prevalence and Disease Burden of Chronic Kidney Disease’, in B.-C. Liu, H.-Y. Lan, and L.-L. Lv (eds) *Renal Fibrosis: Mechanisms and Therapies*. Singapore: Springer Singapore, pp. 3–15. Available at: [https://doi.org/10.1007/978-981-13-8871-2\\_1](https://doi.org/10.1007/978-981-13-8871-2_1).
- Mafra, D., Guebre-Egziabher, F. and Fouque, D. (2008) ‘Body mass index, muscle and fat in chronic kidney disease: questions about survival’, *Nephrology Dialysis Transplantation*, 23(8), pp. 2461–2466. Available at: <https://doi.org/10.1093/ndt/gfn053>.
- Maghfiroh, A.A. *et al.* (2023) ‘Faktor-faktor yang Berhubungan Dengan Kejadian Gagal Ginjal Akut pada Anak: A Literature Review’, *Prepotif Jurnal Kesehatan Masyarakat*, 7(1), pp. 41–51.
- Mallamaci, F. and Tripepi, G. (2024) ‘Risk Factors of Chronic Kidney Disease Progression: Between Old and New Concepts.’, *Journal of clinical medicine*, 13(3), p. 678. Available at: <https://doi.org/10.3390/jcm13030678>.
- Mallappallil, M. *et al.* (2014) ‘Chronic kidney disease in the elderly: evaluation and management.’, *Clinical practice (London, England)*, 11(5), pp. 525–535. Available at: <https://doi.org/10.2217/cpr.14.46>.
- Maric, C. and Sullivan, S. (2008) ‘Estrogens and the diabetic kidney’, *Gender Medicine*, 5, pp. S103–S113. Available at: <https://doi.org/10.1016/j.genm.2008.03.010>.
- Martens, R.J.H. *et al.* (2018) ‘Amount and pattern of physical activity and sedentary behavior are associated with kidney function and kidney damage: The Maastricht Study’, *PLOS ONE*, 13(4), p. e0195306. Available at: <https://doi.org/10.1371/journal.pone.0195306>.
- Mazidi, M., Gao, H. and Kengne, A.P. (2018) ‘Food Patterns are Associated with Likelihood of CKD in US Adults’, *Scientific Reports*, 8(1), p. 10696. Available at: <https://doi.org/10.1038/s41598-018-27365-6>.
- McClellan, W.M. *et al.* (2012) ‘Association of Family History of ESRD, Prevalent Albuminuria, and Reduced GFR With Incident ESRD’, *American Journal of Kidney Diseases*, 59(1), pp. 25–31. Available at: <https://doi.org/10.1053/j.ajkd.2011.09.018>.
- McMahon, E.J. *et al.* (2013) ‘A randomized trial of dietary sodium restriction in CKD.’, *Journal of the American Society of Nephrology : JASN*, 24(12), pp. 2096–103. Available at: <https://doi.org/10.1681/ASN.2013030285>.
- Mills, K.T. *et al.* (2015) ‘A systematic analysis of worldwide population-based data on the global burden of chronic kidney disease in 2010’, *Kidney International*, 88(5), pp. 950–957. Available at: <https://doi.org/https://doi.org/10.1038/ki.2015.230>.

- Morales, J. *et al.* (2023) ‘Perspectives on Chronic Kidney Disease With Type 2 Diabetes and Risk Management: Practical Viewpoints and a Paradigm Shift Using a Pillar Approach’, *Clinical Diabetes*, 41(4), pp. 553–566. Available at: <https://doi.org/10.2337/cd22-0110>.
- Naghavi, M. *et al.* (2024) ‘Global burden of 288 causes of death and life expectancy decomposition in 204 countries and territories and 811 subnational locations, 1990–2021: a systematic analysis for the Global Burden of Disease Study 2021’, *The Lancet*, 403(10440), pp. 2100–2132. Available at: [https://doi.org/10.1016/S0140-6736\(24\)00367-2](https://doi.org/10.1016/S0140-6736(24)00367-2).
- National Kidney Foundation (2023) *Chronic Kidney Disease (CKD)*, National Kidney Foundation. Available at: <https://www.kidney.org/kidney-topics/chronic-kidney-disease-ckd> (Accessed: 22 September 2024).
- Neugarten, J. and Golestaneh, L. (2019) ‘Influence of Sex on the Progression of Chronic Kidney Disease’, *Mayo Clinic Proceedings*, 94(7), pp. 1339–1356. Available at: <https://doi.org/10.1016/j.mayocp.2018.12.024>.
- NIDDK (2016a) *Chronic Kidney Disease (CKD)*, National Institute of Diabetes and Digestive and Kidney Disease. Available at: <https://www.niddk.nih.gov/health-information/kidney-disease/chronic-kidney-disease-ckd> (Accessed: 5 May 2024).
- NIDDK (2016b) *Chronic Kidney Disease Tests & Diagnosis*, NIDDK. Available at: <https://www.niddk.nih.gov/health-information/kidney-disease/chronic-kidney-disease-ckd/tests-diagnosis> (Accessed: 22 September 2024).
- Nitta, K. *et al.* (2014) ‘Aging and Chronic Kidney Disease’, *Kidney and Blood Pressure Research*, 38(1), pp. 109–120. Available at: <https://doi.org/10.1159/000355760>.
- NKDEP (2014) *Making Sense of CKD in Primary Care*. NIH.
- Oktavia, W.S. (2022) *Faktor-faktor yang Berhubungan dengan Penyakit Ginjal Kronis Pada Penduduk Usia >18 tahun di Indonesia Tahun 2018*. UIN Syarif Hidayatullah.
- Padda, I.S., Mahtani, A.U. and Parmar, M. (2024) *Sodium-Glucose Transport Protein 2 (SGLT2) Inhibitors*. StatPearls. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK576405/> (Accessed: 16 October 2024).
- Park, J.I. *et al.* (2017) ‘Comparison of urine dipstick and albumin:creatinine ratio for chronic kidney disease screening: A population-based study’, *PLOS ONE*, 12(2), p. e0171106. Available at: <https://doi.org/10.1371/journal.pone.0171106>.
- PERNEFRI (2011) *Konsesus Peritoneal Dialisis pada Penyakit Ginjal Kronik*. Jakarta: PERNEFRI.
- PERNEFRI (2018) *11th Annual Report of Indonesian Renal Registry 2018*. Bandung.

- Pscheidt, C. *et al.* (2015) ‘Sex- and Time-Dependent Patterns in Risk Factors of End-Stage Renal Disease: A Large Austrian Cohort with up to 20 Years of Follow-Up’, *PLOS ONE*, 10(8), p. e0135052. Available at: <https://doi.org/10.1371/journal.pone.0135052>.
- Pusat Kesehatan Haji (2024a) *Profil Kesehatan Haji 2024 Debarkasi*.
- Pusat Kesehatan Haji (2024b) *Profil Kesehatan Jemaah Haji Tahun 2024*.
- Quintela, B.C.S.F. *et al.* (2021) ‘Dietary patterns and chronic kidney disease outcomes: A systematic review’, *Nephrology*, 26(7), pp. 603–612. Available at: <https://doi.org/10.1111/nep.13883>.
- Rini, S. *et al.* (2018) ‘Faktor Risiko Penyakit Ginjal Kronik Diabetes (PGK-DM) pada Diabetes Mellitus Tipe-2 (Studi di RSUD DR Soedarso Kota Pontianak Provinsi Kalimantan Barat)’, *Jurnal Epidemiologi Kesehatan Komunitas*, 3(2), pp. 101–108.
- Rivandi, J. and Yonata, A. (2015) ‘Hubungan Diabetes Melitus Dengan Kejadian Gagal Ginjal Kronik’, *Majority*, 4(9), pp. 27–34.
- Rossing, P. *et al.* (2022) ‘KDIGO 2022 Clinical Practice Guideline for Diabetes Management in Chronic Kidney Disease’, *Kidney International*, 102(5), pp. S1–S127. Available at: <https://doi.org/10.1016/j.kint.2022.06.008>.
- Rustika, R. *et al.* (2020) ‘An evaluation of health policy implementation for Hajj Pilgrims in Indonesia’, *Journal of Epidemiology and Global Health*, 10(4), pp. 263–268. Available at: <https://doi.org/10.2991/jegh.k.200411.001>.
- Saliem, H.P. *et al.* (2019) ‘The Dynamics of Indonesian Consumption Patterns of Rice and Rice-Based Food Eaten Away From Home’, *Analisis Kebijakan Pertanian*, 17(2), p. 95. Available at: <https://doi.org/10.21082/akp.v17n2.2019.95-110>.
- Saminathan, T.A. *et al.* (2020) ‘Prevalence of chronic kidney disease and its associated factors in Malaysia; Findings from a nationwide population-based cross-sectional study’, *BMC Nephrology*, 21(1). Available at: <https://doi.org/10.1186/s12882-020-01966-8>.
- Sapra, A. and Bhandari, P. (2023) *Diabetes, StatPearls*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK551501/> (Accessed: 9 May 2024).
- Satarug, S. (2018) ‘Dietary Cadmium Intake and Its Effects on Kidneys’, *Toxics*, 6(1), p. 15. Available at: <https://doi.org/10.3390/toxics6010015>.
- Saudi Arabia General Authority for Statistics (2024) *Hajj Statistics Publication 2024*. Available at: <https://www.stats.gov.sa/documents/20117/2067030/Hajj+Statistics+Publication+2024EN.pdf/ee9e1b69-731b-9976-b394-e24ec4bf6f72?t=1735306044857> (Accessed: 6 January 2025).
- Saudi Arabia Ministry of Health (2023) *Statistical Yearbook 2023*. Available at: <https://www.moh.gov.sa/en/Ministry/Statistics/book/Pages/default.aspx> (Accessed: 15 January 2025).

- Shankar, A. *et al.* (2008) ‘Association between body mass index and chronic kidney disease in men and women: Population-based study of Malay adults in Singapore’, *Nephrology Dialysis Transplantation*, 23(6), pp. 1910–1918. Available at: <https://doi.org/10.1093/ndt/gfm878>.
- Shardlow, A. *et al.* (2016) ‘Chronic Kidney Disease in Primary Care: Outcomes after Five Years in a Prospective Cohort Study’, *PLOS Medicine*, 13(9), p. e1002128. Available at: <https://doi.org/10.1371/journal.pmed.1002128>.
- Sommar, J.N. *et al.* (2013) ‘End-stage renal disease and low level exposure to lead, cadmium and mercury; a population-based, prospective nested case-referent study in Sweden’, *Environmental Health*, 12(1), p. 9. Available at: <https://doi.org/10.1186/1476-069X-12-9>.
- Sponholtz, T.R. *et al.* (2016) ‘Occupational exposures and chronic kidney disease: Possible associations with endotoxin and ultrafine particles’, *American Journal of Industrial Medicine*, 59(1), pp. 1–11. Available at: <https://doi.org/10.1002/ajim.22541>.
- Stevens, P.E. *et al.* (2024) ‘KDIGO 2024 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease’, *Kidney International*, 105(4), pp. S117–S314. Available at: <https://doi.org/10.1016/j.kint.2023.10.018>.
- Sulistyowati, E. and Idaiani, S. (2015) ‘Faktor Risiko Penyakit Ginjal Kronik Berdasarkan Analisis Cross-sectional Data Awal Studi Kohort Penyakit Tidak Menular Penduduk Usia 25-65 Tahun di Kelurahan Kebon Kalapa, Kota Bogor Tahun 2011’, *Buletin Penelitian Kesehatan*, 43(3), pp. 163–172.
- Thomas, L.D.K. *et al.* (2014) ‘Dietary cadmium exposure and chronic kidney disease: A population-based prospective cohort study of men and women’, *International Journal of Hygiene and Environmental Health*, 217(7), pp. 720–725. Available at: <https://doi.org/https://doi.org/10.1016/j.ijheh.2014.03.001>.
- Tripathy, S. *et al.* (2020) ‘Association of Educational Attainment With Incidence of CKD in Young Adults’, *Kidney International Reports*, 5(12), pp. 2256–2263. Available at: <https://doi.org/10.1016/j.ekir.2020.09.015>.
- Tsai, J.-C. *et al.* (2010) ‘Prevalence and Risk Factors for CKD in Spouses and Relatives of Hemodialysis Patients’, *American Journal of Kidney Diseases*, 55(5), pp. 856–866. Available at: <https://doi.org/10.1053/j.ajkd.2009.12.021>.
- Tsai, W.-C. *et al.* (2016) ‘Risk Factors for Development and Progression of Chronic Kidney Disease’, *Medicine*, 95(11), p. e3013. Available at: <https://doi.org/10.1097/MD.0000000000003013>.
- Vaidya, S.R. and Aeddula, N.R. (2022) *Chronic Kidney Disease*. StatPearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK535404/> (Accessed: 2 May 2024).

- Vaidya, S.R. and Aeddula, N.R. (2024) *Chronic Kidney Disease*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK535404/> (Accessed: 23 September 2024).
- Vallon, V. and Komers, R. (2011) ‘Pathophysiology of the Diabetic Kidney’, in *Comprehensive Physiology*. Wiley, pp. 1175–1232. Available at: <https://doi.org/10.1002/cphy.c100049>.
- Webster, A.C. et al. (2017) ‘Chronic Kidney Disease’, *The Lancet*, 389(10075), pp. 1238–1252. Available at: [https://doi.org/10.1016/S0140-6736\(16\)32064-5](https://doi.org/10.1016/S0140-6736(16)32064-5).
- WHO (2023) *Ensuring health and well-being for Hajj pilgrims through outreach*, WHO. Available at: <https://www.who.int/indonesia/news/detail/12-06-2023-ensuring-health-and-well-being-for-hajj-pilgrims-through-outreach> (Accessed: 29 March 2024).
- WHO (no date) *Obesity*, WHO. Available at: [https://www.who.int/health-topics/noncommunicable-diseases/obesity#tab=tab\\_1](https://www.who.int/health-topics/noncommunicable-diseases/obesity#tab=tab_1) (Accessed: 9 May 2024).
- Yacoub, R. et al. (2010) ‘Association between smoking and chronic kidney disease: a case control study’, *BMC Public Health*, 10(1), p. 731. Available at: <https://doi.org/10.1186/1471-2458-10-731>.
- Yu, M.K. et al. (2012) ‘Risk Factor, Age and Sex Differences in Chronic Kidney Disease Prevalence in a Diabetic Cohort: The Pathways Study’, *American Journal of Nephrology*, 36(3), pp. 245–251. Available at: <https://doi.org/10.1159/000342210>.
- Zahra, A.S.A. and Simanjorang, C. (2024) ‘Risk Factors of Chronic Kidney Disease in Indonesian Patients with Diabetes Mellitus’, *Media Kesehatan Masyarakat Indonesia*, 20(3), pp. 102–111. Available at: <https://doi.org/10.30597/mkmi.v20i3.33053>.
- Zhang, J. et al. (2021) ‘Familial Aggregation of CKD and Heritability of Kidney Biomarkers in the General Population: The Lifelines Cohort Study’, *American Journal of Kidney Diseases*, 77(6), pp. 869–878. Available at: <https://doi.org/10.1053/j.ajkd.2020.11.012>.
- Zhong, J., Yang, H.-C. and Fogo, A.B. (2017) ‘A perspective on chronic kidney disease progression’, *American Journal of Physiology-Renal Physiology*, 312(3), pp. F375–F384. Available at: <https://doi.org/10.1152/ajprenal.00266.2016>.