

DAFTAR PUSTAKA

- Adnan, D., Kheru, A. and Maulana, D. M. (2021) ‘Hubungan Dukungan Keluarga Dan Tingkat Pendidikan Pasien Terhadap Kepatuhan Minum Obat Antiretroviral Pasien Hiv Aids Di Poli Rsud Dr. Drajat Prawiranegara Serang Banten’, *MAHESA: Malahayati Health Student Journal*, 1(2), pp. 82–91. doi: 10.33024/mahesa.v1i2.3756.
- Aduloju T., Oluwadare C.T. and Aduloju O.P. (2022) ‘Level of Adherence to Antiretroviral Therapy Among People Living with HIV/AIDS in Ekiti State’, *Journal of Advances in Virology Research*, 2(1), p. 103. Available at: www.annexpublishers.com.
- Alvi, Y. *et al.* (2019) ‘World Health Organization Dimensions of Adherence to Antiretroviral Therapy: A Study at Antiretroviral Therapy Centre, Aligarh’, *Indian Journal of Community Medicine*, 44(2), pp. 118–124. doi: 10.4103/ijcm.IJCM.
- Angel, J. B. *et al.* (2023) ‘Adherence to oral antiretroviral therapy in Canada, 2010-2020’, *Aids*, 37(13), pp. 2031–2040. doi: 10.1097/QAD.0000000000003648.
- Angelo, A. T. and Alemayehu, D. S. (2021) ‘Adherence and its associated factors among adult hiv-infected patients on antiretroviral therapy in South Western Ethiopia, 2020’, *Patient Preference and Adherence*, 15, pp. 299–308. doi: 10.2147/PPA.S298594.
- Arisudhana, G. A. B., Sofro, M. A. U. and Sujianto, U. (2018) ‘Antiretroviral Side Effect on Adherence in People Living With Hiv Aids At Dr. Kariadi General Refferal Hospital Semarang Central Java’, *Nurse Media Journal of Nursing*, 8(2), pp. 79–85. doi: 10.14710/nmjn.v8i2.20742.
- Baggaley, R. F. *et al.* (2013) ‘Heterosexual Anal Intercourse: A Neglected Risk Factor for HIV?’, *American Journal of Reproductive Immunology*, 69(01), pp. 1–15. doi: 10.1111/aji.12064.
- Braithwaite, R. S. and Kendall, J. B. (2010) ‘Influence of Alcohol Consumption on Adherence to and Toxicity of Antiretroviral Therapy and Survival’, *Alcohol Research and Health*, 33(3), pp. 280–287.
- Buh, A. *et al.* (2023) ‘Prevalence and factors associated with HIV treatment non-adherence among people living with HIV in three regions of Cameroon: A cross-sectional study’, *PLoS ONE*, 18(4 April), pp. 1–20. doi: 10.1371/journal.pone.0283991.
- Byrd, K. K. *et al.* (2019) ‘Antiretroviral Adherence Level Necessary for HIV Viral Suppression Using Real-World Data’, *Journal of Acquired Immune*

- Deficiency Syndromes*, 82(3), pp. 245–251. doi: 10.1097/QAI.0000000000002142.
- Chen, W. T. et al. (2013) ‘Antiretroviral therapy (ART) side effect impacted on quality of life, and depressive symptomatology: A mixed-method study’, *Journal of AIDS and Clinical Research*, 4(6). doi: 10.4172/2155-6113.1000218.
- Debby, C., Sianturi, S. R. and Susilo, W. H. (2019) ‘Faktor-Faktor yang Berhubungan dengan Kepatuhan Minum Obat ARV pada Pasien HIV di RSCM Jakarta’, *Jurnal Keperawatan*, 10(1), pp. 15–22. doi: 10.22219/jk.v10i1.5886.
- Desta, A. A. et al. (2020) ‘Level of Adherence and Associated Factors Among HIV-Infected Patients on Antiretroviral Therapy in Northern Ethiopia: Retrospective Analysis’, *Patient Preference and Adherence*, 2020(14), pp. 1585–1594. doi: <https://doi.org/10.2147/PPA.S268395>.
- Dewi, R. S. (2022) ‘Profil Penggunaan ARV Dan Nilai CD4 Pada Pasien HIV/AIDS Di RS X Pekanbaru’, *Jurnal Ilmiah Farmasi Farmasyifa*, 5(1), pp. 71–78. Available at: <https://ejournal.unisba.ac.id/index.php/Farmasyifa/article/view/7732>.
- Djumadi, J., Gobel, F. A. and Arman (2023) ‘Faktor yang Berhubungan dengan Kepatuhan Terapi Antiretroviral (ARV) pada Pengidap HIV/AIDS di Rumah Sakit Bhayangkara Kota Makassar Tahun 2022’, *Journal of Muslim Community Health (JMCH)*, 4(1), pp. 78–90. Available at: <https://doi.org/10.52103/jmch.v4i1.1193> JournalHomepage:<https://pasca-umi.ac.id/index.php/jmch>.
- Dorcéus, L. et al. (2021) ‘Factors associated with antiretroviral therapy adherence among people living with HIV in Haiti: a cross-sectional study’, *AIDS Research and Therapy*, 18(1), pp. 1–9. doi: 10.1186/s12981-021-00405-4.
- Dowling, J. M. and Yap, C. F. (2014) *Communicable Diseases Common in Developing Countries, Encyclopedia of Human Services and Diversity*. Palgrave Macmillan. doi: 10.4135/9781483346663.n108.
- Gobel, F. A. et al. (2023) ‘Faktor yang berhubungan dengan Kepatuhan Konsumsi Antiretroviral Pengidap HIV/AIDS di Kota Makassar’, *Window of Health : Jurnal Kesehatan*, 6(1), pp. 1–10. doi: 10.33096/woh.v6i01.514.
- Hasabi, I. S. et al. (2016) ‘A study of compliance to antiretroviral therapy among HIV infected patients at a tertiary care hospital in North Karnataka’, *Journal of Clinical and Diagnostic Research*, 10(5), pp. 27–31. doi: 10.7860/JCDR/2016/17948.7792.
- Hawker, J. et al. (2018) *Communicable Disease Control and Health Protection*

- Handbook, Communicable Disease Control and Health Protection Handbook.* doi: 10.1002/9781119328070.
- Herawati, I. et al. (2023) ‘Faktor - faktor yang berhubungan dengan kepatuhan minum obat antiretroviral (ARV) pada ODHA di RSUD 45 Kuningan 2023’, *Journal of Health Research Science*, 3(02), pp. 149–164. doi: 10.34305/jhrs.v3i02.938.
- Jusriana, Gobel, F. A. and Arman (2020) ‘Faktor yang Mempengaruhi Kepatuhan Terapi Antiretroviral pada Orang Dengan HIV di Yayasan Peduli Kelompok Dukungan Sebaya Kota Makassar’, *Window of Public Health Journal*, 1(3), pp. 241–249. doi: 10.33096/woph.v1i3.85.
- Kemenkes (2014) *Peraturan Menteri Kesehatan Republik Indonesia Nomor 87 Tahun 2014 Tentang Pedoman Pengobatan Antiretroviral*, Kementerian Kesehatan Republik Indonesia. Available at: https://siha.kemkes.go.id/portal/files_upload/Buku_Permenkes_ARV_Cetak.pdf.
- Kemenkes (2017) *Panduan Perawatan Orang dengan HIV AIDS untuk Keluarga dan Masyarakat*. Jakarta: P2P Kemenkes RI. Available at: https://siha.kemkes.go.id/portal/files_upload/Pedoman_PBR.pdf.
- Kemenkes (2022) *Laporan Tahunan HIV AIDS 2022*, Direktorat Jenderal Pencegahan dan Pengendalian Penyakit. Jakarta. Available at: http://p2p.kemkes.go.id/wp-content/uploads/2023/06/FINAL_6072023_Layout_HIV/AIDS-1.pdf.
- Kemenkes (2023) ‘Laporan Perkembangan HIV AIDS & PIMS Triwulan I Tahun 2023’.
- Kementerian Kesehatan RI (2015) *Petunjuk Teknis Pengisian Format Pencatatan dan Pelaporan Pasien HIV/AIDS*. Available at: https://siha.kemkes.go.id/portal/files_upload/8__Petunjuk_Pengisian_Formular_RR_2015janto2_rev5Edit_lay_outrev.pdf.
- Kementerian Kesehatan RI (2022) ‘Peraturan Menteri Kesehatan Republik Indonesia Nomor 23 Tahun 2022 Tentang Penanggulangan Human Immunodeficiency Virus, Acquired Immunodeficiency Syndrome, Dan Infeksi Menular Seksual’, *Permenkes RI*, 69(555), pp. 1–53. Available at: <https://peraturan.bpk.go.id/Details/245543/permekes-no-23-tahun-2022>.
- Kemnic, T. R. and Gulick, P. G. (2022) *HIV Antiretroviral Therapy*. StatPearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK513308/>.
- Kim, J. et al. (2018) ‘Adherence to antiretroviral therapy and factors affecting low medication adherence among incident HIV-infected individuals during 2009-2016: A nationwide study’, *Scientific Reports*, 8(1), pp. 1–8. doi:

- 10.1038/s41598-018-21081-x.
- Li, P. *et al.* (2024) ‘Antiretroviral Treatment Gaps and Adherence Among People with HIV in the U.S. Medicare Program’, *AIDS and Behavior*, 28(3), pp. 1002–1014. doi: 10.1007/s10461-023-04208-8.
- Liu, J. *et al.* (2024) ‘Factors associated with antiretroviral treatment adherence among people living with HIV in Guangdong Province, China: a cross sectional analysis’, *BMC Public Health*, 24(1), pp. 1–13. doi: 10.1186/s12889-024-18774-6.
- Magdy, M. *et al.* (2024) ‘Predictors of Adherence to Antiretroviral Therapy among People Living with HIV in Northern Egypt’, *Annals of Global Health*, 90(1), pp. 1–13. doi: 10.5334/aogh.4491.
- Masriadi (2017) *Epidemiologi Penyakit Menular*. Depok: Rajawali Pers.
- Miranda-Chavez, B., Mejia-Copaja, M. and Taype-Rondan, A. (2024) ‘Adherence to antiretroviral therapy among HIV patients at a hospital in Tacna, Peru’, *Clinical Epidemiology and Global Health*, 30(September), pp. 1–6. doi: 10.1016/j.cegh.2024.101803.
- Muwanguzi, M. *et al.* (2021) ‘Retention in HIV care and associated factors among youths aged 15–24 years in rural southwestern Uganda’, *BMC Public Health*, 21(1), pp. 1–8. doi: 10.1186/s12889-021-11547-5.
- Negesa, L., Demeke, E. and Mekonnen, W. (2017) ‘Adherence to Antiretroviral Therapy and Factors affecting among People Living with HIV/AIDS and Taking Antiretroviral Therapy, Dire Dawa Town, Eastern Ethiopia’, *Journal of Infectious Diseases and Treatment*, 3(1), pp. 1–6. doi: 10.21767/2472-1093.100032.
- Nelson, K. E. and Williams, C. M. (2014) *Infectious Disease Epidemiology: Theory and Practice*, Jones & Bartlett Learning. Michael Brown. doi: 10.1007/174_2022_363.
- Nguyen, P. M. *et al.* (2021) ‘Prevalence and determinants of medication adherence among patients with HIV/AIDS in southern vietnam’, *Infectious Disease Reports*, 13(1), pp. 126–135. doi: 10.3390>IDR13010014.
- Putra, D. S. *et al.* (2023) ‘Faktor yang Memengaruhi Kepatuhan Pengobatan Antiretroviral pada Pasien HIV/AIDS di Salah Satu Puskesmas di Kota Malang’, *Pharmaceutical Journal of Indonesia*, 9(1), pp. 1–8. Available at: <http://pji.ub.ac.id>.
- Rahim, N. K. *et al.* (2024) ‘Hubungan Peran Pengawas Minum Obat dengan Kepatuhan Antiretrovital Pasien HIV’, *An Idea Health Journal*, 4(02), pp. 134–138.

- RSUD Tarakan (2018) ‘Rencana Strategis Bisnis RSUD Tarakan 2018-2022’. Jakarta, p. 117. Available at: <https://rsudtarakan.jakarta.go.id/ppid/uploads/19a40c3d28c4b73387bb02645496ee7628d3f8fc.pdf>.
- Sabri, L. and Hastono, S. P. (2019) *Statistik Kesehatan*. Depok: Rajawali Pers.
- Saka, R. et al. (2023) ‘Nutritional status and effect of highly active anti-retroviral therapy (HAART) on selected trace elements in people living with HIV in Ghana’, *Scientific African*, 19. doi: 10.1016/j.sciaf.2023.e01586.
- Saleh, S. et al. (2017) ‘Insight into HIV-2 latency may disclose strategies for a cure for HIV-1 infection’, *Journal of Virus Eradication*, 3(1), pp. 7–14. doi: 10.1016/s2055-6640(20)30300-9.
- Sari, D. M. N. et al. (2023) ‘Faktor-faktor yang berhubungan dengan ketidakpatuhan minum antiretroviral pada orang dengan HIV di Rumah Sakit Umum Daerah Balaraja Kabupaten Tangerang’, *Jurnal Epidemiologi Kesehatan Indonesia*, 7(2), pp. 125–130.
- Senu, E. et al. (2022) ‘Factors associated with anti-retroviral therapy (ART) adherence among adult people living with HIV (PLWH): A 5-year retrospective multi-centre study in Kumasi, Ghana’, *Dialogues in Health*, 1(November), pp. 1–7. doi: 10.1016/j.dialog.2022.100082.
- Siregar, K. N. et al. (2021) ‘Prevention of HIV Transmission from Mother to Child: Challenges to the Successful Program Implementation and Practice in Indonesia’, *Journal of the International Association of Providers of AIDS Care*, 20, pp. 1–7. doi: 10.1177/23259582211040701.
- Smith, R. J. (2006) ‘Adherence to antiretroviral HIV drugs: How many doses can you miss before resistance emerges?’, *Proceedings of the Royal Society B: Biological Sciences*, 273(1586), pp. 617–624. doi: 10.1098/rspb.2005.3352
- Subadio, N. Y. C., Niode, N. J. and Manampiring, A. E. (2024) ‘Analisis Faktor-Faktor Yang Berhubungan Dengan Kepatuhan Pengobatan Anti Retro Viral (ARV) Pada Pengidap HIV/ AIDS Heteroseksual Di Kota Manado’, *Jurnal Kesehatan Tambusai*, 5(2), pp. 5526–5533.
- Suryana, K., Suharsono, H. and Antara, I. G. P. J. (2019) ‘Factors associated with adherence to anti-retroviral therapy among people living with hiv/aids at wangaya hospital in denpasar, bali, indonesia: A cross-sectional study’, *HIV/AIDS - Research and Palliative Care*, 11, pp. 307–312. doi: 10.2147/HIV.S219695.
- Tariku, M. K., Worede, D. T. and Belete, A. H. (2023) ‘Adherence to antiretroviral therapy and associated factors among human immunodeficiency-positive

- patients accessing treatment at health centers in East Gojjam Zone, Northwest Ethiopia, 2019: Community-based cross-sectional study', *Heliyon*, 9(7), p. e18279. doi: 10.1016/j.heliyon.2023.e18279.
- Tekle, A., Tsegaye, A. and Ketema, T. (2024) 'Adherence to Anti-Retroviral Therapy (ART) and Its Determinants Among People Living with HIV/AIDS at Bonga, Kaffa, South-West Ethiopia', *Patient Preference and Adherence*, 18(March), pp. 543–554. doi: 10.2147/PPA.S445164.
- Tesfay, T., Gebreagziabher and Woldemariam, G. T. (2020) 'Antiretroviral treatment adherence and determinant factors among adult people infected with human immunodeficiency virus in eastern tigray general hospitals, northern ethiopia, 2019', *HIV/AIDS - Research and Palliative Care*, 12, pp. 497–505. doi: 10.2147/HIV.S273917.
- Thayeb, A. M. D. R. et al. (2024) 'Evaluation Of Side Effects Of First-Line Antiretroviral (ARV) Therapy In HIV Patients At Kassi-Kassi Public Health Center Of Makassar', *Jurnal Eduhealth*, 15(02), pp. 1326–1334. doi: 10.54209/eduhealth.v15i02.
- Tuot, S. et al. (2023) 'What are the determinants of antiretroviral therapy adherence among stable people living with HIV? A cross-sectional study in Cambodia', *AIDS Research and Therapy*, 20(1), pp. 1–11. doi: 10.1186/s12981-023-00544-w.
- UNAIDS (2024) 'Fact sheet 2024 - Latest global and regional HIV statistics on the status of the AIDS epidemic'. Available at: <https://www.unaids.org/en>.
- Wang, X. et al. (2021) 'Factors Associated with Medication Adherence for People Living with Acute HIV Infection in a Tertiary Chinese Hospital in Beijing', *BioMed Research International*, 2021. doi: 10.1155/2021/1078716.
- WHO (2007) *WHO case definitions of HIV for surveillance and revised clinical staging and immunological classification of HIV-related disease in adults and children, HIV/AIDS Programme*. World Health Organization. Available at: https://iris.who.int/bitstream/handle/10665/43699/9789241595629_eng.pdf?sequence=1&isAllowed=y.
- WHO (2023) *HIV and AIDS*, World Health Organization. Available at: <https://www.who.int/news-room/fact-sheets/detail/hiv-aids>.
- Wooflf-King, S. E. et al. (2022) 'A Conceptual Model of Alcohol Use and Adherence to Antiretroviral Therapy: Systematic Review and Theoretical Implications for Mechanisms of Action', *Health Psychol Rev*, 16(1), pp. 104–133. doi: 10.1080/17437199.2020.1806722.A.
- Yunita, E. P., Wardani, R. N. K. and Sidharta, B. (2023) 'Correlation between

knowledge level, side effect severity, family support, and antiretroviral therapy adherence in HIV/AIDS patients in Greater Malang, East Java, Indonesia', *Pharmacia*, 70(4), pp. 1213–1222. doi: 10.3897/pharmacia.70.e112645.