

DAFTAR PUSTAKA

- Astakhov, V.P. (2014) ‘Machinability: Existing and Advanced Concepts’, in *Wiley Blackwell* 6. Wiley Blackwell, pp. 1–56. Available at: <https://doi.org/10.1002/9781118576854.ch1>.
- Avila, A.F. and Morais, D.T.S. (2005) ‘A multiscale investigation based on variance analysis for hand lay-up composite manufacturing’, *Composites Science and Technology*, 65(6), pp. 827–838. Available at: <https://doi.org/10.1016/j.compscitech.2004.05.021>.
- Behera, B.C. *et al.* (2023) ‘Application of Machine Learning in the Machining Processes’, in *Intelligent Manufacturing Management Systems*. Wiley, pp. 141–156. Available at: <https://doi.org/10.1002/9781119836780.ch6>.
- Benardos, P.G. and Vosniakos, G.-C. (2003) ‘Predicting surface roughness in machining: a review’, *International Journal of Machine Tools and Manufacture*, 43(8), pp. 833–844. Available at: [https://doi.org/10.1016/S0890-6955\(03\)00059-2](https://doi.org/10.1016/S0890-6955(03)00059-2).
- CNCLATHING (2020) *CNC Machining Material Machinability Chart – Machinability of Metals and Plastics*.
- Coba Salcedo, M.F., Bulloso Salas, Y.S. and Cervera Cerra, D.J. (2021) ‘“Study of the Machinability of AISI P20 and AISI H13 1010 by Drilling Test with Constant Axial Force at the Drill Tip”, *Respuestas*, 26(1). Available at: <https://doi.org/10.22463/0122820x.3181>.
- Darina, M. (2019) ‘MACHINABILITY OF MATERIALS AND THEIR MATHEMATICAL MODELS FROM AN ECONOMIC POINT OF VIEW’, *International Journal of Engineering Technologies and Management Research A Knowledge Repository*, 6(5).
- Davim, J.P. (2002) *Diamond tool performance in machining metal-matrix composites*. Aveiro.
- Davim, J.P. and Reis, P. (2004) ‘Machinability study on composite (polyetheretherketone reinforced with 30% glass fibre-PEEK GF 30) using polycrystalline diamond (PCD) and cemented carbide (K20) tools’, *International Journal of Advanced*

- Manufacturing Technology*, 23(5–6), pp. 412–418. Available at: <https://doi.org/10.1007/s00170-003-1779-7>.
- Dwi, A.Z. and Syamsudin, H. (2021) ‘Manufacturing of E-Glass/Epoksi Composite LSU-03 Propeller Using Hand Lay-up Method’, *AVIA*, 2(2). Available at: <https://doi.org/10.47355/avia.v2i2.18>.
- Elewa, R.R. *et al.* (2021) ‘Effect of Machining On Stainless Steel: A Review’, *IOP Conference Series: Materials Science and Engineering*, 1107(1), p. 012084. Available at: <https://doi.org/10.1088/1757-899x/1107/1/012084>.
- Fountas, N. *et al.* (2019) ‘Multi-response optimization of CuZn39Pb3 brass alloy turning by implementing Grey Wolf algorithm’, *Frattura ed Integrità Strutturale*, 13(50), pp. 584–594. Available at: <https://doi.org/10.3221/IGF-ESIS.50.49>.
- G., G.L. *et al.* (2009) *Development of Application for Analysis of Machinability Index*.
- George Schneider (Jr.) (2002) ‘Cutting-Tool-Applications’, p. 243.
- Grzesik, W. (2008) ‘Influence of tool wear on surface roughness in hard turning using differently shaped ceramic tools’, *Wear*, 265(3–4), pp. 327–335. Available at: <https://doi.org/10.1016/j.wear.2007.11.001>.
- Harmi Tjahjanti, P. (2018) *Buku Ajar Teori dan Aplikasi Material Komposit dan Polimer*. Edited by B.S. Septi and M. M. Tanzil. Sidoarjo: UMSIDA Press.
- Hsissou, R. *et al.* (2021) ‘Polymer composite materials: A comprehensive review’, *Composite Structures*. Elsevier Ltd. Available at: <https://doi.org/10.1016/j.compstruct.2021.113640>.
- Jangra, K. *et al.* (2011) ‘Digraph and matrix method to evaluate the machinability of tungsten carbide composite with wire EDM’, *The International Journal of Advanced Manufacturing Technology*, 56(9–12), pp. 959–974. Available at: <https://doi.org/10.1007/s00170-011-3234-5>.
- K.G. Swift and J.D. Booker (2003) *Process Selection*. second. Elsevier. Available at: <https://doi.org/10.1016/B978-0-7506-5437-1.X5000-8>.
- Koplev, A., Lystrup, Aa. and Vorm, T. (1983) ‘The cutting process, chips, and cutting forces in machining CFRP’, *Composites*, 14(4), pp. 371–376. Available at: [https://doi.org/10.1016/0010-4361\(83\)90157-X](https://doi.org/10.1016/0010-4361(83)90157-X).

- Kuljanic, E., Sortino, M. and Totis, G. (2010) *MACHINABILITY OF DIFFICULT MACHINING MATERIALS*.
- Liao, Z. *et al.* (2019) ‘State-of-the-art of surface integrity in machining of metal matrix composites’, *International Journal of Machine Tools and Manufacture*. Elsevier Ltd, pp. 63–91. Available at: <https://doi.org/10.1016/j.ijmachtools.2019.05.006>.
- Madireddy, J. (2014) *Importance of Lathe Machine in Engineering Field and its usage*.
- Morampudi, P. *et al.* (2020) ‘Review on glass fiber reinforced polymer composites’, in *Materials Today: Proceedings*. Elsevier Ltd, pp. 314–319. Available at: <https://doi.org/10.1016/j.matpr.2020.11.669>.
- Mukherjee, G.S., Jain, A. and Banerjee, M. (2023a) ‘Engineering Matrix Materials for Composites: Their Variety, Scope and Applications’, *Fine Chemical Engineering*, pp. 13–45. Available at: <https://doi.org/10.37256/fce.4120232128>.
- Mukherjee, G.S., Jain, A. and Banerjee, M. (2023b) ‘Engineering Matrix Materials for Composites: Their Variety, Scope and Applications’, *Fine Chemical Engineering*, pp. 13–45. Available at: <https://doi.org/10.37256/fce.4120232128>.
- Parida, A. kumar *et al.* (2014) ‘Optimization of Cutting Parameters for Surface Roughness in Machining of gfrp Composites with Graphite/fly Ash Filler’, *Procedia Materials Science*, 6, pp. 1533–1538. Available at: <https://doi.org/10.1016/j.mspro.2014.07.134>.
- Park, S.-J. and Seo, M.-K. (2011) ‘Types of Composites’, in, pp. 501–629. Available at: <https://doi.org/10.1016/B978-0-12-375049-5.00007-4>.
- Pathapalli, V.R. *et al.* (2021) ‘Modeling of the machining parameters in turning of Al-5052/TiC/SiC composites: a statistical modeling approach using grey relational analysis (GRA) and response surface methodology (RSM)’, *Multidiscipline Modeling in Materials and Structures*, 17(5), pp. 990–1006. Available at: <https://doi.org/10.1108/MMMS-01-2021-0017>.
- Paulo Davim, J. *et al.* (2003) ‘Machinability study on polyetheretherketone (PEEK) unreinforced and reinforced (GF30) for applications in structural components’, *Composite Structures*, 62(1), pp. 67–73. Available at: [https://doi.org/10.1016/S0263-8223\(03\)00085-0](https://doi.org/10.1016/S0263-8223(03)00085-0).

- Pont, S.C. (2014) ‘Surface Roughness’, in *Computer Vision*. Boston, MA: Springer US, pp. 781–782. Available at: https://doi.org/10.1007/978-0-387-31439-6_539.
- Rajak, D.K. *et al.* (2019) ‘Recent progress of reinforcement materials: A comprehensive overview of composite materials’, *Journal of Materials Research and Technology*, 8(6), pp. 6354–6374. Available at: <https://doi.org/10.1016/j.jmrt.2019.09.068>.
- Rajak, D.K., Wagh, P.H. and Linul, E. (2021) ‘Manufacturing Technologies of Carbon/Glass Fiber-Reinforced Polymer Composites and Their Properties: A Review’, *Polymers*, 13(21), p. 3721. Available at: <https://doi.org/10.3390/polym13213721>.
- Rajasekaran, T., Palanikumar, K. and Vinayagam, B.K. (2012) ‘Turning CFRP Composites with Ceramic tool for Surface Roughness Analysis’, *Procedia Engineering*, 38, pp. 2922–2929. Available at: <https://doi.org/10.1016/j.proeng.2012.06.341>.
- Ruiz De Luzuriaga, A. *et al.* (2016) ‘Epoksi resin with exchangeable disulfide crosslinks to obtain reprocessable, repairable and recyclable fiber-reinforced thermoset composites’, *Materials Horizons*, 3(3), pp. 241–247. Available at: <https://doi.org/10.1039/c6mh00029k>.
- Sadioura, A.S., Singh, R. and Singh, H. (2013) ‘Machinability index evaluation: A case study of carbide inserts’, in *Applied Mechanics and Materials*, pp. 86–90. Available at: <https://doi.org/10.4028/www.scientific.net/AMM.330.86>.
- Santhanakrishnan, G., Krishnamurthy, R. and Malhotra, S.K. (1988) ‘Machinability characteristics of fibre reinforced plastics composites’, *Journal of Mechanical Working Technology*, 17, pp. 195–204. Available at: [https://doi.org/10.1016/0378-3804\(88\)90021-6](https://doi.org/10.1016/0378-3804(88)90021-6).
- Santos, R.C., Pereira, M. and Ferreira, J.C.E. (2020) ‘Energy Consumption in Milling as a Result of Different Machining Parameters and Tool Paths’, in *2020 IEEE Green Technologies Conference(GreenTech)*. IEEE, pp. 206–211. Available at: <https://doi.org/10.1109/GreenTech46478.2020.9289747>.
- Shrinivasa, D. and Prakash, G.V.N. (2022) ‘Machinability Studies on Hybrid Aluminum Metal Matrix Composites’, *IOP Conference Series: Materials Science and Engineering*, 1258(1), p. 012023. Available at: <https://doi.org/10.1088/1757-899x/1258/1/012023>.

- Shundo, A., Yamamoto, S. and Tanaka, K. (2022) 'Network Formation and Physical Properties of Epoksi Resins for Future Practical Applications', *JACS Au*, pp. 1522–1542. Available at: <https://doi.org/10.1021/jacsau.2c00120>.
- Singh, D. and Venkata Rao, R. (2011) 'A hybrid multiple attribute decision making method for solving problems of industrial environment', *International Journal of Industrial Engineering Computations*, pp. 631–644. Available at: <https://doi.org/10.5267/j.ijiec.2011.02.001>.
- Slamani, M. and Chatelain, J.-F. (2023) 'A review on the machining of polymer composites reinforced with carbon (CFRP), glass (GFRP), and natural fibers (NFRP)', *Discover Mechanical Engineering*, 2(1). Available at: <https://doi.org/10.1007/s44245-023-00011-w>.
- Sousa, V.F.C. *et al.* (2020) 'Cutting forces assessment in cnc machining processes: A criticalreview review', *Sensors (Switzerland)*, 20(16), pp. 1–26. Available at: <https://doi.org/10.3390/s20164536>.
- Vasudevan, H. *et al.* (2017) *ScienceDirect Optimization Of Multi-Performance Characteristics in the Turning Of GFRP(E) Composites using Principle Component Analysis combined with Grey Relational Analysis*. Available at: www.sciencedirect.com.
- Van Vlack, L.H. (1995) *Element of Material Sciences and Engineering*. 5th edn. Edited by Sriati Djaprie. erlangga.
- Wan, Y. *et al.* (2013) 'An investigation on machinability assessment of difficult-to-cut materials based on radar charts', *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 227(12), pp. 1916–1920. Available at: <https://doi.org/10.1177/0954405413497008>.
- Widodo, W. (2022) 'Alat Bantu Untuk Pembuatan Ulir Luar dan Ulir Dalam', *Jurnal Rekayasa Mesin*, 13(3), pp. 741–749. Available at: <https://doi.org/10.21776/jrm.v13i3.1127>.
- van der Woude, J.H.A. and Lawton, E.L. (2010) 'Composite Design and Engineering', in *Fiberglass and Glass Technology*. Boston, MA: Springer US, pp. 125–173. Available at: https://doi.org/10.1007/978-1-4419-0736-3_3.

- Wu, C. *et al.* (2023) ‘Manufacturing Technologies of Polymer Composites—A Review’, *Polymers*. MDPI. Available at: <https://doi.org/10.3390/polym15030712>.
- Zhang, Q., Molenda, M. and Reineke, T.M. (2016) ‘Epoksi resin thermosets derived from trehalose and β -cyclodextrin’, *Macromolecules*, 49(22), pp. 8397–8406. Available at: <https://doi.org/10.1021/acs.macromol.6b01861>.
- Zhao, G.Y. *et al.* (2017) ‘Energy consumption in machining: Classification, prediction, and reduction strategy’, *Energy*, 133, pp. 142–157. Available at: <https://doi.org/10.1016/j.energy.2017.05.110>.
- Zheng, H. and Liu, K. (2013) ‘Machinability of Engineering Materials’, in *Handbook of Manufacturing Engineering and Technology*. London: Springer London, pp. 1–34. Available at: https://doi.org/10.1007/978-1-4471-4976-7_2-1.