

## DAFTAR PUSTAKA

- Adel Abdul-Wahhab, O., H. Ramadhan, U. and Bahili, M.A. (2022) 'Impact Levels of Soft Drinks on Kidney Patients', *Teikyo Medical Journal*, 45(9), pp. 7637–7646.
- Ahmed, S.B. and Dumanski, S.M. (2021) 'Do Sex and Gender Matter in Kidney and Cardiovascular Disease?', *American Journal of Kidney Diseases*, 78(2), pp. 177–179. Available at: <https://doi.org/10.1053/j.ajkd.2021.05.002>.
- Anand, S., Chertow, G.M. and Beddhu, S. (2022) 'Obesity and Incident Kidney Disease: Busting the Myth of Metabolically Healthy Obesity', *American Journal of Kidney Diseases*, 79(1), pp. 7–8. Available at: <https://doi.org/10.1053/j.ajkd.2021.08.008>.
- Aregawi, K. et al. (2024) 'Prevalence of Chronic Kidney Disease and Associated Factors among Adult Diabetic Patients: A Hospital-Based Cross-Sectional Study', *Frontiers in epidemiology*, 4, p. 1467911. Available at: <https://doi.org/10.3389/fepid.2024.1467911>.
- Arman, A., Anggriani, Y. and Utami R, H. (2019) 'Analysis of Risk Factors of Chronic Kidney Disease on Patients With Hemodialysis in Tangerang District Hospital', *Jurnal Ilmu Kesehatan Masyarakat*, 10(2), pp. 112–125. Available at: <https://doi.org/10.26553/jikm.2019.10.2.112-125>.
- Bae, E.H. et al. (2021) 'Obesity, Abdominal Obesity and Chronic Kidney Disease in Young Adults: A Nationwide Population-Based Cohort Study.', *Journal of clinical medicine*, 10(5). Available at: <https://doi.org/10.3390/jcm10051065>.
- Bahrey, D. et al. (2019) 'Prevalence and Associated Factors of Chronic Kidney Disease among Adult Hypertensive Patients in Tigray Teaching Hospitals: A Cross-Sectional Study', *BMC Research Notes*, 12(1), p. 562. Available at: <https://doi.org/10.1186/s13104-019-4610-8>.
- Battaglia, Y. et al. (2024) 'Physical Activity and Exercise in Chronic Kidney Disease: Consensus statements from the Physical Exercise Working Group of the Italian Society of Nephrology', *Journal of Nephrology*, 37(7), pp. 1735–1765. Available at: <https://doi.org/10.1007/s40620-024-02049-9>.
- Bello, A. et al. (2010) 'Epidemiology and Pathophysiology of Chronic Kidney Disease', in *Comprehensive Clinical Nephrology*. Elsevier, pp. 907–918. Available at: <https://doi.org/10.1016/B978-0-323-05876-6.00075-7>.
- Bikbov, B. et al. (2020) 'Global, Regional, and National Burden of Chronic Kidney Disease, 1990–2017: A Systematic Analysis for The Global Burden of Disease Study 2017', *The Lancet*, 395(10225), pp. 709–733. Available at: [https://doi.org/10.1016/S0140-6736\(20\)30045-3](https://doi.org/10.1016/S0140-6736(20)30045-3).

- BKPK (2023) *Survei Kesehatan Indonesia (SKI) 2023 dalam Angka*. Kemenkes.
- Boero, R., Pignataro, A. and Quarello, F. (2002) ‘Salt Intake and Kidney Disease.’, *Journal of nephrology*, 15(3), pp. 225–9.
- Bourke, E. et al. (2024) ‘The Effects of Physical Inactivity on Other Risk Factors for Chronic Disease: A Systematic Review of Reviews’, *Preventive Medicine Reports*, 46, p. 102866. Available at: <https://doi.org/10.1016/j.pmedr.2024.102866>.
- BPS (2025) *Statistik Indonesia 2025*. Badan Pusat Statistik.
- Budi Susilo, C. et al. (2023) ‘Riwayat Hipertensi dan Konsumsi Minuman Energi Berhubungan dengan Gagal Ginjal’, *Jurnal Manajemen Kesehatan Yayasan RS. Dr. Soetomo*, 9(1), pp. 125–135.
- Cai, H. et al. (2021) ‘Body Mass Index Combined with Waist Circumference Can Predict Moderate Chronic Kidney Disease’, *Medicine*, 100(12), p. e25017. Available at: <https://doi.org/10.1097/MD.00000000000025017>.
- CDC (2024a) *Chronic Kidney Disease*. Available at: <https://www.cdc.gov/diabetes/diabetes-complications/diabetes-and-chronic-kidney-disease.html> (Accessed: 19 February 2025).
- CDC (2024b) *Chronic Kidney Disease Basics*. Available at: <https://www.cdc.gov/kidney-disease/about/index.html#:~:text=maintaining%20good%20health.-,CKD,or%20lower%20quality%20of%20life.> (Accessed: 17 February 2025).
- CDC (2024c) *Risk Factors for Chronic Kidney Disease*. Available at: Risk Factors for Chronic Kidney Disease (Accessed: 21 February 2025).
- CDC (2024d) *Testing for Chronic Kidney Disease*. Available at: <https://www.cdc.gov/kidney-disease/testing/index.html> (Accessed: 13 April 2025).
- Chang, A.R. et al. (2018) ‘Metabolically Healthy Obesity and Risk of Kidney Function Decline.’, *Obesity (Silver Spring, Md.)*, 26(4), pp. 762–768. Available at: <https://doi.org/10.1002/oby.22134>.
- Chavda, V. et al. (2021) ‘Chronic Kidney Disease and Stroke: A Bi-Directional Risk Cascade and Therapeutic Update’, *Brain Disorders*, 3, p. 100017. Available at: <https://doi.org/10.1016/j.dscb.2021.100017>.
- Chen, D. et al. (2024) ‘Hepatitis B Virus Infection As A Risk Factor for Chronic Kidney Disease: A Systematic Review and Meta-Analysis.’, *BMC infectious diseases*, 24(1), p. 620. Available at: <https://doi.org/10.1186/s12879-024-09546-z>.

- Clark-Cutaia, M.N. *et al.* (2022) ‘Exploring the Evidence: Symptom Burden in Chronic Kidney Disease.’, *Nephrology nursing journal : journal of the American Nephrology Nurses' Association*, 49(3), pp. 227–255.
- Damtie, S. *et al.* (2018) ‘Chronic Kidney Disease and Associated Risk Factors Assessment among Diabetes Mellitus Patients at A Tertiary Hospital, Northwest Ethiopia.’, *Ethiopian journal of health sciences*, 28(6), pp. 691–700. Available at: <https://doi.org/10.4314/ejhs.v28i6.3>.
- Deferrari, G., Cipriani, A. and La Porta, E. (2021) ‘Renal Dysfunction in Cardiovascular Diseases and Its Consequences’, *Journal of Nephrology*, 34(1), pp. 137–153. Available at: <https://doi.org/10.1007/s40620-020-00842-w>.
- Dehghani, A. *et al.* (2022) ‘Prevalence of Chronic Kidney Diseases and Its Determinants among Iranian Adults: Results of The Ffirst Phase of Shahedieh Cohort Study’, *BMC Nephrology*, 23(1), p. 203. Available at: <https://doi.org/10.1186/s12882-022-02832-5>.
- Delanaye, P. and Foster, B.J. (2025) ‘In Defense of Age-Based Estimated GFR Thresholds to Define CKD’, *Kidney International Reports*, 10(1), pp. 1–3. Available at: <https://doi.org/10.1016/j.kir.2024.09.018>.
- Delima, D. *et al.* (2017) ‘Faktor Risiko Penyakit Ginjal Kronik : Studi Kasus Kontrol di Empat Rumah Sakit di Jakarta Tahun 2014’, *Buletin Penelitian Kesehatan*, 45(1). Available at: <https://doi.org/10.22435/bpk.v45i1.5771.17-26>.
- DJSN (2023) *Annual Report Jaminan Kesehatan Nasional*. Jakarta Pusat.
- Elbendary, E.Y. *et al.* (2023) ‘The Effects of Energy Drink Consumption on Kidney and Liver Function: A Comparative Study’, *Journal of Biosciences and Medicines*, 11(03), pp. 171–181. Available at: <https://doi.org/10.4236/jbm.2023.113017>.
- Elihimas Júnior, U.F. *et al.* (2014) ‘Smoking As Risk Factor for Chronic Kidney Disease: Systematic Review’, *Jornal Brasileiro de Nefrologia*, 36(4). Available at: <https://doi.org/10.5935/0101-2800.20140074>.
- Epstein, M. (1997) ‘Alcohol’s Impact on Kidney Function.’, *Alcohol health and research world*, 21(1), pp. 84–92.
- Ford, E.S. (2002) ‘Does Exercise Reduce Inflammation? Physical Activity and C-Reactive Protein among U.S. Adults.’, *Epidemiology (Cambridge, Mass.)*, 13(5), pp. 561–8. Available at: <https://doi.org/10.1097/00001648-200209000-00012>.
- Fuchs, F.D. and Whelton, P.K. (2020) ‘High Blood Pressure and Cardiovascular Disease’, *Hypertension*, 75(2), pp. 285–292. Available at: <https://doi.org/10.1161/HYPERTENSIONAHA.119.14240>.

- Geng, X.-X. *et al.* (2021) ‘Associations Between Hepatitis B Infection and Chronic Kidney Disease: 10-Year Results from The U.S. National Inpatient Sample.’, *Enfermedades infecciosas y microbiología clínica (English ed.)*, 39(1), pp. 14–21. Available at: <https://doi.org/10.1016/j.eimc.2020.02.029>.
- Gould, D.W. *et al.* (2014) ‘Physiological Benefits of Exercise in Pre-Dialysis Chronic Kidney Disease.’, *Nephrology (Carlton, Vic.)*, 19(9), pp. 519–27. Available at: <https://doi.org/10.1111/nep.12285>.
- Hasanah, U. *et al.* (2023) ‘Analisis Faktor-Faktor Risiko Terjadinya Penyakit Ginjal Kronik Pada Pasien Hemodialisis’, *Jurnal Wacana Kesehatan*, 8(2), p. 96. Available at: <https://doi.org/10.52822/jwk.v8i2.531>.
- He, Y. *et al.* (2016) ‘The Association of Chronic Kidney Disease and Waist Circumference and Waist-to-Height Ratio in Chinese Urban Adults’, *Medicine*, 95(25), p. e3769. Available at: <https://doi.org/10.1097/MD.0000000000003769>.
- Heo, G.Y. *et al.* (2024) ‘Sweetened Beverage Intake and Incident Chronic Kidney Disease in the UK Biobank Study’, *JAMA Network Open*, 7(2), p. e2356885. Available at: <https://doi.org/10.1001/jamanetworkopen.2023.56885>.
- Hidayat, M. *et al.* (2023) ‘Analysis of Influencing Factors in Chronic Kidney Disease Incidence in Indonesia’, *Jurnal Kedokteran dan Kesehatan Indonesia*, pp. 296–305. Available at: <https://doi.org/10.20885/JKKI.Vol14.Iss3.art10>.
- Hidayati, T. and Kushadiwijaya, H. (2008) ‘Hubungan Antara Hipertensi, Merokok dan Minuman Suplemen Energi dan Kejadian Penyakit Ginjal Kronik’, *Berita Kedokteran Masyarakat*, 24(2), pp. 90–102.
- Hsu, Y.-H. *et al.* (2013) ‘Alcohol Consumption Is Inversely Associated with Stage 3 Chronic Kidney Disease in Middle-Aged Taiwanese Men.’, *BMC nephrology*, 14, p. 254. Available at: <https://doi.org/10.1186/1471-2369-14-254>.
- El Husseini, N., Kaskar, O. and Goldstein, L.B. (2014) ‘Chronic Kidney Disease and Stroke’, *Advances in Chronic Kidney Disease*, 21(6), pp. 500–508. Available at: <https://doi.org/10.1053/j.ackd.2014.09.001>.
- Hustrini, N.M., Susalit, E. and Rotmans, J.I. (2022) ‘Prevalence and Risk Factors for Chronic Kidney Disease in Indonesia: An Analysis of The National Basic Health Survey 2018’, *Journal of global health*, 12, p. 04074. Available at: <https://doi.org/10.7189/jogh.12.04074>.
- Inker, L.A. *et al.* (2014) ‘KDOQI US Commentary on the 2012 KDIGO Clinical Practice Guideline for the Evaluation and Management of CKD’, *American Journal of Kidney Diseases*, 63(5), pp. 713–735. Available at: <https://doi.org/10.1053/j.ajkd.2014.01.416>.

Institute for Quality and Efficiency in Health Care (IQWiG) (2024) *Overview: Chronic kidney disease.*

ISBN (2025) *Global Kidney Health Atlas*. Available at: <https://gkha.theisn.org/> (Accessed: 17 February 2025).

Ito, K.L. et al. (2025) ‘Chronic Hepatitis B Virus Infection Increases The Risk of Kidney Disease While Antiviral Therapy for Hepatitis B Virus Can Decrease Kidney Disease Risk’, *BMC Nephrology*, 26(1), p. 171. Available at: <https://doi.org/10.1186/s12882-025-03991-x>.

Jang, Y.S. et al. (2023) ‘Association between Sedentary Behavior and Chronic Kidney Disease in Korean Adults’, *BMC Public Health*, 23(1), p. 306. Available at: <https://doi.org/10.1186/s12889-022-14929-5>.

Jha, V. et al. (2023) ‘Global Economic Burden Associated with Chronic Kidney Disease: A Pragmatic Review of Medical Costs for the Inside CKD Research Programme.’, *Advances in therapy*, 40(10), pp. 4405–4420. Available at: <https://doi.org/10.1007/s12325-023-02608-9>.

Kabir, M.R. et al. (2024) ‘Association Between Central Obesity And Chronic Kidney Disease’, *Journal of Preventive and Social Medicine*, 42(1), pp. 7–13. Available at: <https://doi.org/10.3329/jopsom.v42i1.73040>.

Kazancioğlu, R. (2013) ‘Risk Factors for Chronic Kidney Disease: An Update’, *Kidney International Supplements*, 3(4), pp. 368–371. Available at: <https://doi.org/10.1038/kisup.2013.79>.

Kemenkes (2022) *Waspada Penyakit Ginjal, Kenali Ciri dan Cara Pencegahan*. Available at: <https://kemkes.go.id/id/%20waspada-penyakit-ginjal-kenali-ciri-dan-cara-pencegahan#:~:text=Penyakit%20ginjal%20menjadi%20penyebab%20kematiann,membuang%20sisa%20metabolisme%20dalam%20tubuh> (Accessed: 14 April 2025).

Kemenkes (2024) *Pedoman Pengendalian Hipertensi di Fasilitas Kesehatan Tingkat Pertama 2024*.

Kemenkes (2025) *Cek Kesehatan Gratis: Ini Manfaat dan Jenis Pemeriksaan yang Kamu Dapatkan*. Available at: <https://ayosehat.kemkes.go.id/cek-kesehatan-gratis> (Accessed: 17 June 2025).

Killeen, A.A. (ed.) (2022) *Learning Guide Kidney Structure and Physiology*. Abbot.

Kim, H. et al. (2022) ‘Association between Physical Activity and Risk of Renal Function Decline and Mortality in Community-Dwelling Older Adults: A Nationwide Population-Based Cohort Study’, *BMC Geriatrics*, 22(1), p. 973. Available at: <https://doi.org/10.1186/s12877-022-03693-1>.

- Kitamura, H. *et al.* (2023) 'Cardiovascular Risk Factor Burden and Treatment Control in Patients with Chronic Kidney Disease: A Cross-Sectional Study', *Journal of Atherosclerosis and Thrombosis*, 30(9), p. 63891. Available at: <https://doi.org/10.5551/jat.63891>.
- Kourtidou, C. and Tziomalos, K. (2023) 'Epidemiology and Risk Factors for Stroke in Chronic Kidney Disease: A Narrative Review', *Biomedicines*, 11(9), p. 2398. Available at: <https://doi.org/10.3390/biomedicines11092398>.
- Kovesdy, C.P. (2022) 'Epidemiology of Chronic Kidney Disease: An Update 2022.', *Kidney international supplements*, 12(1), pp. 7–11. Available at: <https://doi.org/10.1016/j.kisu.2021.11.003>.
- Kramer, H. (2019) 'Diet and Chronic Kidney Disease', *Advances in Nutrition*, 10, pp. S367–S379. Available at: <https://doi.org/10.1093/advances/nmz011>.
- Ku, E. *et al.* (2019) 'Hypertension in CKD: Core Curriculum 2019', *American Journal of Kidney Diseases*, 74(1), pp. 120–131. Available at: <https://doi.org/10.1053/j.ajkd.2018.12.044>.
- Kumar, M. *et al.* (2023) 'The Bidirectional Link Between Diabetes and Kidney Disease: Mechanisms and Management.', *Cureus*, 15(9), p. e45615. Available at: <https://doi.org/10.7759/cureus.45615>.
- Lebov, J.F. *et al.* (2015) 'A Population-based Study of Prevalence and Risk Factors of Chronic Kidney Disease in León, Nicaragua.', *Canadian journal of kidney health and disease*, 2, p. 6. Available at: <https://doi.org/10.1186/s40697-015-0041-1>.
- Lee, S. *et al.* (2021) 'Smoking, Smoking Cessation, and Progression of Chronic Kidney Disease: Results From KNOW-CKD Study', *Nicotine & Tobacco Research*, 23(1), pp. 92–98. Available at: <https://doi.org/10.1093/ntr/ntaa071>.
- Lee, Y.-J., Cho, S. and Kim, S.R. (2021) 'Effect of Alcohol Consumption on Kidney Function: Population-Based Cohort Study.', *Scientific reports*, 11(1), p. 2381. Available at: <https://doi.org/10.1038/s41598-021-81777-5>.
- Leyane, T.S., Jere, S.W. and Houreld, N.N. (2022) 'Oxidative Stress in Ageing and Chronic Degenerative Pathologies: Molecular Mechanisms Involved in Counteracting Oxidative Stress and Chronic Inflammation', *International Journal of Molecular Sciences*, 23(13), p. 7273. Available at: <https://doi.org/10.3390/ijms23137273>.
- Li, P.K.-T. *et al.* (2020) 'Kidney Health for Everyone Everywhere – from Prevention to Detection and Equitable Access to Care', *Brazilian Journal of Medical and Biological Research*, 53(3). Available at: <https://doi.org/10.1590/1414-431x20209614>.
- Li, Y. *et al.* (2022) 'Alcohol Consumption and Its Association with Chronic Kidney Disease: Evidence from A 12-Year China Health and Nutrition Survey',

- Nutrition, Metabolism and Cardiovascular Diseases*, 32(6), pp. 1392–1401. Available at: <https://doi.org/10.1016/j.numecd.2022.02.012>.
- Liu, Y. et al. (2022) ‘Risk Factors of Chronic Kidney Disease in Chronic Hepatitis B: A Hospital-based Case-control Study from China’, *Journal of Clinical and Translational Hepatology*, 10(2), pp. 238–246. Available at: <https://doi.org/10.14218/JCTH.2021.00082>.
- Liyanage, T. et al. (2022) ‘Prevalence of Chronic Kidney Disease in Asia: A Systematic Review and Analysis.’, *BMJ global health*, 7(1). Available at: <https://doi.org/10.1136/bmjgh-2021-007525>.
- Luo, D. et al. (2020) ‘Association between high blood pressure and long term cardiovascular events in young adults: systematic review and meta-analysis’, *BMJ*, p. m3222. Available at: <https://doi.org/10.1136/bmj.m3222>.
- Macek, P. et al. (2019) ‘WHO Recommendations on Physical Activity Versus Compliance Rate within A Specific Urban Population As Assessed through IPAQ Survey: A Cross-Sectional Cohort Study.’, *BMJ open*, 9(6), p. e028334. Available at: <https://doi.org/10.1136/bmjopen-2018-028334>.
- Makmun, A. et al. (2024) ‘The Burden of Chronic Kidney Disease in Asia Region: A Review of The Evidence, Current Challenges, and Future Directions’, *Kidney Research and Clinical Practice* [Preprint]. Available at: <https://doi.org/10.23876/j.krcp.23.194>.
- Mallamaci, F. and Tripepi, G. (2024) ‘Risk Factors of Chronic Kidney Disease Progression: Between Old and New Concepts’, *Journal of Clinical Medicine*, 13(3), p. 678. Available at: <https://doi.org/10.3390/jcm13030678>.
- Mansy, W. et al. (2018) ‘Effects of Chronic Consumption of Energy Drinks on Liver and Kidney of Experimental Rats’, *Tropical Journal of Pharmaceutical Research*, 16(12), p. 2849. Available at: <https://doi.org/10.4314/tjpr.v16i12.8>.
- Marassi, M. and Fadini, G.P. (2023) ‘The Cardio-Renal-Metabolic Connection: A Review of The Evidence’, *Cardiovascular Diabetology*, 22(1), p. 195. Available at: <https://doi.org/10.1186/s12933-023-01937-x>.
- Matovinović, M.S. (2009) ‘Pathophysiology and Classification of Kidney Diseases.’, *EJIFCC*, 20(1), pp. 2–11.
- Mavrogeni, S. et al. (2022) ‘Cardiac Remodeling in Hypertension: Clinical Impact on Brain, Heart, and Kidney Function’, *Hormone and Metabolic Research*, 54(05), pp. 273–279. Available at: <https://doi.org/10.1055/a-1793-6134>.
- Minami, K. et al. (2024) ‘Risk Factors for Chronic Kidney Disease Progression Over 20 Years for Primary Prevention in Japanese Individuals at A Preventive Medicine Research Center: Focus on The Influence of Plasma Glucose’

- Levels', *Journal of Diabetes Investigation*, 15(10), pp. 1434–1443. Available at: <https://doi.org/10.1111/jdi.14259>.
- Murray, I. V. and Paolini, M.A. (2025) *Histology, Kidney and Glomerulus*. StatPearls: Stat Pearls Publishing.
- Nagib, S.N. et al. (2023) 'What is The Prevalence of Chronic Kidney Disease among Hypertensive Non-Diabetic Egyptian Patients Attending Primary Healthcare?', *Clinical and Experimental Hypertension*, 45(1). Available at: <https://doi.org/10.1080/10641963.2023.2203411>.
- Nazzal, Z. et al. (2020) 'Prevalence and Risk Factors of Chronic Kidney Disease among Palestinian Type 2 Diabetic Patients: A Cross-Sectional Study', *BMC nephrology*, 21(1), p. 484. Available at: <https://doi.org/10.1186/s12882-020-02138-4>.
- Nur Fajri, R., Rifa'i, A. and Puspitasari, A. (2023) 'Prevalence of Chronic Kidney Disease with Hepatitis B and/or Hepatitis C Comorbid in Hemodialysis Installation at the University of Muhammadiyah Malang General Hospital', *KnE Medicine [Preprint]*. Available at: <https://doi.org/10.18502/kme.v3i2.13039>.
- Nurtandhee, M. (2023) 'Estimasi Biaya Pelayanan Kesehatan sebagai Upaya Pencegahan Defisit Dana Jaminan Sosial untuk Penyakit Gagal Ginjal', *Jurnal Jaminan Kesehatan Nasional*, 3(2), pp. 84–101. Available at: <https://doi.org/10.53756/jjkn.v3i2.104>.
- Ozbek, L. et al. (2024) 'Exploring Adiposity and Chronic Kidney Disease: Clinical Implications, Management Strategies, Prognostic Considerations', *Medicina*, 60(10), p. 1668. Available at: <https://doi.org/10.3390/medicina60101668>.
- PDPI (2023) *PPOK Pedoman Diagnosis dan Penatalaksanaan di Indonesia*. Jakarta: Perhimpunan Dokter Paru Indonesia.
- Permana, A. et al. (2024) 'The Relationship Between Soft Drink Consumption and Chronic Kidney Disease in Muhammadiyah Palembang Hospital', *Artikel Penelitian Syifa' MEDIKA*, 14(2), pp. 60–65.
- Poudyal, A. et al. (2022) 'Prevalence and Risk Factors Associated with Chronic Kidney Disease in Nepal: Evidence from A Nationally Representative Population-Based Cross-Sectional Study', *BMJ open*, 12(3), p. e057509. Available at: <https://doi.org/10.1136/bmjopen-2021-057509>.
- Rai, PradeepKumar, Rai, Punam and Bedi, S. (2019) 'Prevalence and Risk Factors of Cronic Kidney Disease in Overweight and Obese Population in A Tertiary Care Hospital in North India', *Saudi Journal of Kidney Diseases and Transplantation*, 30(6), p. 1431. Available at: <https://doi.org/10.4103/1319-2442.275488>.

- Rebholz, C.M. *et al.* (2019) 'Patterns of Beverages Consumed and Risk of Incident Kidney Disease.', *Clinical journal of the American Society of Nephrology : CJASN*, 14(1), pp. 49–56. Available at: <https://doi.org/10.2215/CJN.06380518>.
- Reiser, J. and Altintas, M.M. (2016) 'Podocytes', *F1000Research*, 5. Available at: <https://doi.org/10.12688/f1000research.7255.1>.
- Ricciardi, C.A. and Gnudi, L. (2021) 'Kidney Disease in Diabetes: From Mechanisms to Clinical Presentation and Treatment Strategies', *Metabolism: clinical and experimental*, 124, p. 154890. Available at: <https://doi.org/10.1016/j.metabol.2021.154890>.
- Riskesdas 2018 (2019) *Laporan Nasional Riskesdas 2018*. Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan.
- Sahi, G. *et al.* (2024) 'Prevalence, Characteristics, and Outcomes of People With A High Body Mass Index Across the Kidney Disease Spectrum: A Population-Based Cohort Study', *Canadian Journal of Kidney Health and Disease*, 11. Available at: <https://doi.org/10.1177/20543581241293199>.
- Said, S. and Hernandez, G.T. (2014) 'The Link between Chronic Kidney Disease and Cardiovascular Disease', *Journal of nephropathology*, 3(3), pp. 99–104. Available at: <https://doi.org/10.12860/jnp.2014.19>.
- Saldana, T.M. *et al.* (2007) 'Carbonated Beverages and Chronic Kidney Disease.', *Epidemiology (Cambridge, Mass.)*, 18(4), pp. 501–6. Available at: <https://doi.org/10.1097/EDE.0b013e3180646338>.
- Seidu, S. *et al.* (2023) 'Physical Activity and Risk of Chronic Kidney Disease: Systematic Review and Meta-Analysis of 12 Cohort Studies Involving 1,281,727 Participants.', *European journal of epidemiology*, 38(3), pp. 267–280. Available at: <https://doi.org/10.1007/s10654-022-00961-7>.
- Seliger, S. and Weiner, D.E. (2022) 'Exercise and Kidney Disease Prevention: Walk This Way', *American Journal of Kidney Diseases*, 80(4), pp. 552–554. Available at: <https://doi.org/10.1053/j.ajkd.2022.07.001>.
- Shi, K. *et al.* (2024) 'Association of Physical Activity with Risk of Chronic Kidney Disease in China: A Population-Based Cohort Study', *Journal of Sport and Health Science*, 13(2), pp. 204–211. Available at: <https://doi.org/10.1016/j.jshs.2023.07.004>.
- Shlipak, M.G. *et al.* (2022) 'Effect of Structured, Moderate Exercise on Kidney Function Decline in Sedentary Older Adults', *JAMA Internal Medicine*, 182(6), p. 650. Available at: <https://doi.org/10.1001/jamainternmed.2022.1449>.
- Sinusi, R. and Hargono, A. (2021) 'Diabetes, Hypertension, Obesity, and Smoking as Risk Factors for Chronic Kidney Disease in Productive Age', *Jurnal Verina Lutfiah Rahmayanti, 2025*

- Berkala Epidemiologi*, 9(1), p. 88. Available at: <https://doi.org/10.20473/jbe.V9I12021.88-95>.
- Stefan, N. et al. (2016) ‘Obesity and Renal Disease: Not All Fat Is Created Equal and Not All Obesity Is Harmful to The Kidneys’, *Nephrology Dialysis Transplantation*, 31(5), pp. 726–730. Available at: <https://doi.org/10.1093/ndt/gfu081>.
- Suriyong, P. et al. (2022) ‘Prevalence of Chronic Kidney Disease Stages 3-5 in Low- and Middle-Income Countries in Asia: A Systematic Review and Meta-Analysis.’, *PloS one*, 17(2), p. e0264393. Available at: <https://doi.org/10.1371/journal.pone.0264393>.
- Tao, P. et al. (2024) ‘Diabetes Mellitus is A Risk Factor for Incident Chronic Kidney Disease: A Nationwide Cohort Study’, *Heliyon*, 10(7), p. e28780. Available at: <https://doi.org/10.1016/j.heliyon.2024.e28780>.
- Triplitt, C.L. (2012) ‘Understanding The Kidney’s Role in Blood Glucose Regulation.’, *The American journal of managed care*, 18(1 Suppl), pp. S11-6.
- Turana, Y., Tengkawan, J. and Soenarta, A.A. (2020) ‘Asian Management of Hypertension: Current Status, Home Blood Pressure, and Specific Concerns in Indonesia’, *The Journal of Clinical Hypertension*, 22(3), pp. 483–485. Available at: <https://doi.org/10.1111/jch.13681>.
- Vaidya, S.R. and Aedula, N.R. (2025) *Chronic Kidney Disease*.
- Valizadeh, M. et al. (2024) ‘The risk of kidney dysfunction in metabolically healthy/unhealthy population with normal weight or overweight/obesity: a systematic review and meta-analysis.’, *Eating and weight disorders : EWD*, 29(1), p. 69. Available at: <https://doi.org/10.1007/s40519-024-01697-x>.
- Vanek, L. et al. (2024) ‘Patient and Caregiver Perspectives on Gender Disparity in Chronic Kidney Disease: Questionnaire Survey, Based on an Interview Study’, *American Journal of Nephrology*, 55(5), pp. 561–582. Available at: <https://doi.org/10.1159/000540850>.
- Vosters, T.G. et al. (2024) ‘Sex Differences in CKD Risk Factors Across Ethnic Groups’, *Nephrology Dialysis Transplantation*, 39(7), pp. 1194–1197. Available at: <https://doi.org/10.1093/ndt/gfae038>.
- Wang, L. et al. (2023) ‘Prevalence of Chronic Kidney Disease in China’, *JAMA Internal Medicine*, 183(4), p. 298. Available at: <https://doi.org/10.1001/jamainternmed.2022.6817>.
- WHO (2010) *A Healthy Lifestyle - WHO Recommendations*. Available at: <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight> (Accessed: 21 February 2025).

- WHO (2011) *Waist Circumference and Waist-Hip Ratio : Report of A WHO Expert Cconsultation, Geneva, 8-11 December 2008.* Geneva: World Health Organization.
- Wilson, S. et al. (2021) ‘Chronic Kidney Disease: Definition, Updated Epidemiology, Staging, and Mechanisms of Increased Cardiovascular Risk’, *The Journal of Clinical Hypertension*, 23(4), pp. 831–834. Available at: <https://doi.org/10.1111/jch.14186>.
- Yacoub, R. et al. (2010) ‘Association between Smoking and Chronic Kidney Disease: A Case Control Study’, *BMC public health*, 10, p. 731. Available at: <https://doi.org/10.1186/1471-2458-10-731>.
- Yang, J. and He, W. (eds) (2020) *Chronic Kidney Disease*. Singapore: Springer Singapore. Available at: <https://doi.org/10.1007/978-981-32-9131-7>.
- Yani, D.A., Sarnianto, P. and Anggriani, Y. (2020) ‘Faktor-Faktor Risiko Pasien Hemodialisis di RSUD Arjawanangun dan RSUD Waled Kabupaten Cirebon’, *Syntax Literate ; Jurnal Ilmiah Indonesia*, 5(1), p. 71. Available at: <https://doi.org/10.36418/syntax-literate.v5i1.857>.
- Yu, H.C.M. et al. (1998) ‘Salt Induces Myocardial and Renal Fibrosis in Normotensive and Hypertensive Rats’, *Circulation*, 98(23), pp. 2621–2628. Available at: <https://doi.org/10.1161/01.CIR.98.23.2621>.
- Yuzbashian, E. et al. (2016) ‘Sugar-Sweetened Beverage Consumption and Risk of Incident Chronic Kidney Disease: Tehran Lipid and Glucose Study’, *Nephrology*, 21(7), pp. 608–616. Available at: <https://doi.org/10.1111/nep.12646>.
- Zahra, A.S.A. and Simanjorang, C. (2024) ‘Risk Factors of Chronic Kidney Disease in Indonesian Patients with Diabetes Mellitus’, *Media Kesehatan Masyarakat Indonesia*, 20(3), pp. 102–111. Available at: <https://doi.org/10.30597/mkmi.v20i3.33053>.
- Zhuang, Z. et al. (2022) ‘Probability of Chronic Kidney Disease and Associated Risk Factors in Chinese Adults: A Cross-Sectional Study of 9 Million Chinese Adults in The Meinian Onehealth Screening Survey’, *Clinical Kidney Journal*, 15(12), pp. 2228–2236. Available at: <https://doi.org/10.1093/ckj/sfac176>.