

DAFTAR PUSTAKA

- [1] R. Alhamidi, “Mahasiswa Bandung Jadi Korban Saat Bentrok Demo di DPRD Jabar,” Bandung, 2024. Accessed: Oct. 03, 2024. [Online]. Available: <https://www.detik.com/jabar/berita/d-7504765/mahasiswa-bandung-jadi-korban-saat-bentrok-demo-di-dprd-jabar>
- [2] F. Sandi, “Buruh KFC Surabaya Demo di Kemnaker, Teriak Jadi Korban PHK Sepihak,” Surabaya, 2024. [Online]. Available: <https://www.cnbcindonesia.com/news/20240819124436-4-564393/buruh-kfc-surabaya-demo-di-kemnaker-teriak-jadi-korban-phk-sepihak>
- [3] A. Ardin, “Warga-Jurnalis Jadi Korban Saat Ricuh di Geotermal Poco Leok NTT,” Bali, 2024. [Online]. Available: <https://www.detik.com/bali/nusra/d-7569507/warga-jurnalis-jadi-korban-saat-ricuh-di-geotermal-poco-leok-ntt>
- [4] C. Liu *et al.*, “The impact of crowd gatherings on the spread of COVID-19,” *Environ. Res.*, vol. 213, no. June, p. 113604, 2022, doi: 10.1016/j.envres.2022.113604.
- [5] M. Amelia, “Awat Macet, Hari Ini Ada Demo di 9 Titik Jakarta,” Jakarta, 2024. [Online]. Available: <https://news.detik.com/berita/d-7514315/awat-macet-hari-ini-ada-demo-di-9-titik-jakarta>
- [6] A. M. Hirzan, R. Prathivi, and M. B. Hanif, “Deteksi dan Penghitung Keramaian Menggunakan You Only Look Once 3 Tiny dan Raspberry Pi,” *J. Comput. Inf. Syst. Ampera*, vol. 4, no. 3, pp. 2775–2496, 2023, [Online]. Available: <https://journal-computing.org/index.php/journal-cisa/index>
- [7] M. Mu, “WiFi-based crowd monitoring and workspace planning for COVID-19 recovery,” *arXiv*, 2020.
- [8] M. Ahmad, I. Ahmed, K. Ullah, and M. Ahmad, “A Deep Neural Network Approach for Top View People Detection and Counting,” *2019 IEEE 10th Annu. Ubiquitous Comput. Electron. Mob. Commun. Conf. UEMCON 2019*, pp. 1082–1088, 2019, doi: 10.1109/UEMCON47517.2019.8993109.
- [9] I. Ahmed, M. Ahmad, A. Ahmad, and G. Jeon, “IoT-based crowd monitoring system: Using SSD with transfer learning,” *Comput. Electr. Eng.*, vol. 93, no. April, p. 107226, 2021, doi: 10.1016/j.compeleceng.2021.107226.
- [10] A. Dewantara, “Rancang Bangun Sistem Deteksi Api Pada Sistem Tertanam Menggunakan Algoritma YOLOv4 Berbasis IoT,” Universitas Pembangunan Nasional Veteran Jakarta, 2022.
- [11] S. Khosravipour, E. Taghvaei, and N. M. Charkari, “COVID-19 personal protective equipment detection using real-time deep learning methods,” 2021, [Online]. Available: <http://arxiv.org/abs/2103.14878>
- [12] J. Zhu, J. Zhang, Y. Wang, Y. Ge, Z. Zhang, and S. Zhang, “Fire Detection in Ship Engine Rooms Based on Deep Learning,” *Sensors*, vol. 23, no. 14, 2023, doi: 10.3390/s23146552.

- [13] T. Erlina and M. Fikri, "Yolo Algorithm-Based Visitor Detection System for Small Retail Stores Using Single Board Computer," *J. Appl. Eng. Technol. Sci.*, vol. 4, no. 2, pp. 908–920, 2023, doi: 10.37385/jaets.v4i2.1872.
- [14] A. Menon, B. Omman, and S. Asha, "Pedestrian counting using yolo V3," *2021 Int. Conf. Innov. Trends Inf. Technol. ICITIIT 2021*, 2021, doi: 10.1109/ICITIIT51526.2021.9399607.
- [15] J. Redmon and A. Farhadi, "YOLOv3: An Incremental Improvement," 2018, [Online]. Available: <http://arxiv.org/abs/1804.02767>
- [16] C. Wang and H. M. Liao, "YOLOv4: Optimal Speed and Accuracy of Object Detection".
- [17] G. C. Miglionico, P. Ducange, F. Marcelloni, C. Vallati, and F. Di Rienzo, "Performance Evaluation of YOLOv5 on Edge Devices for Personal Protective Equipment Detection," *2024 Int. Jt. Conf. Neural Networks*, pp. 1–8, 2024, doi: 10.1109/ijcnn60899.2024.10651429.
- [18] I. J. C. Valencia, E. P. Dadios, A. M. Fillone, J. C. V. Puno, R. G. Baldovino, and R. K. C. Billones, "Vision-based Crowd Counting and Social Distancing Monitoring using Tiny-YOLOv4 and DeepSORT," *2021 IEEE Int. Smart Cities Conf. ISC2 2021*, no. November, 2021, doi: 10.1109/ISC253183.2021.9562868.
- [19] A. Harun, M. Mustakim, and O. B. Kharisma, "Implementasi Deep Learning Menggunakan Metode You Only Look Once untuk Mendeteksi Rokok," *J. Media Inform. Budidarma*, vol. 7, no. 1, p. 107, 2023, doi: 10.30865/mib.v7i1.5409.
- [20] A. Rohman, "Sisi Positif dan Negatif Demonstrasi Pada Negara Demokrasi Dimasa Pandemi," *Binamulia Huk.*, vol. 9, no. 2, pp. 153–170, 2020, doi: 10.37893/jbh.v9i2.125.
- [21] I. G. and Y. B. and A. Courville, "Deep learning," *Nature*, vol. 29, no. 7553, pp. 1–73, 2016, [Online]. Available: <http://deeplearning.net/>
- [22] I. Nihayatul Husna, M. Ulum, A. Kurniawan Saputro, D. Tri Laksono, and D. Neipa Purnamasari, "Rancang Bangun Sistem Deteksi Dan Perhitungan Jumlah Orang Menggunakan Metode Convolutional Neural Network (CNN)," *Semin. Nas. Fortei Reg.*, vol. 7, pp. 1–6, 2022.
- [23] D. K. D. Milton and A. R. Velraj, "Crowd Size Estimation and Detecting Social Distancing using Raspberry Pi and OpenCV," *Int. J. Electron. Telecommun.*, vol. 69, no. 1, pp. 19–24, 2023, doi: 10.24425/ijet.2023.144326.
- [24] V. Sze, Y. H. Chen, T. J. Yang, and J. S. Emer, "Efficient Processing of Deep Neural Networks: A Tutorial and Survey," *Proc. IEEE*, vol. 105, no. 12, pp. 2295–2329, 2017, doi: 10.1109/JPROC.2017.2761740.
- [25] A. F. Joseph Redmon, Santosh Divvala, Ross Girshick, "You Only Look Once: Unified, Real-Time Object Detection Joseph," *Proc. IEEE Conf.*

Comput. Vis. Pattern Recognit., 2016, doi: 10.1145/3243394.3243692.

- [26] R. Girshick, J. Donahue, T. Darrell, and J. Malik, "Rich feature hierarchies for accurate object detection and semantic segmentation," *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, pp. 580–587, 2014, doi: 10.1109/CVPR.2014.81.
- [27] R. Girshick, "Fast R-CNN," *Proc. IEEE Int. Conf. Comput. Vis.*, vol. 2015 Inter, pp. 1440–1448, 2015, doi: 10.1109/ICCV.2015.169.
- [28] K. He, G. Gkioxari, P. Dollar, and R. Girshick, "Mask R-CNN," *Proc. IEEE Int. Conf. Comput. Vis.*, vol. 2017-Octob, pp. 2980–2988, 2017, doi: 10.1109/ICCV.2017.322.
- [29] T. A. A. H. Kusuma, K. Usman, and S. Saidah, "People Counting for Public Transportations Using You Only Look Once Method," *J. Tek. Inform.*, vol. 2, no. 1, pp. 57–66, 2021, doi: 10.20884/1.jutif.2021.2.2.77.
- [30] H. Rezatofighi, N. Tsoi, J. Gwak, A. Sadeghian, I. Reid, and S. Savarese, "Generalized intersection over union: A metric and a loss for bounding box regression," *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, vol. 2019-June, pp. 658–666, 2019, doi: 10.1109/CVPR.2019.00075.
- [31] M. Hamano, S. Shiozawa, S. Yamamoto, N. Suzuki, Y. Kitaki, and O. Watanabe, "Development of a method for detecting the planting and ridge areas in paddy fields using AI, GIS, and precise DEM," *Precis. Agric.*, vol. 24, no. 5, pp. 1862–1888, 2023, doi: 10.1007/s11119-023-10021-z.
- [32] H. Zheng, J. Duan, Y. Dong, and Y. Liu, "Real-time fire detection algorithms running on small embedded devices based on MobileNetV3 and YOLOv4," *Fire Ecol.*, vol. 19, no. 1, 2023, doi: 10.1186/s42408-023-00189-0.
- [33] pytorch.org, "Welcome to PyTorch Tutorials." Accessed: Dec. 05, 2024. [Online]. Available: <https://pytorch.org/tutorials/#>
- [34] raspberrypi.com, "Raspberry Pi 4 Model B." [Online]. Available: <https://www.raspberrypi.com/products/raspberry-pi-4-model-b/specifications/>
- [35] A. Setyanto, T. B. Sasongko, M. A. Fikri, and I. K. Kim, "Near-Edge Computing Aware Object Detection: A Review," *IEEE Access*, vol. 12, no. January, pp. 2989–3011, 2024, doi: 10.1109/ACCESS.2023.3347548.
- [36] J. Suominen, "Real-Time Object Detection on Edge Devices," no. January, 2022.
- [37] H. Feng, G. Mu, S. Zhong, P. Zhang, and T. Yuan, "Benchmark Analysis of YOLO Performance on Edge Intelligence Devices," *Cryptography*, vol. 6, no. 2, pp. 1–16, 2022, doi: 10.3390/cryptography6020016.
- [38] C. Shorten and T. M. Khoshgoftaar, "A survey on Image Data Augmentation for Deep Learning," *J. Big Data*, vol. 6, no. 1, 2019, doi: 10.1186/s40537-019-0197-0.

- [39] S. Yang, W. Xiao, M. Zhang, S. Guo, J. Zhao, and F. Shen, “Image Data Augmentation for Deep Learning: A Survey,” 2022, doi: 10.13328/j.cnki.jos.007263.
- [40] A. Buslaev, V. I. Iglovikov, and A. A. Kalinin, “Albumentations : fast and flexible image augmentations”.
- [41] Ultralytics, “Ultralytics YOLO Docs.” Accessed: May 23, 2025. [Online]. Available: <https://docs.ultralytics.com/yolov5/>
- [42] M. Hussain, “YOLOv5, YOLOv8 and YOLOv10: The Go-To Detectors for Real-time Vision,” pp. 1–12, 2024, [Online]. Available: <http://arxiv.org/abs/2407.02988>
- [43] M. Kang, F. F. Ting, R. C. W. Phan, and C. M. Ting, “PK-YOLO: Pretrained Knowledge Guided YOLO for Brain Tumor Detection in Multiplanar MRI Slices,” *Proc. - 2025 IEEE Winter Conf. Appl. Comput. Vision, WACV 2025*, pp. 3732–3741, 2025, doi: 10.1109/WACV61041.2025.00367.
- [44] S. Xie and Z. Li, “Implicit Bias of AdamW: ℓ_∞ -Norm Constrained Optimization,” *Proc. Mach. Learn. Res.*, vol. 235, pp. 54488–54510, 2024.
- [45] R. Padilla, W. L. Passos, T. L. B. Dias, S. L. Netto, and E. A. B. Da Silva, “A comparative analysis of object detection metrics with a companion open-source toolkit,” *Electron.*, vol. 10, no. 3, pp. 1–28, 2021, doi: 10.3390/electronics10030279.
- [46] H. Ahn *et al.*, “Performance Characterization of Using Quantization for DNN Inference on Edge Devices,” *Proc. - 7th IEEE Int. Conf. Fog Edge Comput. ICFEC 2023*, pp. 1–6, 2023, doi: 10.1109/ICFEC57925.2023.00009.
- [47] Y. Wu, L. Liu, and R. Kompella, “Parallel Detection for Efficient Video Analytics at the Edge,” *Proc. - 2021 IEEE 3rd Int. Conf. Cogn. Mach. Intell. CogMI 2021*, pp. 204–213, 2021, doi: 10.1109/CogMI52975.2021.00035.