

DAFTAR PUSTAKA

- Abdelhafiz, A. H., et al. (2020). Management of diabetes in older people with CKD. *Clinical Kidney Journal*. Clinical Kidney Journal, 385–393.
- Ahmed, B., Nasir, K., Mehmood, A., Abid, M. A., Zehra, N., Khan, A. H., Hussain, S. A., Kashif, W. U., & Iqbal, R. (2021). Effect of physical activity and vitamin D compared with vitamin D alone on muscle strength, back flexibility and aerobic activity in patients with chronic kidney disease: A comparative study from Pakistan. *Asia Pacific Journal of Clinical Nutrition*, 30(4), 566–572.
- Alfiani, N. R. (2023). *Perbedaan Antara Terapi Insulin Basal Bolus Dan Insulin Mix Terhadap Indeks Massa Tubuh Pada Pasien Diabetes Mellitus Tipe 2 Di Rumah Sakit Islam Sultan Agung Semarang*. Universitas Islam Sultan Agung Semarang.
- Alsahli, M., & Gerich, J. E. (2015). Hypoglycemia in patients with diabetes and renal disease. *Journal of Clinical Medicine*, 4(5), 948–964.
- Angin, M. P., Syahrul, F. H., & Primadimanti, A. (2023). Evaluasi Pengaruh Pemberian Insulin Sliding Scale Terhadap Kejadian Hipoglikemia Pada Pasien Rawat Inap Penyakit Dalam Di Rs Imanuel Bandar Lampung. *Jurnal Ilmu Kedokteran Dan Kesehatan*, 10(11), 3156–3167.
- Atika, R., Masruhim, M. A., & Fitriani, V. Y. (2016). Karakteristik Penggunaan Insulin pada Pasien Diabetes Mellitus Tipe II dengan Gangguan Ginjal di Instalasi Rawat Inap RSUD AW Sjahrane Samarinda. *Proceeding of Mulawarman Pharmaceuticals Conferences*, 3, 98–108.
- Becker, R. H. A., & Frick, A. D. (2017). Clinical pharmacokinetics and pharmacodynamics of insulin glulisine. *Clinical Pharmacokinetics*, 47, 7–20.
- Bello, A. K., Alrukhaimi, M., Ashuntantang, G. E., Basnet, S., Rotter, R. C., Douthat, W. G., Kazancioglu, R., Köttgen, A., Nangaku, M., Powe, N. R., White, S. L., Wheeler, D. C., & Moe, O. (2017). Complications of chronic kidney disease: current state, knowledge gaps, and strategy for action. *Kidney International Supplements*, 7(2), 122–129. <https://doi.org/10.1016/j.kisu.2017.07.007>
- Bello, B. M., Fatusi, A. O., Adepoju, O. E., Maina, B. W., Kabiru, C. W., Sommer, M., & Mmari, K. (2017). Adolescent and parental reactions to puberty in Nigeria

- and Kenya: a cross-cultural and intergenerational comparison. *Journal of Adolescent Health*, 61(4), S35–S41.
- Candido, R., Wyne, K., & Romoli, E. (2018). A review of basal-bolus therapy using insulin glargine and insulin lispro in the management of diabetes mellitus. *Diabetes Therapy*, 9, 927–949.
- Chen, T. K., Knicely, D. H., & Grams, M. E. (2019). Chronic kidney disease diagnosis and management: a review. *Jama*, 322(13), 1294–1304.
- Cheung, A. K., Chang, T. I., Cushman, W. C., Furth, S. L., Hou, F. F., Ix, J. H., Knoll, G. A., Muntner, P., Pecoits-Filho, R., Sarnak, M. J., Tobe, S. W., Tomson, C. R. V., & Mann, J. F. E. (2021). KDIGO 2021 Clinical Practice Guideline for the Management of Blood Pressure in Chronic Kidney Disease. *Kidney International*, 99(3), S1–S87. <https://doi.org/10.1016/j.kint.2020.11.003>
- Comas, J., Arcos, E., Castell, C., Cases, A., Martínez-Castelao, A., Doñate, T., & Esmatjes, E. (2013). Evolution of the incidence of chronic kidney disease Stage 5 requiring renal replacement therapy in the diabetic population of Catalonia. *Nephrology Dialysis Transplantation*, 28(5), 1191–1198.
- Daugirdas, J. T., Depner, T. A., Inrig, J., Mehrotra, R., Rocco, M. V, Suri, R. S., Weiner, D. E., Greer, N., Ishani, A., & MacDonald, R. (2015). KDOQI clinical practice guideline for hemodialysis adequacy: 2015 update. *American Journal of Kidney Diseases*, 66(5), 884–930.
- Donner, T., & Sarkar, S. (2015). *Insulin–pharmacology, therapeutic regimens, and principles of intensive insulin therapy*.
- Eliaschewitz, F. G., & Barreto, T. (2016). Concepts and clinical use of ultra-long basal insulin. *Diabetology & Metabolic Syndrome*, 8, 1–8.
- Escalada, J., Bonnet, F., Wu, J., Bonnemaire, M., Gupta, S., Cambron-Mellott, J. M., Nicholls, C., & Müller-Wieland, D. (2020). Reduced Hypoglycemia Risk in Type 2 Diabetes Patients Switched to/Initiating Insulin Glargine 300 vs 100 U/ml: A European Real-World Study. *Advances in Therapy*, 37(9), 3863–3877. <https://doi.org/10.1007/s12325-020-01436-5>
- Galindo-Moreno, P., León-Cano, A., Ortega-Oller, I., Monje, A., O' Valle, F., & Catena, A. (2015). Marginal bone loss as success criterion in implant dentistry: beyond 2 mm. *Clinical Oral Implants Research*, 26(4), e28–e34.

- Galstyan, G. R., Tirosh, A., Vargas-Uricoechea, H., Mabunay, M. A., Coudert, M., Naqvi, M., Pilorget, V., & Khan, N. (2022). Real-World Effectiveness and Safety of Insulin Glargine 300 U/mL in Insulin-Naïve People with Type 2 Diabetes: the ATOS Study. *Diabetes Therapy*, 13(6), 1187–1202. <https://doi.org/10.1007/s13300-022-01266-4>
- Gourdy, P., Bonadonna, R. C., Freemantle, N., Bigot, G., Mauricio, D., Mu, D., Mauquoi, C., Ciocca, A., & Bonnemaire, M. (2021). *Does Gender Influence the Effectiveness and Safety of Insulin Glargine 300 U / ml in Patients with Uncontrolled Type 2 Diabetes ? Results from the REALI European Pooled Analysis*. <https://doi.org/10.1007/s13300-021-01179-8>
- Hahr, A. J., & Molitch, M. E. (2015). Management of diabetes mellitus in patients with chronic kidney disease. *Clinical Diabetes and Endocrinology*, 1, 1–9.
- Handayani, S. (2021). *Anatomi dan Fisiologi Tubuh Manusia*. CV. Media Sains Indonesia.
- Henderson, A., Iwagami, M., Bottomley, C., Tomlinson, L., Mansfield, K., & Nitsch, D. (2019). Paediatric acute kidney injury hospital admissions in England 1997–2014: burden and risk factors. *Clinical Kidney Journal*, 12(6), 859–860. <https://doi.org/10.1093/ckj/sfz075>
- Hidayangsih, P. S., Tjandrarini, D. H., Sukoco, N. E. W., Sitorus, N., Dharmayanti, I., & Ahmadi, F. (2023). Chronic kidney disease in Indonesia: evidence from a national health survey. *Osong Public Health and Research Perspectives*, 14(1), 23.
- Hirst, J. A., Hill, N., O’Callaghan, C. A., Lasserson, D., McManus, R. J., Ogburn, E., Mena, J. M. O., Shine, B., Taylor, C. J., & Vazquez-Montes, M. D. L. A. (2020). Prevalence of chronic kidney disease in the community using data from OxRen: a UK population-based cohort study. *British Journal of General Practice*, 70(693), e285–e293.
- Indonesia, P. E. (2015). Pengelolaan dan pencegahan diabetes melitus tipe 2 di Indonesia. *Pb. Perkeni*, 6.
- Ji, Q., Chai, S., Zhang, R., Li, J., Zheng, Y., & Rajpathak, S. (2024). Prevalence and co-prevalence of comorbidities among Chinese adult patients with type 2 diabetes mellitus: a cross-sectional, multicenter, retrospective, observational

- study based on 3B study database. *Frontiers in Endocrinology*, 15. <https://doi.org/10.3389/fendo.2024.1362433>
- Kalantar-Zadeh, K., Jafar, T. H., Nitsch, D., Neuen, B. L., & Perkovic, V. (2021). Chronic kidney disease. *The Lancet*, 398(10302), 786–802.
- Kim, S., Jeong, Y., Kim, Y. L., Kang, M., Kang, E., Ryu, H., Kim, Y., Han, S. S., Ahn, C., & Oh, K. (2023). Association of Chronic Kidney Disease With Atrial Fibrillation in the General Adult Population: A Nationwide Population-Based Study. *Journal of the American Heart Association*, 12(8), e028496.
- Kuantitatif, P. P. (2016). Metode Penelitian Kuantitatif Kualitatif dan R&D. *Alfabeta, Bandung*.
- Lefaucheur, C., Viglietti, D., Bouatou, Y., Philippe, A., Pievani, D., Aubert, O., Duong Van Huyen, J.-P., Taupin, J.-L., Glotz, D., Legendre, C., Loupy, A., Halloran, P. F., & Dragun, D. (2019). Non-HLA agonistic anti-angiotensin II type 1 receptor antibodies induce a distinctive phenotype of antibody-mediated rejection in kidney transplant recipients. *Kidney International*, 96(1), 189–201. <https://doi.org/10.1016/j.kint.2019.01.030>
- Levin, A., & Stevens, P. E. (2014). Summary of KDIGO 2012 CKD Guideline: behind the scenes, need for guidance, and a framework for moving forward. *Kidney International*, 85(1), 49–61.
- Mathew, A. V., Kayampilly, P., Byun, J., Nair, V., Afshinnia, F., Chai, B., Brosius 3rd, F. C., Kretzler, M., & Pennathur, S. (2024). Tubular dysfunction impairs renal excretion of pseudouridine in diabetic kidney disease. *American Journal of Physiology-Renal Physiology*, 326(1), F30–F38.
- Mayer-Davis, E. J., Kahkoska, A. R., Jefferies, C., Dabelea, D., Balde, N., Gong, C. X., Aschner, P., & Craig, M. E. (2018). ISPAD Clinical Practice Consensus Guidelines 2018: Definition, epidemiology, and classification of diabetes in children and adolescents. *Pediatric Diabetes*, 19(Suppl 27), 7.
- Moen, M. F. et. al. (2021). *Hypoglycemia in patients with diabetes and CKD. Current Diabetes Reports*. 21(2), 12.
- Myers, O. B., Pankratz, V. S., Norris, K. C., Vassalotti, J. A., Unruh, M. L., & Argyropoulos, C. (2018). Surveillance of CKD epidemiology in the US—a joint analysis of NHANES and KEEP. *Scientific Reports*, 8(1), 15900.

- Nagib, S. N., Abdelwahab, S., Amin, G. E. E.-D., & Allam, M. F. (2023). What is the prevalence of chronic kidney disease among hypertensive non-diabetic Egyptian patients attending primary healthcare? *Clinical and Experimental Hypertension*, 45(1), 2203411.
- Nakhleh, A., & Shehadeh, N. (2021). Hypoglycemia in diabetes: An update on pathophysiology, treatment, and prevention. *World Journal of Diabetes*, 12(12), 2036.
- Painter, N. A., & Sisson, E. (2016). An overview of concentrated insulin products. *Diabetes Spectrum*, 29(3), 136–140.
- Pane, J. P., Simorangkir, L., & Saragih, P. I. S. B. (2022). Faktor-Faktor Risiko Penyakit Kardiovaskular Berbasis Masyarakat. *Jurnal Penelitian Perawat Profesional*, 4(4), 1183–1192.
- Ratnasari, P. M. D., Prasetya, A. A. N. P. R., & Arini, H. D. (2022). Gambaran Penggunaan Insulin Pada Pasien Diabetes. *Achta Holistica Pharmacia*, 4(1), 32–38.
- Ravani, P., Quinn, R., Fiocco, M., Liu, P., Al-Wahsh, H., Lam, N., Hemmelgarn, B. R., Manns, B. J., James, M. T., & Joanne, Y. (2020). Association of age with risk of kidney failure in adults with stage IV chronic kidney disease in Canada. *JAMA Network Open*, 3(9), e2017150–e2017150.
- Rhee, S. Y., & Kim, Y. S. (2015). Peripheral arterial disease in patients with type 2 diabetes mellitus. *Diabetes & Metabolism Journal*, 39(4), 283.
- Riddle, M. C., Rosenstock, J., Vlahovic, A., & Gao, L. (2014). Randomized, 1-year comparison of three ways to initiate and advance insulin for type 2 diabetes: twice-daily premixed insulin versus basal insulin with either basal-plus one prandial insulin or basal-bolus up to three prandial injections. *Diabetes, Obesity and Metabolism*, 16(5), 396–402.
- Rosenstock, J., Cheng, A., Ritzel, R., Bosnyak, Z., Devisme, C., Cali, A. M. G., Sieber, J., Stella, P., Wang, X., & Frías, J. P. (2018). More similarities than differences testing insulin glargine 300 units/mL versus insulin degludec 100 units/mL in insulin-naïve type 2 diabetes: the randomized head-to-head BRIGHT trial. *Diabetes Care*, 41(10), 2147–2154.

- Rusdi, M. S. (2020). Hipoglikemia Pada Pasien Diabetes Melitus. *Journal Syifa Sciences And Clinical Research (JSSCR)*, 2(2), 83–90.
- Siyoto, S., & Sodik, M. A. (2015). *Dasar metodologi penelitian*. literasi media publishing.
- Sud, M., Tangri, N., Pintilie, M., Levey, A. S., & Naimark, D. M. J. (2016). Progression to Stage 4 chronic kidney disease and death, acute kidney injury and hospitalization risk: a retrospective cohort study. *Nephrology Dialysis Transplantation*, 31(7), 1122–1130.
- Thota, S., & Akbar, A. (2020). *Insulin*.
- TIROSH, A., KHAN, N., VARGAS-URICOECHEA, H., MABUNAY, M. A. N., COUDERT, M., PILORGET, V., & GALSTYAN, G. R. (2021). 743-P: Real-World Effectiveness and Safety of Insulin Glargine 300 U/mL (Gla-300) in Insulin-Naïve People with Type 2 Diabetes (T2DM) and Renal Impairment (RI): A Subgroup Analysis of the ATOS Study. *Diabetes*, 70(Supplement_1). <https://doi.org/10.2337/db21-743-P>
- Udayani, N. N. W., Ratnasari, N. L. A. M., Cahyaningsih, E., & Wardani, I. G. A. A. K. (2021). Evaluasi Efek Samping Penggunaan Kombinasi Insulin pada Pasien Rawat Jalan Diabetes Melitus Tipe 2 di Salah Satu Rumah Sakit Kota Denpasar. *Jurnal Ilmiah Medicamento*, 7(2), 112–117.
- Uribarri, J. (2020). Chronic kidney disease and kidney stones. *Current Opinion in Nephrology and Hypertension*, 29(2), 237–242. <https://doi.org/10.1097/MNH.0000000000000582>
- Vaidya, S. R., & Aeddula, N. R. (2022). Chronic kidney disease. In *StatPearls [Internet]*. StatPearls Publishing.
- Vart, P., Powe, N. R., McCulloch, C. E., Saran, R., Gillespie, B. W., Saydah, S., & Crews, D. C. (2020). National trends in the prevalence of chronic kidney disease among racial/ethnic and socioeconomic status groups, 1988-2016. *JAMA Network Open*, 3(7), e207932–e207932.
- Vijayan, A., Lanzinger, S., Forestier, N., Hess, G., Rottmann, M., Wosch, F. J., Seufert, J., Holl, R. W., & Bramlage, P. (2025). Analysis of patient characteristics and safety of insulin glargine <scp>U300</scp> use in 21 359 patients with type-2 diabetes and chronic kidney disease: <scp>DPV</scp>

- registry study. *Diabetes, Obesity and Metabolism*, 27(5), 2485–2494.
<https://doi.org/10.1111/dom.16245>
- Wise, J. (2019). Improve scheduling to perform an extra 291 000 elective operations a year, trusts are told. *BMJ*, l540. <https://doi.org/10.1136/bmj.l540>
- Young, H. M. L., March, D. S., Graham-Brown, M. P. M., Jones, A. W., Curtis, F., Grantham, C. S., Churchward, D. R., Highton, P., Smith, A. C., Singh, S. J., Bridle, C., & Burton, J. O. (2018). Effects of intradialytic cycling exercise on exercise capacity, quality of life, physical function and cardiovascular measures in adult haemodialysis patients: a systematic review and meta-analysis. *Nephrology Dialysis Transplantation*, 33(8), 1436–1445.
<https://doi.org/10.1093/ndt/gfy045>
- Zaim, M., Purwastyastuti, P., & Nafrialdi, N. (2021). Analisis Efektivitas Insulin Analog dan Human yang Digunakan pada Penderita Diabetes Melitus Tipe-2 dengan Biaya BPJS di RS. Islam Sukapura 2018. *Muhammadiyah Journal of Geriatric*, 2(1), 17–26.