

DAFTAR PUSTAKA

- Abidin, Z. (2010). MEKANISME KEAUSAN PAHAT PADA PROSES PEMESINAN: SEBUAH TINJAUAN PUSTAKA. In *Momentum* (Vol. 6, Issue 1).
- Afandi, Y., Arief, I., & Amiadji. (2015). Analisa Laju Korosi pada Pelat Baja Karbon dengan Variasi Ketebalan Coating. *JURNAL TEKNIK ITS*, 4(1).
- Afranita, G., Anita, S., & Hanifah, T. A. (2014). *POTENSI ABU CANGKANG KERANG DARAH (Anadara Granosa) SEBAGAI ADSORBEN ION TIMAH PUTIH*.
- Alghofari, A. K., Yani, J. A., Pos, T., Surakarta, P., Djunaidi, M., Fauzan, A., & Abstraksi, P. S. (2006). *PERENCANAAN PEMELIHARAAN MESIN BALLMILL DENGAN BASIS RCM (RELIABILITY CENTERED MAINTENANCE)*. <https://doi.org/https://doi.org/10.23917/jiti.v5i2.1565>
- Ambrosis, A. De, Malgieri, M., Mascheretti, P., & Onorato, P. (2015). Investigating the role of sliding friction in rolling motion: A teaching sequence based on experiments and simulations. *European Journal of Physics*, 36(3), 1–21. <https://doi.org/10.1088/0143-0807/36/3/035020>
- Andika, R., & Safarizki, A. (2019). PEMANFAATAN LIMBAH CANGKANG KERANG DARA (ANADARA GRANOSA) SEBAGAI BAHAN TAMBAH DAN KOMPLEMEN TERHADAP KUAT TEKAN BETON NORMAL. In *Jurnal Media Komunikasi Dunia Ilmu Sipil (MoDuluS)* (Vol. 1, Issue 1). www.wikipedia.
- Archard, J. F., & Hirs, W. (1956). The wear of metals under unlubricated conditions. *Proceedings of the Royal Society of London. Series A. Mathematical and Physical Sciences*, 236(1206), 397–410. <https://doi.org/10.1098/rspa.1956.0144>
- Arnold, J. C., & Hutchings, I. M. (1989). Flux rate effects in the erosive wear of elastomers. In *JOURNAL OF MATERIALS SCIENCE* (Vol. 24).
- Awang-Hazmi, A. J., Zuki, A. B. Z., Noordin, M. M., Jalila, A., & Norimah, Y. (2007). Mineral composition of the cockle (*Anadara granosa*) shells of West Coast of Peninsular Malaysia and it's potential as biomaterial for use in bone repair. *Journal of Animal and Veterinary Advances*, 6.

- AZO Materials. (2012, September 27). *Aluminium / Aluminum 6061 Alloy (UNS A96061)*. Azom.Com. <https://www.azom.com/article.aspx?ArticleID=6636>
- Bartkowski, D., Bartkowska, A., & Jurči, P. (2021). Laser cladding process of Fe/WC metal matrix composite coatings on low carbon steel using Yb: YAG disk laser. *Optics and Laser Technology*, 136. <https://doi.org/10.1016/j.optlastec.2020.106784>
- Batchelor, A. W., Stachowiak, G. W., & Cameron, A. (1986). THE RELATIONSHIP BETWEEN OXIDE FILMS AND THE WEAR OF STEELS. In *Wear* (Vol. 113).
- Bernard, H., Steven, S., & Bo, J. (2004). *Fundamentals of Fluid Film Lubrication*. <https://doi.org/https://doi.org/10.1201/9780203021187>
- Blass, J., Albrecht, M., Bozna, B. L., Wenz, G., & Bennewitz, R. (2015). Dynamic effects in friction and adhesion through cooperative rupture and formation of supramolecular bonds. *Nanoscale*, 7(17), 7674–7681. <https://doi.org/10.1039/c5nr00329f>
- Buckley, D. H. (1981). *Surface effects in adhesion, friction, wear, and lubrication* (Vol. 5). Elsevier.
- Busch, H., Hoff, G., & Langbein, G. (1966). *Rain Erosion Properties of Materials*.
- Callister, W. (2001). *Fundamentals of materials science and engineering: an interactive etext*. Wiley.
- Callister, W., & Rethwish, D. (2009). *Materials Science and Engineering An Introduction by William D. Callister, Jr., David G. Rethwish*.
- Challjzn, J. M., Oxley, P. L. B., & Hockenhull, B. S. (1986). PREDICTION OF ARCHARD'S WEAR COEFFICIENT FOR METALLIC SLIDING FRICTION ASSUMING A LOW CYCLE FATIGUE WEAR MECHANISM. In *Wear* (Vol. 111).
- Chaussy, C., Schmiedt, E., Jocham, D., Brendel, W., Forssmann, B., & Walther, V. (1982). First clinical experience with extracorporeally induced destruction of kidney stones by shock waves. *Journal of Urology*, 127(3), 417–420. [https://doi.org/10.1016/S0022-5347\(17\)53841-0](https://doi.org/10.1016/S0022-5347(17)53841-0)
- Chen, G. X., & Zhou, Z. R. (2001). Study on transition between fretting and reciprocating sliding wear. In *Wear* (Vol. 250).

- Christida, S., & Abdul, L. (2023). *PERANCANGAN ALAT TRIBOMETER PIN ON CYLINDER DAN APLIKASINYA DALAM MENGUKUR KEAUSAN KANVAS REM*.
- Christy, T. V, Murugan, N., & Kumar, S. (2010). A Comparative Study on the Microstructures and Mechanical Properties of Al 6061 Alloy and the MMC Al 6061/TiB 2 /12 P. In *Journal of Minerals & Materials Characterization & Engineering* (Vol. 9, Issue 1).
- Coulomb, M. (2023). Essai sur une application des règles de Maximis & Minimis à quelques Problèmes de Statique, relatifs à l'Architecture. *EDP Sains*.
<https://doi.org/https://doi.org/10.1051/geotek/2023019>
- Davim, J. P. (2011). *Tribology for engineers: A practical guide*. Elsevier.
- Delius, M., Brendel, W., & Heine, G. (1988). A Mechanism of Gallstone Destruction by Extracorporeal Shock Waves. In *Naturwissenschaften* (Vol. 75, Issue 9). Springer-Verlag.
- Dewi, M., Alhamidi, A. A., & Fitrullah, M. (2016). *Studi mikrostruktur dan sifat mekanik Aluminium 6061 melalui proses canai dingin dan aging*.
<https://doi.org/DOI:http://dx.doi.org/10.36055/furnace.v2i1.1686>
- DNV. (2007). *RECOMMENDED PRACTICE RP O501 EROSION WEAR IN PIPING SYSTEMS*. <http://www.dnv.com>
- Ediriweera, M., Chladek, J., & Ratnayake, C. (2021). Effect of impact angle, exposure time, and particle size on impact erosion. In *Particulate Science and Technology* (Vol. 39, Issue 1, pp. 10–18). Bellwether Publishing, Ltd.
<https://doi.org/10.1080/02726351.2019.1663328>
- Elbar, W., & Tampubolon, K. (2020). Pengaruh Campuran Silikon Pada Aluminium Terhadap Kekerasan dan Tingkat Keausannya. *JMEMME*, 4(2).
<https://doi.org/10.31289/jmemme.v4i2.4070>
- Finnie, I. (1960). *EROSION OF SURFACES BY SOLID PARTICLES*.
- Finnie, I. (1995). Some reflections on the past and future of erosion. In *Wear* (Issue 10).
- Gandy. (2007). *Carbon Steel Handbook 世界碳钢手册*. www.epri.com
- Gang, S., Fengzhou, F., & Chengwei, K. (2018). Tribological Performance of Bioimplants: A Comprehensive Review. In *Nanotechnology and Precision*

- Engineering* (Vol. 1, Issue 2, pp. 107–122).
<https://doi.org/10.13494/j.npe.20180003>
- García, I., Drees, D., & Celis, J. P. (2001). Corrosion-wear of passivating materials in sliding contacts based on a concept of active wear track area. In *Wear* (Vol. 249).
- Garton, A., Stevenson, W. T. K., & Mclean, P. D. (1986). *The Stability of Polymers in Low Earth Orbit*.
- G.W. Stachowiak, & A. W. Batchelor. (2005). *Engineering-tribology-third-edition*.
- G.W. Stachowiak, & A.W. Batchelor. (2005). *Engineering Tribology 3rd Edition*.
- Hamzah, M. S., & Iqbal, D. M. (2008). *PENINGKATAN KETAHANAN AUS BAJA KARBON RENDAH DENGAN METODE CARBURIZING*.
- Hashim, J. (2003). *Glosari kejuruteraan bahan*. Penerbit UTM.
- Hasry, M., & Kaelani, Y. (2014). Studi Eksperimental Keausan Permukaan Material Akibat Adanya Multi-Directional Contact Friction. *Jurnal Teknik ITS*, 3.
- Hendra Purba, R. (2023). *Abrasive and erosive wear behavior of high chromium based multicomponent white cast irons*.
- Hendry, S. (2016). *PENGARUH WAKTU GESEK DAN SUDUT CHAMFER TERHADAP SIFAT MEKANIK HASIL LASAN ALUMINIUM 6061 PADA PROSES FRICTION WELDING*. Universitas Jember.
- Hery Sunaryo. (2008). *TEKNIK PENGELASAN KAPAL JILID 1 SMK*.
- Hironaka, S. (1984). Boundary Lubrication and Lubricants. In *Three Bond Technical News*.
- Hojo, H., Tsuda, K., & Yabu, T. (1986). EROSION DAMAGE OF POLYMERIC MATERIAL BY SLURRY. In *Wear* (Vol. 112).
- Holmes, D. R., & Pascoe, R. T. (1956). 859 Holmes and Pascoe: Strain/Oxidation Interactions in Steels and Model Alloys cu 0 CU20 StrainIOxidation Interactions in Steels and Model Alloys. In *W. K. Appleby and R. F. Tylecote. Corr. Sci* (Vol. 243).
- Huq, M. J., Shimizu, K., Kusumoto, K., Purba, R. H., & Gaqi, Y. (2025). Erosive Wear Characteristics of High Cr Multi-Component White Cast Irons at

- Elevated Temperature. *International Journal of Metalcasting*, 19(3), 1304–1317. <https://doi.org/10.1007/s40962-024-01484-5>
- Hussainova, I. (2005). Microstructure and erosive wear in ceramic-based composites. *Wear*, 258(1-4 SPEC. ISS.), 357–365. <https://doi.org/10.1016/j.wear.2004.01.024>
- I. Syafa'at. (2008). *Sejarah Tribologi, Daerah Pelumasan dan Keausan (I. Syafa'at)*.
- Ilmu Purboputro, P., & Nabila, M. (2020). *PEMBUATAN KAMPAS REM MENGGUNAKAN VARIASI BUTIRAN MESH ALUMINIUM SILICON (Al-Si) 50, 60, 100 DENGAN SERBUK KAYU JATI TERHADAP NILAI TINGKAT KEKERASAN, KEAUSAN DAN KOEFISIEN GESEK* (Vol. 21, Issue 1). Al-Si.
- Indra Firmansyah. (2005). *Gambaran Histopatologik Tulang Femur Tikus Putih (Rattus norvegicus) Pasca Ovariohisterektomi dengan Suplemen Kalsium Karbonat Dosis Tinggi*. Universitas Airlangga.
- Iwai, Y., & Li, S. (2003). Cavitation erosion in waters having different surface tensions. In *Wear* (Vol. 254).
- Jamasri, & Sulardjaka. (2020). *Pengelasan Paduan Aluminium*. UGM PRESS.
- Johnson, R. (1968). *Weav-Elsevier Sequoia S.A., Lausanne-Printed in the Netherlands* Short Communication. [https://doi.org/https://doi.org/10.1016/0043-1648\(68\)90527-9](https://doi.org/https://doi.org/10.1016/0043-1648(68)90527-9)
- Kandpal, B. C., Kumar, J., & Singh, H. (2017). Fabrication and characterisation of Al₂O₃/aluminium alloy 6061 composites fabricated by Stir casting. *Materials Today: Proceedings*, 4(2), 2783–2792. <https://doi.org/10.1016/j.matpr.2017.02.157>
- Karimi, A., & Avellan, F. (1986). COMPARISON OF EROSION MECHANISMS IN DIFFERENT TYPES OF CAVITATION. In *Wear* (Vol. 113).
- Krella, A. (2020). Resistance of PVD coatings to erosive and wear processes: A review. In *Coatings* (Vol. 10, Issue 10). MDPI. <https://doi.org/10.3390/COATINGS10100921>
- Krisnandi, D. D., Burhanudin, A., Armanto, E., Prabowo, D., Sulardjaka, J., Sudarto, J., & Semarang, T. (2012). *STUDI EKSPERIMENTAL PENGARUH*

BEBAN TERHADAP KOEFISIEN GESEK PADA SLIDING CONTACT FASE RUNNING-IN DENGAN TRIBOMETER PIN-ON-DISC (Vol. 1). Prosiding Sains Nasional dan Teknologi.

- la Monaca, A., Murray, J. W., Liao, Z., Speidel, A., Robles-Linares, J. A., Axinte, D. A., Hardy, M. C., & Clare, A. T. (2021). Surface integrity in metal machining - Part II: Functional performance. In *International Journal of Machine Tools and Manufacture* (Vol. 164). Elsevier Ltd. <https://doi.org/10.1016/j.ijmachtools.2021.103718>
- Levy, A., & Man, Y.-F. (1986). SURFACE DEGRADATION OF DUCTILE METALS IN ELEVATED TEMPERATURE GAS-PARTICLE STREAMS. In *Wear* (Vol. 111).
- Mahadeshwara, M., Akchurin, A., & Katiyar, J. (2024). *TriboNet's Guide to Tribology*.
- Misra, A., & Finnie, I. (1980). A CLASSIFICATION OF THREE-BODY ABRASIVE WEAR AND DESIGN OF A NEW TESTER*. In *Wear* (Vol. 60). Elsevier Sequoia S.A.
- Mondal, S., & Goswami, S. S. (2024). Examining the critical aspects of gas turbine blade failures caused by erosion using computational models: A comprehensive review. *International Journal of AI for Materials and Design*, 1(3), 66. <https://doi.org/10.36922/ijamd.5188>
- Nasution, M. (2018). KARAKTERISTIK BAJA KARBON TERKOROSI OLEH AIR LAUT. In *Cetak) Buletin Utama Teknik* (Vol. 14, Issue 1). Online.
- Nayan, A., & Hafli, T. (2022). *Malikussaleh Journal of Mechanical Science and Technology ANALISA STUKTUR MIKRO MATERIAL KOMPOSIT POLIMER BERPENGUAT SERBUK CANGKANG KERANG*. 6(1), 15–24.
- Neilson, J. H., & Gilchrist, A. (1968). *Wear-Elsevier Sequoia S.A., Lausanne-Printed in the Netherlands III EROSION BY A STREAM OF SOLID PARTICLES*.
- Oka, Y., Omolgi, H., Hosokawa, H., & Matsumura, M. (1997). The Impact angle dependence of erosion damage caused by solid particle. *Wear, Vols*, 203–204.
- Prastowo, P., Destiarti, L., & Anita Zaharah, T. (2017). *PENGUNAAN KULIT KERANG DARAH SEBAGAI KOAGULAN AIR GAMBUT*. 6(4), 65–68.

- Rahmatika, A., Ibrahim, S., Hersaputri, M., & Aprilia, E. (2019). STUDI PENGARUH VARIASI KUAT ARUS TERHADAP SIFAT MEKANIK HASIL PENGELASAN GTAW ALUMINIUM 1050 DENGAN FILLER ER 4043. In *Jurnal Polimesin* (Vol. 17, Issue 1).
- Rengstorff, G. W. P., Miyoshi, K., & Buckley, D. H. (1986). Interaction of sulfuric acid corrosion and mechanical wear of iron. *ASLE Transactions*, 29(1), 43–51. <https://doi.org/10.1080/05698198608981658>
- Rif'an, A., Hidayat, T., & Winarso, R. (2017). PENGARUH PELUMASAN TERHADAP KEAUSAN ALUMINIUM MENGGUNAKAN MESIN TWO DISK TRIBOMETER PADA 1000 RPM. *Jurnal SIMETRIS*, 8.
- Sasada, T., & Oike, M. (1984). THE EFFECT OF ABRASIVE GRAIN SIZE ON THE TRANSITION BETWEEN ABRASIVE AND ADHESIVE WEAR*. In *Wear*.
- Sastal, A. Z., Gunawan, Y., & Sudia, B. (2018). *PENGARUH KECEPATAN POTONG TERHADAP PERUBAHAN TEMPERATUR PAHAT DAN KEAUSAN PAHAT BUBUT PADA PROSES PEMBUBUTAN BAJA KARBON SEDANG*. 3(1).
- Sheldon, G., & Finnie, I. (1966). *On the Ductile Behavior of Nominally Brittle Materials During Erosive Cutting*. <http://asme.org/terms>
- Soda, N., Kimura, Y., & Tanaka, A. (1975). *WEAR OF SOME F.C.C. METALS DURING UNLUBRICATED SLIDING PART II: EFFECTS OF NORMAL LOAD, SLIDING VELOCITY AND ATMOSPHERIC PRESSURE ON WEAR FRAGMENTS*.
- Sofyan, B. T. (2021). *Pengantar Material Teknik Edisi II*. UNHAN RI PRESS.
- Stachowiak, G., & Batchelor, A. W. (2013). *Engineering tribology*. Butterworth-heinemann.
- Stachowiak, G. W. (2006). *Wear : Materials, Mechanisms and Practice* (M. J. Neale, T. A. Polak, & M. Priest, Eds.). John Wiley & Sons.
- Stephenson, D. J., Nicholls, J. R., & Hancock, P. (1986). PARTICLE-SURFACE INTERACTIONS DURING THE EROSION OF A GAS TURBINE MATERIAL (MarM002) BY PYROLYTIC CARBON PARTICLES. In *Wear* (Vol. 111).

- Subiyanto. (1989). *Jenis-jenis Logam yang Terdapat dalam Minyak Lumas Bekas dan Sumber Asalnya*. 23.
<https://doi.org/https://doi.org/10.29017/LPMGB.23.1.1408>
- Suleiman, I. Y., Kasim, A., Mohammed, A. T., & Sirajo, M. Z. (2021). Evaluation of mechanical, microstructures and wear behaviours of aluminium alloy reinforced with mussel shell powder for automobile applications. *Strojniski Vestnik/Journal of Mechanical Engineering*, 67(1–2), 27–35.
<https://doi.org/10.5545/sv-jme.2020.6953>
- Surest, A. H., Wardani, A. R., & Fransiska, R. (2012). Pemanfaatan limbah kulit kerang untuk menaikkan pH pada proses pengelolaan air rawa menjadi air bersih. *Jurnal Teknik Kimia*, 18(3).
- Suryanto, H., & Ismail, H. (2020). *PENGARUH PENAMBAHAN GRAFIT PADA ALUMINIUM COR TERHADAP KEAUSAN*.
- Tiandho, Y. (2016). *MODIFIKASI DISTRIBUSI MASSA PADA SUATU OBJEK SIMETRI BOLA*. 4. <https://doi.org/http://dx.doi.org/10.24127/jpf.v4i2.527>
- Tomlinson, W. J., & Talks, M. G. (1989). CAVITATION EROSION OF LASER SURFACE MELTED PHOSPHORIC GREY IRONS. In *Wear* (Vol. 129).
- Trent, E. M. (1977). *Metal Cutting*.
- Tu, C., Chen, Z. H., & Xia, J. (2009). Thermal wear and electrical sliding wear behaviors of the polyimide modified polymer-matrix pantograph contact strip. *Tribology International*, 42(6), 995–1003.
<https://doi.org/10.1016/j.triboint.2009.02.003>
- Wanty Lubis, R., Dharma, S., Sebayang, R., Bahri, N., & Aldi Aditya, M. (2024). *ANALISIS PENGARUH VARIASI LOGAM PENGISI (FILLER) PADA PROSES PENGELASAN GTAW PADUAN ALUMINIUM TERHADAP UJI KEKERASAN DAN STRUKTUR MIKRO*.
<http://ojs.polmed.ac.id/index.php/Sinergi/index>
- Wibawa, T. E., & Soegihardjo, H. (2010). *Studi Sifat-Sifat Mekanikal Profil Baja yang Terbungkus Gypsum Board Setelah Mengalami Kebakaran*.
- Wilson, J. E., Stott, F. H., & Wood, G. C. (1980). DEVELOPMENT OF WEAR-PROTECTIVE OXIDES AND THEIR INFLUENCE ON SLIDING FRICTION. *Proceedings of The Royal Society of London, Series A:*

- Mathematical and Physical Sciences*, 369(1739), 557–574.
<https://doi.org/10.1098/rspa.1980.0016>
- Wiryosumarto, H., & Okumura, T. (2000). *Teknologi Pengelasan Logam*. Jakarta: PT Pradnya Paramita. *Pradnya Paramita*.
- Yang, L. J. (2003). Wear coefficient equation for aluminium-based matrix composites against steel disc. *Wear*, 255(1–6), 579–592.
[https://doi.org/10.1016/S0043-1648\(03\)00191-1](https://doi.org/10.1016/S0043-1648(03)00191-1)
- Yuliana, S., Vania Utami, A., Mulyaningtyas, A., resmi Ji Yani, A. A., Kartasura, K., Sukoharjo, K., Tengah, J., & Yani, J. A. (2021). *Pengaruh Rasio Cangkang Kerang Darah (Anadara granosa) dan Serat Alam Terhadap Kekuatan Bending Komposit* (Vol. 23, Issue 1).
- Yust, C. S., & Crouse, R. S. (1978). Melting at particle impact sites during erosion of ceramics. *Wear; (Netherlands)*, 51.
- Zahrul, F., & Rahmadiawan, D. (2023). *Tribologi Pelumasan: Pelumas Terbarukan*.
- Zum Gahr, K. H. (1987). *Microstructure and wear of materials*. Elsevier.