

DAFTAR PUSTAKA

- Adachi, K., Kato, K., & Chen, N. (1997). *Wear map of ceramics*.
- Agbedo, U. J. (2024). Advanced Heat Treatment Techniques for Enhancing Strength and Toughness in High-Performance Stainless Steels and Metallic Alloys. *International Journal of Research Publication and Reviews*, 5(12), 4917–4930. <https://doi.org/10.55248/gengpi.5.1224.0210>
- Al-Roubaiy, A., Kilabi, A., Al-Shafaie, S., & Jilabi, A. S. (2025). *Wires Arc Additives Manufacturing of Metals (Microstructures and Mechanical properties): A Review*. <https://www.researchgate.net/publication/389456827>
- Amadi, H. A., Mohyaldinn, M., Ridha, S., Moses, R. P., Ola, D. V., & Madawaki, S. (2025). Laboratory-scale designs of downhole conditions: A review of standalone sand screen wear analysis. *Petroleum Science and Technology*, 1–29.
- Andrea, G. (2023). Importance of Tribology Study and its Industrial Applications International Journal of Advancements in Technology Commentary Correspondence to. *Int J Adv Technol*, 14(6), 1000246–1000247. <https://doi.org/10.35248/0976-4860.23.14.246>
- Archard, J. F. (1953). Contact and rubbing of flat surfaces. *Journal of Applied Physics*, 24(8), 981–988. <https://doi.org/10.1063/1.1721448>
- Archard, J. F., & Hirst, W. (1956). The wear of metals under unlubricated conditions. *Proceedings of the Royal Society of London. Series A. Mathematical and Physical Sciences*, 236(1206), 397–410. <https://doi.org/10.1098/rspa.1956.0144>
- Armila, A. (2018). DENTINGAN PALU TEMPA PENGARAJIN PANDAI BESI SUNGAI PUAR MULAI SUNYI. *Rang Teknik Journal*, 1(2). <https://doi.org/10.31869/rtj.v1i2.761>
- Arnold, J. C., & Hutchings, I. M. (1989). Flux rate effects in the erosive wear of elastomers. In *JOURNAL OF MATERIALS SCIENCE* (Vol. 24).
- Aronov, V. (1977). KINETIC CHARACTERISTICS OF THE TRANSFORMATION AND FAILURE OF THE SURFACE LAYERS OF METALS UNDER DRY FRICTION. In *Wear* (Vol. 41). Elsevier Sequoia S.A.

- Bahadur, S., & Badruddin, R. (1990). ERODENT PARTICLE CHARACTERIZATION AND THE EFFECT OF PARTICLE SIZE AND SHAPE ON EROSION*. In *Wear*.
- Batchelor, A. W., Stachowiak, G. W., & Cameron, A. (1986). THE RELATIONSHIP BETWEEN OXIDE FILMS AND THE WEAR OF STEELS. In *Wear* (Vol. 113).
- Bhushan, B., & Gupta, B. K. (1991). *Handbook of Tribology: Materials, coatings, and surface treatments*.
- Biswas, S. K. (2005). *Wear – Materials, Mechanisms and Practice*.
- Bitter, J. G. A. (1962). *A STUDY OF EROSION PHENOMENA PART I*.
- Blau, P. J. (1981). INTERPRETATIONS OF THE FRICTION AND WEAR BREAK-IN BEHAVIOR OF METALS IN SLIDING CONTACT. In *Wear* (Vol. 71). Elsevier Sequoia S.A.
- Buckley, H. D. (1981). *Surface Effects in Adhesion, Friction, Wear and Lubrication*. Elsevier Scientific Pub. Co. ; Distributors for the U.S. and Canada, Elsevier North-Holland.
- Callister, W. D. ., & Rethwisch, D. G. . (2009). *Materials science and engineering : an introduction*. John Wiley.
- Chang, S. H., Yu, C. C., Huang, K. T., & Liu, C. M. (2015). Deposition of DLC/oxynitriding Films onto JIS SKD11 Steel by Bipolar-pulsed PECVD. *ISIJ International*, 55(12), 2631–2638. <https://doi.org/10.2355/isijinternational.ISIJINT-2015-350>
- Chen, C., Wang, J., Ge, Y., & Ma, L. (2022). Investigations on Microstructures and Properties of (Fe, Cr, W)7C3 Carbides by First Principles and Experiments. *Coatings*, 12(9). <https://doi.org/10.3390/coatings12091363>
- Chen, H., & Alpas, A. T. (2000). Sliding wear map for the magnesium alloy Mg-9Al-0.9 Zn (AZ91). In *Wear* (Vol. 246).
- Clark, H. M. (1991). On the impact rate and impact energy of particles in a slurry pot erosion tester*. In *Wear* (Vol. 47).
- Czichos, H. (2001). Tribology and Its Many Facets: From Macroscopic to Microscopic and Nano-scale Phenomena. In *Meccanica* (Vol. 36).

- Czichos Horst. (2009). *Tribology: A systems approach to the science and technology of friction, lubrication, and wear* (1st ed.). Elsevier Scientific.
- Davolio, M., Muciaccia, G., & Ferrara, L. (2025). Concrete Carbon Mixing – a systematic review on the processes and their effects on the material performance. *Cleaner Materials*, 15.
- Dearnley, P. A. (1985). *RAKE AND FLANK WEAR MECHANISMS OF COATED CEMENTED CARBIDES*.
- Deng, T. (2025). Erosive Wear Mechanisms of Materials—A Review of Understanding and Progresses. In *Materials* (Vol. 18, Issue 7). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/ma18071615>
- Dong, P. Q., Duc, T. M., & Long, T. T. (2019). Performance evaluation of mqcl hard milling of skd 11 tool steel using mos2 nanofluid. *Metals*, 9(6). <https://doi.org/10.3390/met9060658>
- Dosanjh, S., & Humphrey, J. A. C. (1985). THE ~FLUENCE OF TURBULENCE ON EROSION BY A PARTICLE-LIEN FLUID JET. In *Wear* (Vol. 102).
- Duncan Dowson. (1998). *History of tribology, 2nd edition*. Professional Engineering Publishing.
- Emori, N., Sasada, T., & Oike, M. (1985). Effect of Material Combination in Rubbing Parts on Three Body Abrasive Wear. *JSLE Transactions*, 30, 53–59.
- Engel, P. A. (1976). *Impact Wear of Materials*. Elsevier.
- Fayyad, M. , E., Nabhan, F., & Abdullah, M. , A. (2024). Focused review on graphitic carbon nitride (G-C3N4) in corrosion and erosion applications. *Coatings*, 14(12).
- Finnie, I. (1960). *EROSION OF SURFACES BY SOLID PARTICLES*.
- Finnie, I. (1966). *On the Ductile Behavior of Nominally Brittle Materials During Erosive Cutting*. <http://asme.org/terms>
- Fischer, T. E., & Mullins, W. M. (1992). Chemical Aspects of Ceramic Tribology. In *J. Phys. Chem* (Vol. 96).
- Fouvry, S., Kapsa, P., & Vincent, L. (2001). An elastic-plastic shakedown analysis of fretting wear. In *Wear* (Vol. 247).

- Fuadi, Z., & Rahmadiawan, D. (2023). *Tribologi Pelumasan: Pelumas Terbaru* (M. Muchamad Khamdan, Ed.). Syiah Kuala University Press.
- Gangil, N., Mishra, A., Lone, N. F., Bajaj, D., Chen, D., Haider, J., Chen, X., Konovalov, S., & Siddiquee, A. N. (2024). Linear friction welding of similar and dissimilar materials: A Review. *Metals and Materials International*, 31(1), 1–21.
- García, I., Drees, D., & Celis, J. P. (2001). Corrosion-wear of passivating materials in sliding contacts based on a concept of active wear track area. In *Wear* (Vol. 249).
- Garton, A., Stevenson, W. T. K., & Mclean, P. D. (1986). *The Stability of Polymers in Low Earth Orbit*.
- Gellman, A. J., & Spencer, N. D. (2005). *Wear – Materials, Mechanisms and Practice*.
- Gong, F., Zhao, J., Ni, X., Liu, C., Sun, J., & Zhang, Q. (2019). Wear and breakage of coated carbide tool in milling of H13 steel and SKD11 hardened steel. *SN Applied Sciences*, 1(9). <https://doi.org/10.1007/s42452-019-1152-6>
- Goodwin, J. E., Sage, M. W., & Tilly, P. (1969). *COMBUSTION ENGINES GROUP STUDY OF EROSION BY SOLID PARTICLES*.
- Hendra Purba, R. (2023). *Abrasive and erosive wear behavior of high chromium based multicomponent white cast irons*. <https://doi.org/10.15118/00010892>
- Hengyun, J., Fengzhen, Z., Shiyun, L. I., & Chenzhao, H. (1986). THE ROLE OF SAND PARTICLES ON THE RAPID DESTRUCTION OF THE CAVITATION ZONE OF HYDRAULIC TURBINES*. In *Wear* (Vol. 112).
- Hojo, H., Tsuda, K., & Yabu, T. (1986). EROSION DAMAGE OF POLYMERIC MATERIAL BY SLURRY. In *Wear* (Vol. 112).
- Holmberg, K., & Matthews, A. (2009). *Coatings Tribology: Properties, Techniques and Applications in Surface Engineering*.
- Holmes, D. R., & Pascoe, R. T. (1956). 859 Holmes and Pascoe: Strain/Oxidation Interactions in Steels and Model Alloys cu 0 CU20 StrainIOxidation Interactions in Steels and Model Alloys"). In *W. K. Appleby and R. F. Tylecote. Corr. Sci* (Vol. 243).

- Hou, L. F., Wei, Y. H., Li, Y. G., Liu, B. S., Du, H. Y., & Guo, C. L. (2013). Erosion process analysis of die-casting inserts for magnesium alloy components. *Engineering Failure Analysis*, 33, 457–464. <https://doi.org/10.1016/j.engfailanal.2013.06.018>
- Hsu, S. M., & Klaus, E. E. (1978). Estimation of the molecular junction temperatures in four-ball contacts by chemical reaction rate studies. *ASLE Transactions*, 21(3), 201–210. <https://doi.org/10.1080/05698197808982875>
- Hsu, S. M., & Shen, M. C. (2005). *Wear – Materials, Mechanisms and Practice*.
- Huq, M. J., Shimizu, K., Kusumoto, K., Gaqi, Y., & Purba, R. H. (2024). Erosive Wear Characteristics of High Cr Multi-Component White Cast Irons at Elevated Temperature. *International Journal of Metalcasting*. <https://doi.org/10.1007/s40962-024-01484-5>
- Hutchings, I. M. (2002). Abrasion processes in wear and manufacturing. *Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology*, 216(2), 55–62. <https://doi.org/10.1243/1350650021543898>
- Hutchings, I., & Shipway, P. (2017). *Tribology: Friction and Wear of Engineering Materials*. Butterworth-Heinemann.
- Ia Monaca, A., Murray, J. W., Liao, Z., Speidel, A., Robles-Linares, J. A., Axinte, D. A., Hardy, M. C., & Clare, A. T. (2021). Surface integrity in metal machining - Part II: Functional performance. In *International Journal of Machine Tools and Manufacture* (Vol. 164). Elsevier Ltd. <https://doi.org/10.1016/j.ijmachtools.2021.103718>
- Iwai, Y., & Li, S. (2003). Cavitation erosion in waters having different surface tensions. In *Wear* (Vol. 254).
- Jamari, Ismail, R., & Tauviqirrachman, M. (2011). TRIBOLOGY-BASED ENERGY EFFICIENCY. In *Seminar Nasional Teknologi Informasi & Komunikasi Terapan*.
- Jamari, J., & Schipper, D. J. (2013). A test method to study the change in surface topography due to running-in of a rolling contact. *Lubrication Science*, 25(5), 369–377. <https://doi.org/10.1002/ls.1208>

- James Denis Summers-Smith. (1994). *An Introductory Guide to Industrial Tribology*. Mechanical Engineering Publications Ltd.
- Jing, L., Chen, M., & An, Q. (2021). Study on performance of PVD Al₂O₃ coatings and Al₂O₃-based composite coatings in dry end milling of hardened steel SKD11. *Metals*, 11(12).
- John Moubray. (1993). *Reliability-centred maintenance*. Butterworth-Heinemann.
- Johnson, R. W. (1968). *The use of the scanning electron microscope to study the deterioration of abrasive papers*.
- Jones, D. B., & Hurricks, P. L. (1995). Rolling bearing materials. *Tribology Handbook*.
- Jost, H. P. (1996). *Lubrication (Tribology): Lubrication and Research*. Department of Education and Science.
- Karimi, A., & Avellan, F. (1986). COMPARISON OF EROSION MECHANISMS IN DIFFERENT TYPES OF CAVITATION. In *Wear* (Vol. 113).
- Kimura, Y. (1983). Mechanisms of Wear - the Present State of Our Understanding. *Transactions JSLE*, 28, 709–714.
- Ku, P. M. (1978). *Energy conservation through Tribology*.
- Kumbasaroglu, H., & Kumbasaroglu, A. (2025). Applicability of agro-waste materials in structural systems for building construction: A scoping review. *Applied Sciences*, 15(15).
- Levy, A., & Man, Y.-F. (1986). SURFACE DEGRADATION OF DUCTILE METALS IN ELEVATED TEMPERATURE GAS-PARTICLE STREAMS. In *Wear* (Vol. 111).
- Levy, A. V., & Hickey, G. (1987). LIQUID-SOLID PARTICLE SLURRY EROSION OF STEELS*. In *Wear* (Vol. 117).
- Levy, A. V., Jee, N., & Yau, P. (1987). EROSION OF STEELS IN COAL-SOLVENT SLURRIES*. In *Wear* (Vol. 117).
- Lim', S. C., & Ashby', M. F. (1987). OVERVIEW NO. 55 WEAR-MECHANISM MAPS. In *Acta metal* (Vol. 35, Issue I).
- Machado, A. R., da Silva, L. R., Pimenov, D. Yu., de Souza, filipe chagas, Kuntoğlu, M., & de paiva, R. L. (2024). Comprehensive review of advanced methods for

- improving the parameters of machining steels. *Journal of Manufacturing Processes*, 111–142.
- Mailander, R., & Dies, K. (1943). Contributions to Investigation in the Process Taking Place during Wear. *Arch. Eisenhuettenwissenschaft*, 16, 385–398.
- Martin, F. A., & Garner, D. R. (1983). *4 DESIGN OF PLAIN BEARINGS Use of Bearing Data Design Charts*.
- Masuko, M. K., Akatsuka, H. O., & Tokyo, W. E. (1989). *Effect of Sulphur-type Extreme-Pressure Additives on Wear in Rolling-sliding Contact*.
- Michael Allen Adjelian Allen Rubeli Ltd, C., Avery Consultant, H., Babu Caterpillar, P., Bayer Teledyne Vasco, A. M., Boehm Nucor Steel, K. W., Brentnall Solar Turbines, W., Brinkman, C., Bueche USS, E. J., Steel Company, K., Burrier, H., The Timken Company, J., Cantwell, A., Carlucci Lorlea Steels, M., Charalambu Carr, H., Associates, D., Davis McDonnell Douglas, J. W., & Dawson, R. (1990). *ASM Handbook. volume 1, properties and selection: Irons, Steels, and high-performance alloys*.
- Misra, A., & Finnie, I. (1980). A CLASSIFICATION OF THREE-BODY ABRASIVE WEAR AND DESIGN OF A NEW TESTER*. In *Wear* (Vol. 60). Elsevier Sequoia S.A.
- Mondal, S., & Goswami, S. S. (2024). Examining the critical aspects of gas turbine blade failures caused by erosion using computational models: A comprehensive review. *International Journal of AI for Materials and Design*, 1(3).
- Motaharinia, A., Drelich, J. W., Goldman, J., Bakhsheshi-Rad, H. R., Sharif, S., Ismail, A. F., & Razzaghi, M. (2024). Current status and recent advances in magnesium-matrix syntactic foams: Preparation, mechanical properties, and corrosion behavior. *Journal of Materials Research and Technology*, 30, 8316–8344. <https://doi.org/10.1016/j.jmrt.2024.05.191>
- Neale, M. J. (1967). *SELECTION OF BEARINGS*.
- Neale, M. J. (1995). *The Tribology Handbook (ed M.J. Neale)* (M. J. Neale, Ed.). Butterworth-Heinemann.

- Neilson, J. H., & Gilchrist, A. (1968). *Wear-Elsevier Sequoia S.A., Lausanne-Printed in the Netherlands III EROSION BY A STREAM OF SOLID PARTICLES*.
- Neville, A., & Morina, A. (2005). *Wear and Chemistry of Lubricants 5.1 Encountering Wear in Tribological Contacts*.
- Ohnuki, A. (1983). Deformation Processing. *JSLE Transactions*, 28, 53–56.
- Pinkus, O., & Wilcock, D. F. (1977). *Strategy for Energy Conservation through Tribology*. ASME.
- Pinto Junior, A. F., Teixeira, R. L. P., & Silva, P. C. D. (2024). Advances in Heat Treatment and Microstructural Optimization of Hadfield Steel for Enhanced Wear Resistance. *Revista de Gestão Social e Ambiental*, 18(11), e09651. <https://doi.org/10.24857/rgsa.v18n11-206>
- Preece, C. M., & Brunton, J. H. (1980). A COMPARISON OF LIQUID IMPACT EROSION AND CAVITATION EROSION. In *Wear* (Vol. 60). Elsevier Sequoia S.A.
- Purba, R. H., Shimizu, K., Kusumoto, K., Todaka, T., Shirai, M., Hara, H., & Ito, J. (2021). Erosive wear characteristics of high-chromium based multi-component white cast irons. *Tribology International*, 159. <https://doi.org/10.1016/j.triboint.2021.106982>
- Quinn, T. F. J. (1967). *DRY WEAR OF STEEL AS REVEALED BY ELECTRON MICROSCOPY AND X-RAY DIFFRACTION*.
- Quinn, T. F. J., Rowson, D. M., & Sullivan, J. L. (1980). *APPLICATION OF THE OXIDATIONAL THEORY OF MILD WEAR TO THE SLIDING WEAR OF LOW ALLOY STEEL**.
- Rajan, B. S. (1999). *Cost benefit analysis of condition monitoring in batch process plants*. University of Wales Swansea.
- Rao, B. K. N. (1996). *Handbook of Condition Monitoring*. Elsevier Advanced Technology.
- Reed-Hill, R. E., & Abbaschian, R. (2008). *Physical metallurgy principles* (4th ed.). Thomson.

- Rengstorff, G. W. P., Miyoshi, K., & Buckley, D. H. (1986). Interaction of sulfuric acid corrosion and mechanical wear of iron. *ASLE Transactions*, 29(1), 43–51. <https://doi.org/10.1080/05698198608981658>
- Reza Kashyzadeh, K., Ridha, K. W., & Ghorbani, S. (2025). The influence of nanocoatings on the wear, corrosion, and erosion properties of Aisi 304 and Aisi 316L Stainless Steels: A critical review regarding Hydro Turbines. *Corrosion and Materials Degradation*, 6(1).
- Rice, S. L. (1979). THE ROLE OF MICROSTRUCTURE IN THE IMPACT WEAR OF TWO ALUMINUM ALLOYS. In *Wear* (Vol. 54). Elsevier Sequoia S.A.
- Roylance, B. J. (2005). *Machine Failure and Its Avoidance-Tribology's Contribution to Effective Maintenance of Critical Machinery*.
- Saefuloh, I., Zahrawani, A., Adjiantoro, B., & Diterima, N. (2018). Pengaruh Proses Quenching Dan Tempering Terhadap Sifat Mekanik Dan Struktur Mikro Baja Karbon Rendah Dengan Paduan Laterit: Vol. IV (Issue 1). <http://jurnal.untirta.ac.id/index.php/jwl>
- Salas-Reyes, A. E., & Altamirano-Guerrero, G. (2025). Emerging ferrous alloys. *Advances in Material Research and Technology*, 1–40.
- Saputra, I., Ariyanto, N. P., & Febri, M. (2020). Pengaruh Temperatur Tempering Terhadap Pembentukan Struktur Mikro Dan Kekerasan Baja Skd 11 Untuk Tool Steel. In *Jurnal Teknologi dan Riset Terapan (JATRA)* (Vol. 2, Issue 1). <http://jurnal.polibatam.ac.id/index.php/JATRA>, <https://jurnal.polibatam.ac.id/index.php/JATRA>
- Sasada, T., & Oike, M. (1984). THE EFFECT OF ABRASIVE GRAIN SIZE ON THE TRANSITION BETWEEN ABRASIVE AND ADHESIVE WEAR*. In *Wear*.
- Sasaki, S. (2010). Environmentally friendly tribology (Eco-tribology). *Journal of Mechanical Science and Technology*, 24(1), 67–71. <https://doi.org/10.1007/s12206-009-1154-1>
- Sharp, R. B. (1962). Plant Siica: An Abrasive Constituent of Plant Matter. *Agricultural Engineering Research*, 7, 214–220.

- Shida, Y., & Fujikawa, H. (1985). *PARTICLE EROSION BEHAVIOUR OF BOILER TUBE MATERIALS AT ELEVATED TEMPERATURE* (Vol. 103).
- Shigley, J. E., Mitchell, L. D., & Harahap, G. (1994). *Perancangan Teknik Mesin, edisi keempat jilid 1*.
- Soda, N., Kimura, Y., & Tanaka, A. (1975). WEAR OF SOME F.C.C. METALS DURING UNLUBRICATED SLIDING PART I. EFFECTS OF LOAD, VELOCITY AND ATMOSPHERIC PRES-SURE ON WEAR. In *Wear* (Vol. 33). Elsevier Sequoia S.A.
- Soleha, O. P., Program, S., Pendidikan, T., Mesin, F., & Keguruan, D. (2021). *PENGARUH TEMPERATUR PADA PROSES PACK CARBURIZING TERHADAP KEKERASAN BAJA AISI 1045 DENGAN MEDIA ARANG KAYU GELAM*.
- Spikes, H. A. (1998). Some challenges to Tribology posed by energy efficient technology. *Tribology Series*, 34, 35–47. [https://doi.org/10.1016/s0167-8922\(98\)80060-6](https://doi.org/10.1016/s0167-8922(98)80060-6)
- Stachowiak, G. W. . (2006). *Wear : Materials, Mechanisms and Practice*. John Wiley & Sons.
- Stachowiak, G. W., & Batchelor, A. W. (1987). Dimensional Analysis Modelling Tribological Data. *National Conference Publication*, 255–259.
- Stachowiak, G. W., Stachowiak, G. B., De, D., & Podsiadlo, P. (2005). *Characterization and Classification of Abrasive Particles and Surfaces*.
- Stachowiak W., G., & Batchelor W., A. (2005). *Engineering Tribology Third Edition*.
- Stephenson, D. J., Nicholls, J. R., & Hancock, P. (1986). PARTICLE-SURFACE INTERACTIONS DURING THE EROSION OF A GAS TURBINE MATERIAL (MarM002) BY PYROLYTIC CARBON PARTICLES. In *Wear* (Vol. 111).
- Suh, N. P., Sin, H.-C., Tohkai, M., & Saka, N. (1980). *Surface Topography and Functional Requirements for Dry Sliding Surfaces*.
- Swick, K. J., Stachowiak, G. W., & Batchelor, A. W. (1992). *Mechanism of wear of rotary-percussive drilling bits and the effect of rock type on wear*.

- Tabakoff, W. (1987). STUDY OF SINGLE-STAGE AXIAL FLOW COMPRESSOR PERFORMANCE DETERIORATION. In *Wear* (Vol. 119).
- Taisho Hasegawa. (2008). *Tribology Research Trends* (UK ed.). Nova Science Pub Inc.
- Tao, F. F. (1969). A study of oxidation phenomena in corrosive wear. *ASLE Transactions*, 12(2), 97–105. <https://doi.org/10.1080/05698196908972251>
- Tomlinson, W. J., & Talks, M. G. (1989). CAVITATION EROSION OF LASER SURFACE MELTED PHOSPHORIC GREY IRONS. In *Wear* (Vol. 129).
- Trent, E. M. (1977). *Metal Cutting*. Butterworths.
- Wang, B., Zhu, D., Zhang, C., Zhou, X., Wu, H., Wang, S., Wu, G., Gao, J., Zhao, H., & Mao, X. (2024). Influence of typical elements and heat treatment parameters on hardenability in steel: A Review. *Journal of Iron and Steel Research International*.
- Whitehouse, D. J. (1994). *Handbook of Surface Metrology* (1st ed.). CRC Press.
- Williams, J. A. (1994). *Engineering tribology*. Oxford University Press.
- Wilson, J. E., Stott, F. H., & Wood, G. C. (1980). DEVELOPMENT OF WEAR-PROTECTIVE OXIDES AND THEIR INFLUENCE ON SLIDING FRICTION. *Proceedings of The Royal Society of London, Series A: Mathematical and Physical Sciences*, 369(1739), 557–574. <https://doi.org/10.1098/rspa.1980.0016>
- Yegmanst, J. A., & Pagew, ' F. (1989). THE CHEMICAL STABILITY OF CERAMIC C~JTting TOOL MATERIALS EXPOSED TO LIQUID METALS*. In *Wear* (Vol. 131).
- Yust, C. S., & Crouse, R. S. (1978). Short Communication Melting at particle impact sites during erosion of ceramics*. In *Wear* (Vol. 51).
- Zayadi, A., Setyawan, E. T., & Program Studi Teknik Mesin Fakultas Teknik dan Sains, D. (2022). *Pengaruh Waktu Tempering terhadap Karakter Baja s45c Pasca Quenching pada 950 o c dan Tempering 500 o c* (Vol. 12520, Issue 2).
- Zhang, L., Cui, J., Chen, Z., Jing, X., Liu, Y., He, B., & Cang, D. (2025). Recycling of carbonated steel slag in building materials: Recycling pathways and recent advances. *Journal of Building Engineering*.

- Zhang, Y., Yang, J., Xiao, D., Luo, D., Tuo, C., & Wu, H. (2022). Effect of Quenching and Tempering on Mechanical Properties and Impact Fracture Behavior of Low-Carbon Low-Alloy Steel. *Metals*, 12(7). <https://doi.org/10.3390/met12071087>
- Zum Gahr, K.-H. (2010). *Microstructure and wear of materials Karl-Heinz Zum Gahr*. Elsevier.