

DAFTAR PUSTAKA

- Ahmad, M., Mehta, P., Reddivari, A. K. R., & Mungee, S. (2025). Percutaneous Coronary Intervention. In *StatPearls*. StatPearls Publishing. <http://www.ncbi.nlm.nih.gov/books/NBK556123/>
- Alghairi, M., Sulaiman, N., & Mutashar, S. (2020). Health Care Monitoring and Treatment for Coronary Artery Diseases: Challenges and Issues. *Sensors*, 20. <https://doi.org/10.3390/s20154303>
- Alizadeh, K., Pournalizadeh, S., Parchami-Ghazaei, S., Zavvarehee, A., Abdi, S., Shakerian, F., Ghadrdoost, B., Khaleghparast, S., Salehi, N., Firouzi, A., & Maadani, M. (2013). Periprocedural hemoglobin changes and myocardial injury in patients undergoing percutaneous coronary intervention. *Research in Cardiovascular Medicine*, 2(3), 109–113. <https://doi.org/10.5812/cardiovascmed.9595>
- Ammirati, E., & Dobrev, D. (2018). Conventional Troponin-I versus high-sensitivity troponin-T: Performance and incremental prognostic value in non-ST-elevation acute myocardial infarction patients with negative CK-MB based on a real-world multicenter cohort. *International Journal of Cardiology. Heart & Vasculature*, 20, 38–39. <https://doi.org/10.1016/j.ijcha.2018.07.002>
- Anand, A., Lee, K. K., Chapman, A. R., Ferry, A. V., Adamson, P. D., Strachan, F. E., Berry, C., Findlay, I., Cruikshank, A., Reid, A., Collinson, P. O., Apple, F. S., McAllister, D. A., Maguire, D., Fox, K. A. A., Newby, D. E., Tuck, C., Harkess, R., Keerie, C., ... on behalf of the HiSTORIC Investigators. (2021). High-Sensitivity Cardiac Troponin on Presentation to Rule Out Myocardial Infarction: A Stepped-Wedge Cluster Randomized Controlled Trial. *Circulation*, 143(23), 2214–2224. <https://doi.org/10.1161/CIRCULATIONAHA.120.052380>
- Awad Hegazy, A. (2022). Myocardial Infarction: Risk Factors, Pathophysiology, Classification, Assessment and Management. *Cardiology Research and Reports*, 4(5), 01–11. <https://doi.org/10.31579/2692-9759/056>
- Badan Kebijakan Pembangunan Kesehatan. (2023). *Survei Kesehatan Indonesia 2023 Dalam Angka*.
- Bhat, A. G., Singh, M., Patlolla, S. H., Belford, P. M., Zhao, D. X., & Vallabhajosyula, S. (2022). Hospitalization Duration for Acute Myocardial Infarction: A Temporal Analysis of 18-Year United States Data. *Medicina (Kaunas, Lithuania)*, 58(12), 1846. <https://doi.org/10.3390/medicina58121846>
- Bostan, M.-M., Stătescu, C., Anghel, L., Șerban, I., Cojocaru, E., & Sascău, R. (2020). Post-Myocardial Infarction Ventricular Remodeling Biomarkers—

The Key Link between Pathophysiology and Clinic. *Biomolecules*, 10. <https://doi.org/10.3390/biom10111587>

- Byrne, R. A., Rossello, X., Coughlan, J. J., Barbato, E., Berry, C., Chieffo, A., Claeys, M. J., Dan, G.-A., Dweck, M. R., Galbraith, M., Gilard, M., Hinterbuchner, L., Jankowska, E. A., Jüni, P., Kimura, T., Kunadian, V., Leosdottir, M., Lorusso, R., Pedretti, R. F. E., ... ESC Scientific Document Group. (2023). 2023 ESC Guidelines for the management of acute coronary syndromes: Developed by the task force on the management of acute coronary syndromes of the European Society of Cardiology (ESC). *European Heart Journal*, 44(38), 3720–3826. <https://doi.org/10.1093/eurheartj/ehad191>
- Carvalho, G., & Rassi, S. (2016). The Prognostic Value of CK-MB in Acute Myocardial Infarction in Developing Countries: A Descriptive Study. *Angiology: Open Access*, 4(3), 1–7. <https://doi.org/10.4172/2329-9495.1000183>
- Celik, T., Balta, S., Demir, M., Yildirim, A. O., Kaya, M. G., Ozturk, C., Demirkol, S., Unlu, M., Kılıc, S., Aydın, İ., & Iysoy, A. (2016). Predictive value of admission red cell distribution width-platelet ratio for no-reflow phenomenon in acute ST segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. *Cardiology Journal*, 23(1), 84–92. <https://doi.org/10.5603/CJ.a2015.0070>
- Chang, X.-W., Zhang, S.-Y., Wang, H., Zhang, M.-M., Zheng, W.-F., Ma, H.-F., Gu, Y.-F., Wei, J.-H., & Qiu, C.-G. (2018). Combined value of red blood cell distribution width and global registry of acute coronary events risk score on predicting long-term major adverse cardiac events in STEMI patients undergoing primary PCI. *Oncotarget*, 9(17), 13971–13980. <https://doi.org/10.18632/oncotarget.24128>
- Chen, H.-C., Lee, W.-C., Fang, H.-Y., Fang, C.-Y., Chen, C.-J., Yang, C.-H., & Wu, C.-J. (2020). Impact of high triglyceride/high-density lipoprotein cholesterol ratio (insulin resistance) in ST-segment elevation myocardial infarction. *Medicine*, 99(43), e22848. <https://doi.org/10.1097/MD.00000000000022848>
- Chen, Y., Chang, Z., Liu, Y., Zhao, Y., Fu, J., Zhang, Y., Liu, Y., & Fan, Z. (2022). Triglyceride to high-density lipoprotein cholesterol ratio and cardiovascular events in the general population: A systematic review and meta-analysis of cohort studies. *Nutrition, Metabolism and Cardiovascular Diseases*, 32(2), 318–329. <https://doi.org/10.1016/j.numecd.2021.11.005>
- Chen, Y., Tao, Y., Zhang, L., Xu, W., & Zhou, X. (2019). Diagnostic and prognostic value of biomarkers in acute myocardial infarction. *Postgraduate Medical Journal*, 95, 210–216. <https://doi.org/10.1136/postgradmedj-2019-136409>

- Collet, J.-P., Thiele, H., Barbato, E., Barthélémy, O., Bauersachs, J., Bhatt, D. L., Dendale, P., Dorobantu, M., Edvardsen, T., Folliguet, T., Gale, C. P., Gilard, M., Jobs, A., Jüni, P., Lambrinou, E., Lewis, B. S., Mehilli, J., Meliga, E., Merkely, B., ... ESC Scientific Document Group. (2021). 2020 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation: The Task Force for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation of the European Society of Cardiology (ESC). *European Heart Journal*, 42(14), 1289–1367. <https://doi.org/10.1093/eurheartj/ehaa575>
- Dahlan, M. S. (2018). *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*. Penerbit Salemba Medika.
- Daniel, D., Saputra, F., Bagaswoto, H. P., & Setianto, B. Y. (2022). Association between the level of high-sensitivity troponin I (Hs-Trop I) and major adverse cardiovascular events in patients with acute myocardial infarction of segment elevation (STEMI) with primary percutaneous coronary intervention (PCI). *Journal of the Medical Sciences (Berkala Ilmu Kedokteran)*, 54(1). <https://doi.org/10.19106/JMedSci005401202203>
- Engel Gonzalez, P., Omar, W., Patel, K. V., de Lemos, J. A., Bavry, A. A., Koshy, T. P., Mulasari, A. S., Alexander, T., Banerjee, S., & Kumbhani, D. J. (2020). Fibrinolytic Strategy for ST-Segment–Elevation Myocardial Infarction. *Circulation: Cardiovascular Interventions*, 13(9), e009622. <https://doi.org/10.1161/CIRCINTERVENTIONS.120.009622>
- Francisco, J., & Re, D. P. D. (2023). Inflammation in Myocardial Ischemia/Reperfusion Injury: Underlying Mechanisms and Therapeutic Potential. *Antioxidants*, 12. <https://doi.org/10.3390/antiox12111944>
- Gürgöze, M. T., Akkerhuis, K. M., Oemrawsingh, R. M., Umans, V. A. W. M., Kietselaer, B., Schotborgh, C. E., Ronner, E., Lenderink, T., Aksoy, I., van der Harst, P., Asselbergs, F. W., Maas, A. C., Oude Ophuis, A. J., Krenning, B., de Winter, R. J., The, S. H. K., Wardeh, A. J., Hermans, W. R. M., Cramer, G. E., ... Boersma, E. (2023). Serially measured high-sensitivity cardiac troponin T, N-terminal-pro-B-type natriuretic peptide, high-sensitivity C-reactive protein, and growth differentiation factor 15 for risk assessment after acute coronary syndrome: The BIOMArCS cohort. *European Heart Journal. Acute Cardiovascular Care*, 12(7), 451–461. <https://doi.org/10.1093/ehjacc/zuad042>
- Haizler, A., Loutati, R., Taha, L., Karmi, M., Deeb, D., Manassra, M., Fink, N., Sabouret, P., S. Rana, J., Mamas, M. A., Rabi, O., Brin, A., Moatz, A., Shrem, M., Qadan, A., Levi, N., Glikson, M., & Asher, E. (2025). Kinetics of High-Sensitive Cardiac Troponin I in Patients with ST-Segment Elevation Myocardial Infarction and Non-ST Segment Elevation Myocardial Infarction. *Diagnostics*, 15(18), 2390. <https://doi.org/10.3390/diagnostics15182390>

- Hartanto, G. C. (2020). *Hubungan antara Anemia dan Lama Rawat Inap pada Pasien dengan Infark Miokard Akut*. <https://digilib.uns.ac.id/dokumen/72342/Hubungan-antara-Anemia-dean-Lama-Rawat-Inap-pada-Pasien-dengan-Infark-Miokard-Akut>
- Heusch, G., & Gersh, B. (2016). The pathophysiology of acute myocardial infarction and strategies of protection beyond reperfusion: A continual challenge. *European Heart Journal*, 38 11, 774–784. <https://doi.org/10.1093/eurheartj/ehw224>
- Hoang, T. H., X, X. Ч., Maiskov, V. V., B, M. B., Merai, I. A., A, M. И., Kobalava, Z. D., & Д, K. Ж. (2025). Prognostic value of red cell distribution width in acute myocardial infarction. *RUDN Journal of Medicine*, 29(2), 143–152. <https://doi.org/10.22363/2313-0245-2025-29-2-143-152>
- Isik, T., Ayhan, E., Uluganyan, M., Gunaydin, Z. Y., & Uyarel, H. (2016). Predictors of Prolonged In-Hospital Stay After Primary Percutaneous Coronary Intervention for ST-Elevation Myocardial Infarction. *Angiology*, 67(8), 756–761. <https://doi.org/10.1177/0003319715617075>
- Kanzaki, Y., Minamisawa, M., Motoki, H., Suzuki, S., Okuma, Y., Kanai, M., Machida, K., Kimura, K., Ueki, Y., Yoshie, K., Oguchi, Y., Kato, T., Saigusa, T., Ebisawa, S., Okada, A., & Kuwahara, K. (2025). Prognostic Impact of the Ratio of Hemoglobin to Red Blood Cell Distribution Width in Patients after Acute Decompensated Heart Failure. *Internal Medicine (Tokyo, Japan)*, 64(6), 807–816. <https://doi.org/10.2169/internalmedicine.3691-24>
- Kementerian Kesehatan RI. (2018). *Laporan Nasional RISKESDAS 2018*.
- Khalista, S. N., Magdaleni, A. R., & Asmoro, D. P. (2020). Hubungan Kadar Troponin T dengan Lama Perawatan dan Mortalitas Selama Perawatan pada Pasien Infark Miokard Akut di RSUD Abdul Wahab Sjahranie Samarinda. *Jurnal Sains dan Kesehatan*, 2(4), 432–437.
- Khullar, N., Buckley, A. J., O'Connor, C., Ibrahim, A., Ibrahim, A., Ahern, C., Cahill, C., Arnous, S., & Kiernan, T. J. (2022). Peak troponin T in STEMI: A predictor of all-cause mortality and left ventricular function. *Open Heart*, 9(1), e001863. <https://doi.org/10.1136/openhrt-2021-001863>
- Kılıç, O., Mustu, M., Suygun, H., Con, E., Karakurt, A., & Özer, S. F. (2024). Hemoglobin/Red Cell Distribution Width Ratio is Associated With Poor Prognosis in Patients With Acute Coronary Syndrome in Long-Term Follow-Up. *Int J Cardiovasc Sci*, 37. <https://doi.org/10.36660/ijcs.20230099>
- Kosmas, C. E., Rodriguez Polanco, S., Bousvarou, M. D., Papakonstantinou, E. J., Peña Genao, E., Guzman, E., & Kostara, C. E. (2023). The Triglyceride/High-Density Lipoprotein Cholesterol (TG/HDL-C) Ratio as a

Risk Marker for Metabolic Syndrome and Cardiovascular Disease. *Diagnostics*, 13(5), 929. <https://doi.org/10.3390/diagnostics13050929>

- Kumar, A., Connelly, K., Vora, K., Bainey, K. R., Howarth, A., Leipsic, J., Betteridge-LeBlanc, S., Prato, F. S., Leong-Poi, H., Main, A., Atoui, R., Saw, J., Larose, E., Graham, M. M., Ruel, M., & Dharmakumar, R. (2024). The Canadian Cardiovascular Society Classification of Acute Atherothrombotic Myocardial Infarction Based on Stages of Tissue Injury Severity: An Expert Consensus Statement. *Canadian Journal of Cardiology*, 40(1), 1–14. <https://doi.org/10.1016/j.cjca.2023.09.020>
- Lee, S. I., Lee, S. Y., Choi, C. H., Park, C.-H., Park, K. Y., & Son, K. H. (2018). Relation between changes in red blood cell distribution width after coronary artery bypass grafting and early postoperative morbidity. *Journal of Thoracic Disease*, 10(7), 4244–4254. <https://doi.org/10.21037/jtd.2018.06.108>
- Lv, J., Zhao, Q., Yang, J., Gao, X., Zhang, X., Ye, Y., Dong, Q., Fu, R., Sun, H., Yan, X., Li, W., Yang, Y., Xu, H., & China Acute Myocardial Infarction Registry Study Group. (2021). Length of Stay and Short-Term Outcomes in Patients with ST-Segment Elevation Myocardial Infarction After Primary Percutaneous Coronary Intervention: Insights from the China Acute Myocardial Infarction Registry. *International Journal of General Medicine*, 14, 5981–5991. <https://doi.org/10.2147/IJGM.S330379>
- Mair, J. (2025). The Pathophysiology of Cardiac Troponin Release and the Various Circulating Cardiac Troponin Forms—Potential Clinical Implications. *Journal of Clinical Medicine*, 14(12), Article 12. <https://doi.org/10.3390/jcm14124241>
- Martins, O. M., Fonseca, V. F., Borges, I., Martins, V., Portal, V. L., & Pellanda, L. C. (2010). C-Reactive protein predicts acute myocardial infarction during high-risk noncardiac and vascular surgery. *Clinics*, 66(5), 773–776. <https://doi.org/10.1590/S1807-59322011000500011>
- Mechanic, O. J., Gavin, M., & Grossman, S. A. (2025). Acute Myocardial Infarction. In *StatPearls*. StatPearls Publishing. <http://www.ncbi.nlm.nih.gov/books/NBK459269/>
- Mirbolouk, F., Salari, A., Gholipour, M., Nikfarjam, S., Pourbahador, R., Mohamadnia, H., & Akbari-Parsa, N. (2020). The factors related to hospitalization period in patients with acute myocardial infarction treated after primary percutaneous coronary intervention. *ARYA Atherosclerosis Journal*, 16(3), 115–122. <https://doi.org/10.22122/arya.v16i3.1915>
- Moady, G., Perlmutter, S., & Atar, S. (2022). The Prognostic Value of Natriuretic Peptides in Stable Patients with Suspected Acute Myocarditis: A Retrospective Study. *Journal of Clinical Medicine*, 11(9), 2472. <https://doi.org/10.3390/jcm11092472>

- Mozaffarian, D., Benjamin, E. J., Go, A. S., Arnett, D. K., Blaha, M. J., Cushman, M., Das, S. R., de Ferranti, S., Després, J.-P., Fullerton, H. J., Howard, V. J., Huffman, M. D., Isasi, C. R., Jiménez, M. C., Judd, S. E., Kissela, B. M., Lichtman, J. H., Lisabeth, L. D., Liu, S., ... Stroke Statistics Subcommittee. (2016). Heart Disease and Stroke Statistics-2016 Update: A Report From the American Heart Association. *Circulation*, *133*(4), e38-360. <https://doi.org/10.1161/CIR.0000000000000350>
- Mullins, K. E., & Christenson, R. H. (2020). Optimal Detection of Acute Myocardial Injury and Infarction with Cardiac Troponin: Beyond the 99th Percentile, into the High-Sensitivity Era. *Current Cardiology Reports*, *22*(9), 101. <https://doi.org/10.1007/s11886-020-01350-w>
- Park, D. Y., An, S., Jolly, N., Attanasio, S., Yadav, N., Rao, S., & Vij, A. (2022). Systematic Review and Network Meta-Analysis Comparing Bifurcation Techniques for Percutaneous Coronary Intervention. *Journal of the American Heart Association*, *11*(12), e025394. <https://doi.org/10.1161/JAHA.122.025394>
- Patil, S., Rojulpote, C., Gonuguntla, K., Karambelkar, P., Bhattaru, A., Raynor, W. Y., Borja, A. J., Vuthaluru, K., Zhang, V., Werner, T. J., Gerke, O., Høilund-Carlsen, P. F., & Alavi, A. (2020). Association of triglyceride to high density lipoprotein ratio with global cardiac microcalcification to evaluate subclinical coronary atherosclerosis in non-diabetic individuals. *American Journal of Cardiovascular Disease*, *10*(3), 241–246.
- Perek, B., Rzymiski, P., Komosa, A., Ołasińska-Wiśniewska, A., Puślecki, M., Jemielity, M., Lesiak, M., Aboul-Hassan, S. S., Stankowski, T., Xia, Z., Stelmark, K., Siller-Matula, J., & Poniedziałek, B. (2023). Mean platelet volume-to-platelet count ratio after elective cardiac surgical procedures is superior in reflecting platelets metabolic hyperactivity compared to other routine morphological platelet indices: A preliminary report. *Cardiology Journal*, *30*(6), Article 6. <https://doi.org/10.5603/CJ.a2021.0150>
- Perhimpunan Dokter Spesialis Kardiovaskular Indonesia (PERKI). (2024). *Pedoman Tatalaksana Sindrom Koroner Akut*.
- Potter, J. M., Hickman, P. E., & Cullen, L. (2022). Troponins in myocardial infarction and injury. *Australian Prescriber*, *45*(2), 53–57. <https://doi.org/10.18773/austprescr.2022.006>
- Price, J., Rudman, J., Schoenfeld, D., Thomas, S. A., Rees, P., Bloom, B., McCartin, M., Blumen, I., & Thomas, S. H. (2023). Survivorship With Incrementally Faster Times to Primary Percutaneous Coronary Intervention (SWIFT-PPCI): A Systematic Review and Meta-Analysis. *The American Journal of Cardiology*, *207*, 356–362. <https://doi.org/10.1016/j.amjcard.2023.08.178>
- Pusuroglu, H., Cakmak, H. A., Akgul, O., Erturk, M., Surgit, O., Akkaya, E., Bulut, U., & Yildirim, A. (2015). The prognostic value of admission red cell

distribution width-to-platelet ratio in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. *Revista Portuguesa de Cardiologia (English Edition)*, 34(10), 597–606. <https://doi.org/10.1016/j.repc.2015.03.014>

Rao, S. V., O'Donoghue, M. L., Ruel, M., Rab, T., Tamis-Holland, J. E., Alexander, J. H., Baber, U., Baker, H., Cohen, M. G., Cruz-Ruiz, M., Davis, L. L., de Lemos, J. A., DeWald, T. A., Elgandy, I. Y., Feldman, D. N., Goyal, A., Isiadinso, I., Menon, V., Morrow, D. A., ... Williams, M. S. (2025). 2025 ACC/AHA/ACEP/NAEMSP/SCAI Guideline for the Management of Patients With Acute Coronary Syndromes: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. *Circulation*, 151(13), e771–e862. <https://doi.org/10.1161/CIR.0000000000001309>

Rathod, K. S., Comer, K., Casey-Gillman, O., Moore, L., Mills, G., Ferguson, G., Antoniou, S., Patel, R., Fhadil, S., Damani, T., Wright, P., Ozkor, M., Das, D., Guttman, O. P., Baumbach, A., Archbold, R. A., Wragg, A., Jain, A. K., Choudry, F. A., ... Jones, D. A. (2021). Early Hospital Discharge Following PCI for Patients With STEMI. *JACC*, 78(25), 2550–2560. <https://doi.org/10.1016/j.jacc.2021.09.1379>

RS *Persahabatan*. (n.d.). Retrieved December 1, 2025, from <https://rspersahabatan.co.id/profil>

Sari, N. P. Y. P., Wibawa, S. Y., & Lopa, A. T. (2025). Correlation High-Sensitivity Troponin-I and Length of Stay Acute Myocardial Infarction Patients Dr. Wahidin Sudirohusodo Hospital. *INDONESIAN JOURNAL OF CLINICAL PATHOLOGY AND MEDICAL LABORATORY*, 31(2), 181–184. <https://doi.org/10.24293/ijcpml.v31i2.2278>

Shrivastava, A. K., Singh, H. V., Raizada, A., & Singh, S. K. (2015). Serial measurement of lipid profile and inflammatory markers in patients with acute myocardial infarction. *EXCLI Journal*, 14, 517–526. <https://doi.org/10.17179/excli2014-671>

Sinaga, A., Hasan, R., Reynaldo, A. H., Hasan, H., Akbar, N. Z., & Andra, C. A. (2023). Association of Triglyceride/High Density Lipoprotein Cholesterol Ratio and Coronary Lesion Severity in Acute Myocardial Infarction Patients at Adam Malik Hospital, Medan. *Journal of Society Medicine*, 2(3), 58–65. <https://doi.org/10.47353/jsocmed.v2i3.30>

Singer, A. J., Heslin, S., Skopicki, H., On, C., Senzel, L. B., Tharakan, M., Thode, H. C., & Peacock, F. (2024). Introduction of a high sensitivity troponin reduces ED length of stay. *The American Journal of Emergency Medicine*, 76, 82–86. <https://doi.org/10.1016/j.ajem.2023.11.028>

Stătescu, C., Anghel, L., Tudurachi, B.-S., Leonte, A., Benchea, L.-C., & Sascău, R. (2022). From Classic to Modern Prognostic Biomarkers in Patients with

Acute Myocardial Infarction. *International Journal of Molecular Sciences*, 23. <https://doi.org/10.3390/ijms23169168>

Sugiharto, F., Putri, A. M., Nuraeni, A., & Yulianita, H. (2023). Length of Stay pada Pasien Infark Miokard Akut Tipe Stemi setelah Menjalani Percutaneous Coronary Intervention: A Narrative Review. *Malahayati Nursing Journal*, 5(5), Article 5. <https://doi.org/10.33024/mnj.v5i5.9737>

Sugiharto, F., Trisyani, Y., Nuraeni, A., Mirwanti, R., Melati Putri, A., & Aghnia Armansyah, N. (2023). Factors Associated with Increased Length of Stay in Post Primary Percutaneous Coronary Intervention Patients: A Scoping Review. *Vascular Health and Risk Management*, 19, 329–340. <https://doi.org/10.2147/VHRM.S413899>

Sugiyama, T., Hasegawa, K., Kobayashi, Y., Takahashi, O., Fukui, T., & Tsugawa, Y. (2015). Differential Time Trends of Outcomes and Costs of Care for Acute Myocardial Infarction Hospitalizations by ST Elevation and Type of Intervention in the United States, 2001–2011. *Journal of the American Heart Association: Cardiovascular and Cerebrovascular Disease*, 4(3), e001445. <https://doi.org/10.1161/JAHA.114.001445>

Swaminathan, R. V., Rao, S. V., McCoy, L. A., Kim, L. K., Minutello, R. M., Wong, S. C., Yang, D. C., Saha-Chaudhuri, P., Singh, H. S., Bergman, G., & Feldman, D. N. (2015). Hospital Length of Stay and Clinical Outcomes in Older STEMI Patients After Primary PCI. *JACC*, 65(12), 1161–1171. <https://doi.org/10.1016/j.jacc.2015.01.028>

Taufik, Y. I., Hasan, R., & Akbar, N. Z. (2025). Triglyceride/High-Density Lipoprotein Ratio as a Predictor of Major Cardiovascular Events Within 6 Months Post-Treatment in Patients with Acute Myocardial Infarction and Type 2 Diabetes Mellitus at Haji Adam Malik General Hospital, Medan. *Journal of Society Medicine*, 4(8), 245–252. <https://doi.org/10.71197/jsocmed.v4i8.227>

Terakura, M., Sugawara, T., Hirota, D., Sagawa, T., & Sakamoto, T. (2016). Red cell and platelet distribution widths in patients with angina pectoris and acute myocardial infarction. *Acute Medicine & Surgery*, 3(3), 244–249. <https://doi.org/10.1002/ams2.187>

Thygesen, K., Alpert, J. S., Jaffe, A. S., Chaitman, B. R., Bax, J. J., Morrow, D. A., White, H. D., & The Executive Group on behalf of the Joint European Society of Cardiology (ESC)/American College of Cardiology (ACC)/American Heart Association (AHA)/World Heart Federation (WHF) Task Force for the Universal Definition of Myocardial Infarction. (2018). Fourth Universal Definition of Myocardial Infarction (2018). *Circulation*, 138(20), e618–e651. <https://doi.org/10.1161/CIR.0000000000000617>

Tong, li, Liu, Y.-Q., Shen, J. H., B O, M., Zhou, Q., Duan, X.-J., Guo, Y. F., & Zhang, X. Q. (2022). Relationship between the red cell distribution width-

to-platelet ratio and in-hospital mortality among critically ill patients with acute myocardial infarction: A retrospective analysis of the MIMIC-IV database. *BMJ Open*, 12(9), e062384. <https://doi.org/10.1136/bmjopen-2022-062384>

van der Wall, E. E. (2016). New guidelines on primary PCI for patients with STEMI: Changing insights. *Netherlands Heart Journal*, 24(2), 93–95. <https://doi.org/10.1007/s12471-015-0780-8>

Vogel, B., Claessen, B., Arnold, S., Chan, D., Cohen, D., Giannitsis, E., Gibson, C., Goto, S., Katus, H., Kerneis, M., Kimura, T., Kunadian, V., Pinto, D. S., Shiomi, H., Spertus, J., Steg, P., & Mehran, R. (2019). ST-segment elevation myocardial infarction. *Nature Reviews Disease Primers*, 5, 1–20. <https://doi.org/10.1038/s41572-019-0090-3>

Wanamaker, B. L., Seth, M. M., Sukul, D., Dixon, S. R., Bhatt, D. L., Madder, R. D., Rumsfeld, J. S., & Gurm, H. S. (2019). Relationship Between Troponin on Presentation and In-Hospital Mortality in Patients With ST-Segment–Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. *Journal of the American Heart Association: Cardiovascular and Cerebrovascular Disease*, 8(19), e013551. <https://doi.org/10.1161/JAHA.119.013551>

Wang, Z., Ren, L., Liu, N., & Peng, J. (2018). The relationship between post-procedural platelet count and left ventricular aneurysm in patients with acute anterior ST-segment elevation myocardial infarction following primary percutaneous coronary intervention. *Polish Heart Journal (Kardiologia Polska)*, 76(5), 899–907. <https://doi.org/10.5603/KP.2018.0008>

World Heart Federation. (2023). *World Heart Report 2023: Confronting the World's Number One Killer*.

Xiu, W.-J., Zheng, Y.-Y., Wu, T.-T., Hou, X.-G., Yang, Y., Ma, Y.-T., & Xie, X. (2022). Hemoglobin-to-Red-Cell Distribution Width Ratio Is a Novel Predictor of Long-Term Patient Outcomes After Percutaneous Coronary Intervention: A Retrospective Cohort Study. *Frontiers in Cardiovascular Medicine*, 9, 726025. <https://doi.org/10.3389/fcvm.2022.726025>

Xu, N., & Peng, C. (2023). Association between red cell distribution width-to-platelet ratio and short-term and long-term mortality risk in patients with acute ischemic stroke. *BMC Neurology*, 23, 191. <https://doi.org/10.1186/s12883-023-03219-1>

Yao, H., Lian, L., Zheng, R., & Chen, C. (2023). Red blood cell distribution width/platelet ratio on admission as a predictor for in-hospital mortality in patients with acute myocardial infarction: A retrospective analysis from MIMIC-IV Database. *BMC Anesthesiology*, 23, 113. <https://doi.org/10.1186/s12871-023-02071-7>

Zhou, Y., Zhong, L., Chen, W., Liang, F., Liao, Y., & Zhong, Y. (2022). Enhanced red blood cell distribution width to platelet ratio is a predictor of mortality in patients with sepsis: A propensity score matching analysis based on the MIMIC-IV database. *BMJ Open*, *12*(9), e062245. <https://doi.org/10.1136/bmjopen-2022-062245>

Zuccarelli, V., Andreaggi, S., Walsh, J. L., Kotronias, R. A., Chu, M., Vibhishanan, J., Banning, A. P., & De Maria, G. L. (2024). Treatment and Care of Patients with ST-Segment Elevation Myocardial Infarction—What Challenges Remain after Three Decades of Primary Percutaneous Coronary Intervention? *Journal of Clinical Medicine*, *13*(10), 2923. <https://doi.org/10.3390/jcm13102923>