

DAFTAR PUSTAKA

- Ahmad, M. H., Salleh, R., Mohamad Nor, N. S., Baharuddin, A., Rodzlan Hasani, W. S., Omar, A., Jamil, A. T., Appukutty, M., Wan Muda, W. A. M., & Aris, T. (2018). Comparison between self-reported physical activity (IPAQ-SF) and pedometer among overweight and obese women in the MyBFF@home study. *BMC Women's Health*, 18. <https://doi.org/10.1186/s12905-018-0599-8>
- Alobaid, A. M., Syed, W., & Al-Rawi, M. B. A. (2023). Factors Associated with Sedentary Behavior and Physical Activity Among People Living in Saudi Arabia – A Cross-Sectional Study. *Risk Management and Healthcare Policy*, 16, 1985–1997. <https://doi.org/10.2147/RMHP.S427792>
- Attig, C., Karp, A., & Franke, T. (2019). User diversity in the motivation for wearable activity tracking: A predictor for usage intensity? *Advances in Intelligent Systems and Computing*, 822, 431–440. https://doi.org/10.1007/978-3-319-96077-7_46
- Bertuol, C., da Silveira, M. H. C., Krug, R. de R., Kupske, J. W., Mielke, G. I., & Del Duca, G. F. (2023). Use of electronic devices in leisure time modifies the prevalence and factors associated with sedentary behavior derived exclusively from excessive television viewing among Brazilian adults. *BMC Public Health*, 23(1). <https://doi.org/10.1186/s12889-023-16517-7>
- Blom, V., Drake, E., Kallings, L. V., Ekblom, M. M., & Nooijen, C. F. J. (2021). The effects on self-efficacy, motivation and perceived barriers of an intervention targeting physical activity and sedentary behaviours in office workers: a cluster randomized control trial. *BMC Public Health*, 21(1). <https://doi.org/10.1186/s12889-021-11083-2>
- Boakye, K., Bovbjerg, M., Schuna, J., Branscum, A., Varma, R. P., Ismail, R., Barbarash, O., Dominguez, J., Altuntas, Y., Anjana, R. M., Yusuf, R., Kelishadi, R., Lopez-Jaramillo, P., Iqbal, R., Serón, P., Rosengren, A., Poirier, P., Lakshmi, P. V. M., Khatib, R., ... Hystad, P. (2023). Urbanization and physical activity in the global Prospective Urban and Rural Epidemiology study. *Scientific Reports*, 13(1). <https://doi.org/10.1038/s41598-022-26406-5>
- Bora, N., Vaishali, K., Verma, A., Bharti, A. K., & Sinha, M. K. (2024). Physical activity and sedentary behavior perceptions in overweight and obese adults: A systematic review of qualitative study. In *F1000Research* (Vol. 13). F1000 Research Ltd. <https://doi.org/10.12688/f1000research.152905.1>
- Cabo, C. A., Hernández-Beltrán, V., Gamonales, J. M., Parraca, J. A., Fernandes, O., & Espada, M. C. (2024). Evolution of research related to how a sedentary

- lifestyle influences the aging process: a bibliometric review. *Journal of Public Health (Germany)*. <https://doi.org/10.1007/s10389-024-02327-7>
- Carter, S., Hartman, Y., Holder, S., Thijssen, D. H., & Hopkins, N. D. (2017). Sedentary behavior and cardiovascular disease risk: Mediating mechanisms. *Exercise and Sport Sciences Reviews*, 45(2), 80–86. <https://doi.org/10.1249/JES.0000000000000106>
- Chandrasekaran, B., & Ganesan, T. B. (2021). Sedentarism and chronic disease risk in COVID 19 lockdown – a scoping review. *Scottish Medical Journal*, 66(1), 3–10. <https://doi.org/10.1177/0036933020946336>
- Cheng Chia, G. L., Anderson, A., & McLean, L. A. (2019). Behavior change techniques incorporated in fitness trackers: Content analysis. *JMIR MHealth and UHealth*, 7(7). <https://doi.org/10.2196/12768>
- Cheval, B., Sieber, S., Guessous, I., Orsholits, D., Courvoisier, D. S., Kliegel, M., Stringhini, S., Swinnen, S. P., Burton-Jeangros, C., Cullati, S., & Boissongtier, M. P. (2018). Effect of Early- and Adult-Life Socioeconomic Circumstances on Physical Inactivity. *Medicine and Science in Sports and Exercise*, 50(3), 476–485. <https://doi.org/10.1249/MSS.00000000000001472>
- Clinchamps, M., Bibily, C., Bouillon-Minois, J. B., Ugbole, U. C., Trousselard, M., Pereira, B., & Dutheil, F. (2024). Exploring the relationship between occupational stress, physical activity and sedentary behavior using the Job-Demand-Control Model. *Frontiers in Public Health*, 12. <https://doi.org/10.3389/fpubh.2024.1392365>
- Coffey, A., Parés-Salomón, I., Bort-Roig, J., Proper, K. I., Walsh, D., Reckman, P., Vaqué-Crusellas, C., Señé-Mir, A. M., Puig-Ribera, A. M., & Dowd, K. P. (2025). Factors influencing reducing sedentary time in home office employees. *Scientific Reports*, 15(1). <https://doi.org/10.1038/s41598-025-08831-4>
- da Costa, B. G. G., Chaput, J. P., Lopes, M. V. V., Malheiros, L. E. A., da Silva, I. C. M., & Silva, K. S. (2021). Association between screen time and accelerometer-measured 24-h movement behaviors in a sample of Brazilian adolescents. *Public Health*, 195, 32–38. <https://doi.org/10.1016/j.puhe.2021.03.029>
- Davergne, T., Rakotozafiarison, A., Servy, H., & Gossec, L. (2020). Wearable activity trackers in the management of rheumatic diseases: Where are we in 2020? *Sensors*, 20(17), 1–18. <https://doi.org/10.3390/s20174797>
- Dharmansyah, D., & Budiana, D. (2021). Indonesian Adaptation of The International Physical Activity Questionnaire (IPAQ): Psychometric Properties. *Jurnal Pendidikan Keperawatan Indonesia*, 7(2), 159–163. <https://doi.org/10.17509/jpki.v7i2.39351>

- Ellingson, L. D., Lansing, J. E., DeShaw, K. J., Peyer, K. L., Bai, Y., Perez, M., Phillips, L. A., & Welk, G. J. (2019). Evaluating motivational interviewing and habit formation to enhance the effect of activity trackers on healthy adults' activity levels: Randomized intervention. *JMIR MHealth and UHealth*, 7(2). <https://doi.org/10.2196/10988>
- Englardi, N. P., & Cleodora, C. (2022). Gambaran Sedentary Lifestyle, Aktivitas Fisik, dan Keluhan pada Tubuh Karyawan Usia Produktif di Kantor Balai Kota Padang 2021. In *Jurnal Kesehatan Kusuma Husada* (Vol. 13, Issue 1).
- Etika, A. N., Agnes, Y. L. N., Yunalia, E. M., & Prayogi, I. S. (2024). Dampak Akun Media Sosial terhadap Perilaku Sedentary pada Mahasiswa Kesehatan. *Holistic Nursing and Health Science*, 6(2), 76–85. <https://doi.org/10.14710/hnhs.6.2.2023.76-85>
- Fukushima, N., Kitabayashi, M., Kikuchi, H., Sasai, H., Oka, K., Nakata, Y., Tanaka, S., & Inoue, S. (2018). Comparison of accelerometer-measured sedentary behavior, and light- and moderate-to-vigorous-intensity physical activity in white- and blue-collar workers in a Japanese manufacturing plant. *Journal of Occupational Health*, 60(3), 246–253. <https://doi.org/10.1539/joh.2017-0276-OA>
- Hanifah, L., Nasrulloh, N., & Sufyan, D. L. (2023). Sedentary Behavior and Lack of Physical Activity among Children in Indonesia. In *Children* (Vol. 10, Issue 8). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/children10081283>
- Hart, S. G., & Staveland, L. E. (1988). Development of NASA-TLX (Task Load Index): Results of Empirical and Theoretical Research. *Advances in Psychology*, 52(C), 139–183. [https://doi.org/10.1016/S0166-4115\(08\)62386-9](https://doi.org/10.1016/S0166-4115(08)62386-9)
- Hughes, A., Shandhi, M. M. H., Master, H., Dunn, J., & Brittain, E. (2023). Wearable Devices in Cardiovascular Medicine. In *Circulation Research* (Vol. 132, Issue 5, pp. 652–670). Lippincott Williams and Wilkins. <https://doi.org/10.1161/CIRCRESAHA.122.322389>
- International Standard Classification of Education (ISCED) Statistics Explained*. (2011). <https://ec.europa.eu/eurostat/statisticsexplained/>
- IPAQ-SF. (2004). *Guidelines for Data Processing and Analysis of the International Physical Activity Questionnaire (IPAQ)-Short Form*. www.ipaq.ki.se.
- Kandola, A. A., del Pozo Cruz, B., Osborn, D. P. J., Stubbs, B., Choi, K. W., & Hayes, J. F. (2021). Impact of replacing sedentary behaviour with other movement behaviours on depression and anxiety symptoms: a prospective cohort study in the UK Biobank. *BMC Medicine*, 19(1). <https://doi.org/10.1186/s12916-021-02007-3>

- Kauce, R., Kiseļova, V. D., Jaudzeme, M., & ... (2024). Reducing sedentary behaviour in office workers—motivational factors and barriers. *SHS Web of ...*. <https://dspace.rsu.lv/jspui/handle/123456789/15497>
- Kaur, J., Kaur, G., Ho, B. K., Yao, W. K., Salleh, M., & Lim, K. H. (2015). Predictors of physical inactivity among elderly Malaysians: Recommendations for policy planning. *Asia-Pacific Journal of Public Health*, 27(3), 314–322. <https://doi.org/10.1177/1010539513517257>
- Kemenkes RI. (2023). *Survei Kesehatan Indonesia (SKI) 2023*.
- Kementerian Kesehatan RI. (2023, August 16). *Mengatasi Ancaman Sedentary Lifestyle untuk Kesehatan*.
- Kitayama, A., Koohsari, M. J., Ishii, K., Shibata, A., & Oka, K. (2021). Sedentary time in a nationally representative sample of adults in Japan: Prevalence and sociodemographic correlates. *Preventive Medicine Reports*, 23. <https://doi.org/10.1016/j.pmedr.2021.101439>
- Knight, J. A. (2012). *Review: Physical Inactivity: Associated Diseases and Disorders*. www.annclinlabsci.org
- Konevic, S., Martinovic, J., & Djonovic, N. (2015). Association of Socioeconomic Factors and Sedentary Lifestyle in Belgrade's Suburb, Working Class Community. In *Iran J Public Health* (Vol. 44, Issue 8). <http://ijph.tums.ac.ir>
- Lee, C. Y., Seon, :, Hwang, Y., Ok, :, & Ham, K. (2016). *Factors Associated With Physical Inactivity Among Korean Men and Women* (Vol. 40).
- Lim, M. S., Park, B., Kong, I. G., Sim, S., Kim, S. Y., Kim, J. H., & Choi, H. G. (2017). Leisure sedentary time is differentially associated with hypertension, diabetes mellitus, and hyperlipidemia depending on occupation. *BMC Public Health*, 17(1), 278. <https://doi.org/10.1186/s12889-017-4192-0>
- Lira, F. S., Rosa, J. C., Pimentel, G. D., Souza, H. A., Caperuto, E. C., Carnevali, L. C., Seelaender, M., Damaso, A. R., Oyama, L. M., De Mello, M. T., & Santos, R. V. (2010). *Endotoxin levels correlate positively with a sedentary lifestyle and negatively with highly trained subjects*. <http://www.lipidworld.com/content/9/1/82>
- Marcellino, C., Henn, R. L., Olinto, M. T. A., Bressan, A. W., Paniz, V. M. V., & Pattussi, M. P. (2014). Physical inactivity and associated factors among women from a municipality in Southern Brazil. *Journal of Physical Activity and Health*, 11(4), 777–783. <https://doi.org/10.1123/jpah.2011-0448>
- McCormack, C., Garrison, M., & Caldwell, B. (2024). 0314 Design of a Continuous Melatonin Monitoring System: A Needs Assessment for Direct and Indirect

- Users. *Sleep*. https://academic.oup.com/sleep/article-abstract/47/Supplement_1/A135/7654086
- McCormack, G. R., Petersen, J., Ghoneim, D., & ... (2022). Effectiveness of an 8-week physical activity intervention involving wearable activity trackers and an eHealth app: mixed methods study. *JMIR Formative* <https://formative.jmir.org/2022/5/e37348>
- Mohammed, O. Y., Tesfahun, E., & Mohammed, A. (2020). Magnitude of sedentary behavior and associated factors among secondary school adolescents in Debre Berhan town, Ethiopia. *BMC Public Health*, 20(1). <https://doi.org/10.1186/s12889-020-8187-x>
- Motuma, A., Gobena, T., Roba, K. T., Berhane, Y., & Worku, A. (2021). Sedentary Behavior and Associated Factors Among Working Adults in Eastern Ethiopia. *Frontiers in Public Health*, 9. <https://doi.org/10.3389/fpubh.2021.693176>
- Murtagh, E. M., Murphy, M. H., Murphy, N. M., Woods, C., Nevill, A. M., & Lane, A. (2015). Prevalence and correlates of physical inactivity in community-dwelling older adults in Ireland. *PLoS ONE*, 10(2). <https://doi.org/10.1371/journal.pone.0118293>
- Nino, V., Claudio, D., & Monfort, S. M. (2023). Evaluating the effect of perceived mental workload on work body postures. *International Journal of Industrial Ergonomics*, 93. <https://doi.org/10.1016/j.ergon.2022.103399>
- Nystoriak, M. A., & Bhatnagar, A. (2018). Cardiovascular Effects and Benefits of Exercise. In *Frontiers in Cardiovascular Medicine* (Vol. 5). Frontiers Media S.A. <https://doi.org/10.3389/fcvm.2018.00135>
- Outtarawichian, W., Kalampakorn, S., & ... (2024). Effects of the Reduce Sedentary Time (ReSeT) program applying socio-ecological model on sedentary behaviors among office workers. *Journal of Public* https://www.researchgate.net/profile/Surintorn-Kalampakorn/publication/378937568_Effects_of_the_Reduce_Sedentary_Time_ReSeT_program_applying_socio-ecological_model_on_sedentary_behaviors_among_office_workers/links/65f24f61286738732d3e4142/Effects-of-the-Reduce-Sedentary-Time-ReSeT-program-applying-socio-ecological-model-on-sedentary-behaviors-among-office-workers.pdf
- Park, J. H., Moon, J. H., Kim, H. J., Kong, M. H., & Oh, Y. H. (2020). Sedentary Lifestyle: Overview of Updated Evidence of Potential Health Risks. *Korean Journal of Family Medicine*, 41(6), 365–373. <https://doi.org/10.4082/KJFM.20.0165>
- Pengpid, S., & Peltzer, K. (2022). Prevalence and associated factors of physical inactivity among middle-aged and older adults in India: results of a national

- cross-sectional community survey. *BMJ Open*, 12(8). <https://doi.org/10.1136/bmjopen-2021-058156>
- Perchoux, C., Brondeel, R., Klein, S., Klein, O., Thierry, B., Kestens, Y., Chaix, B., & Gerber, P. (2023). Does the built environment influence location- and trip-based sedentary behaviors? Evidence from a GPS-based activity space approach of neighborhood effects on older adults. *Environment International*, 180. <https://doi.org/10.1016/j.envint.2023.108184>
- Piirtola, M., Kaprio, J., Kujala, U. M., Heikkilä, K., Koskenvuo, M., Svedberg, P., Silventoinen, K., & Ropponen, A. (2016). Association between education and future leisure-time physical inactivity: A study of Finnish twins over a 35-year follow-up. *BMC Public Health*, 16(1). <https://doi.org/10.1186/s12889-016-3410-5>
- Pines, A. (2015). Sedentary women: Sit less, live more! In *Climacteric* (Vol. 18, Issue 6, pp. 770–772). Taylor and Francis Ltd. <https://doi.org/10.3109/13697137.2015.1038512>
- Rasmussen, C. L., Dumuid, D., Hron, K., Gupta, N., Jørgensen, M. B., Nabe-Nielsen, K., & Holtermann, A. (2021). Day-to-day pattern of work and leisure time physical behaviours: are low socioeconomic status adults couch potatoes or work warriors? *BMC Public Health*, 21(1). <https://doi.org/10.1186/s12889-021-11409-0>
- Roberts, F. L., & Markby, G. R. (2021). New insights into molecular mechanisms mediating adaptation to exercise; a review focusing on mitochondrial biogenesis, mitochondrial function, mitophagy and autophagy. In *Cells* (Vol. 10, Issue 10). MDPI. <https://doi.org/10.3390/cells10102639>
- Rosenstock, I. M., Strecher, V. J., & Becker, M. H. (1988). Social Learning Theory and the Health Belief Model. *Health Education & Behavior*, 15(2), 175–183. <https://doi.org/10.1177/109019818801500203>
- Rudesti. (2025). *Hubungan Beban Kerja dan Stres Kerja dengan Risiko Hipertensi pada Petugas Pemadam Kebakaran di Kabupaten Tangerang Tahun 2025*.
- Shin, G., Jarrahi, M. H., Fei, Y., Karami, A., Gafinowitz, N., Byun, A., & Lu, X. (2019). Wearable activity trackers, accuracy, adoption, acceptance and health impact: A systematic literature review. In *Journal of Biomedical Informatics* (Vol. 93). Academic Press Inc. <https://doi.org/10.1016/j.jbi.2019.103153>
- Singh, B., Ferguson, T., Deev, A., Deev, A., & Maher, C. A. (2024). Evaluation of the “15 Minute Challenge”: A Workplace Health and Wellbeing Program. *Healthcare (Switzerland)*, 12(13). <https://doi.org/10.3390/healthcare12131255>

- Singh, C., Bandre, G. R., Gajbe, U., Shrivastava, S., Tiwade, Y. R., Bankar, N., & Moizuddin, K. (2024). Sedentary Habits and Their Detrimental Impact on Global Health: A Viewpoint. In *National Journal of Community Medicine* (Vol. 15, Issue 2, pp. 154–160). MedSci Publications. <https://doi.org/10.55489/njcm.150220243590>
- Smith, L., Hamer, M., & Gardner, B. (2018). Sedentary Behavior and Mental Health. In *Exercise-Based Interventions for Mental Illness: Physical Activity as Part of Clinical Treatment* (pp. 107–119). Elsevier. <https://doi.org/10.1016/B978-0-12-812605-9.00006-X>
- Snyder, M. (1979). *Self-Monitoring Processes*.
- Strain, T., Flaxman, S., Guthold, R., Semenova, E., Cowan, M., Riley, L. M., Bull, F. C., Stevens, G. A., Raheem, R. A., Agoudavi, K., Anderssen, S. A., Alkhatib, W., Aly, E. A. H., Anjana, R. M., Bauman, A., Bovet, P., Moniz, T. B., Bulotait, G., Caixeta, R., ... Zoma, L. R. (2024). National, regional, and global trends in insufficient physical activity among adults from 2000 to 2022: a pooled analysis of 507 population-based surveys with 5.7 million participants. *The Lancet Global Health*, 12(8), e1232–e1243. [https://doi.org/10.1016/S2214-109X\(24\)00150-5](https://doi.org/10.1016/S2214-109X(24)00150-5)
- Szeto, K., Arnold, J., & Maher, C. (2024). *The Wearable Activity Tracker Checklist for Healthcare (WATCH): a 12-point guide for the implementation of wearable activity trackers in healthcare*. 21(1). <https://doi.org/10.1186/s12966-024-01567-w>
- Verdú, E., Homs, J., & Boadas-Vaello, P. (2021). Physiological changes and pathological pain associated with sedentary lifestyle-induced body systems fat accumulation and their modulation by physical exercise. In *International Journal of Environmental Research and Public Health* (Vol. 18, Issue 24). MDPI. <https://doi.org/10.3390/ijerph182413333>
- Wang, H., Zhou, Z., Liu, X., & Chen, Y. (2025). Anti-inflammatory diets might mitigate the association between sedentary behaviors and the risk of all-cause deaths. *Nutrition and Metabolism*, 22(1). <https://doi.org/10.1186/s12986-025-00907-2>
- Wang, J., Wang, Y., Korivi, M., Chen, X., & Zhu, R. (2022). Status of Sedentary Time and Physical Activity of Rural Residents: A Cross-Sectional Population-Based Study in Eastern China. *Frontiers in Public Health*, 10. <https://doi.org/10.3389/fpubh.2022.838226>
- WHO. (2020). *WHO Guidelines on Physical Activity and Sedentary Behaviour*.
- Wiley, J. Z., Paik, M. C., Sacco, R., Elkind, M. S. V., & Boden-Albala, B. (2010). Social determinants of physical inactivity in the Northern Manhattan Study

- (NOMAS). *Journal of Community Health*, 35(6), 602–608.
<https://doi.org/10.1007/s10900-010-9249-2>
- Yaribeygi, H., Maleki, M., Sathyapalan, T., Jamialahmadi, T., & Sahebkar, A. (2021). Pathophysiology of Physical Inactivity-Dependent Insulin Resistance: A Theoretical Mechanistic Review Emphasizing Clinical Evidence. In *Journal of Diabetes Research* (Vol. 2021). Hindawi Limited.
<https://doi.org/10.1155/2021/7796727>
- Yen, H.-Y. Y., & Huang, H.-Y. Y. (2021). Comparisons of physical activity and sedentary behavior between owners and non-owners of commercial wearable devices. *Perspectives in Public Health*, 141(2), 89–96.
<https://doi.org/10.1177/1757913921989389>
- Zhu, Y., Blumenthal, J. A., Shi, C., Jiang, R., Patel, A., Zhang, A., Yu, X., Gao, R., & Wu, Y. (2018). Sedentary Behavior and the Risk of Depression in Patients With Acute Coronary Syndromes. *American Journal of Cardiology*, 121(12), 1456–1460. <https://doi.org/10.1016/j.amjcard.2018.02.031>
- Zulka, A. N., Determinan, A. F., Resiko..., P., Natasa Zulka, A., Suryaningsih, Y., Wahyuningtiyas, N. L., Oktaviani, W., Ayu, P., & Arifinda, B. (2024). Analisis Faktor Determinan Peningkatan Resiko Sedentary lifestyle Mahasiswa Dengan Pendekatan Health belief model. In *PROFESIONAL HEALTH JOURNAL* (Vol. 5, Issue 2).
<https://www.ojsstikesbanyuwangi.com/index.php/PHJ>