

DAFTAR PUSTAKA

- American Diabetes Association 2013,'Standards of Medical Care in Diabetes', *Diabetes Care*, vol. 36, pp. 11-66, diakses 20 Oktober 2016, http://care.diabetesjournals.org/content/36/Supplement_1/S11
- Balitbang Kemenkes RI 2013, *Riset Kesehatan Dasar*, diakses 20 Oktober 2016, <http://www.depkes.go.id/resources/download/general/Hasil%20Risksdas%202013.pdf>
- Cindy 2014,'Perbandingan Kadar HbA1c pada Penderita Diabetes Mellitus Tidak Terkontrol yang Merokok dengan yang Tidak Merokok', Skripsi Program Sarjana, Universitas Sumatra Utara, Medan. Tersedia dari Repository USU [5 September 2016] <http://repository.usu.ac.id/handle/123456789/41477>
- Darmawi, AS 2011,'Optimasi proses ekstraksi, pengaruh pH dan jenis cahaya terhadap aktivitas antioksidan kulit buah naga merah (*Hylocereus polyrhizus*)', Skripsi Program Sarjana, Universitas Pelita Harapan Karawaci, Tangerang. Tersedia dari Repository UPH [25 Juli 2016] <http://dspace.library.uph.edu:8080/handle/123456789/241>
- Eliana, F 2015, Penatalaksanaan DM Sesuai Konesnsus Perkeni, Bagian Penyakit Dalam FK Yarsi, diakses 20 Oktober 2016, Hh. 1-7, <http://www.pduipusat.com/wp-content/uploads/2015/12/SATELIT-SIMPOSIUM-6.1-DM-UPDATE-DAN-Hb1C-OLEH-DR.-Dr.-Fatimah-Eliana-SpPD-KEMD.pdf>
- Evans, JL, Goldfine, ID, Maddux, BA, Grodsky, M 2002, 'Oxidative Stress Activated Signaling Pathways: A Unifying Hypothesis of Type 2 Diabetes' , *Endocrine Review*, vol. 23, pt. 5, pp. 599-622, diakses 5 September 2016,<https://academic.oup.com/edrv/article-lookup/doi/10.1210/er.2001-0039>
- Faridah, A, Holinesti, R, & Syukri, D, 2015,'Identifikasi Pigmen Betasanin dari Kulit Buah Naga Merah (*Hylocereus Polyrhizus*) Menggunakan HPLC', *Jurnal Pendidikan dan Keluarga UNP*, vol. 2, no.18, hh. 74-81, diakses 25 Juli 2016, http://repository.ut.ac.id/5017/1/fmipa2014_02.pdf
- Gunawan, & Gan, S 2007, *Farmakologi dan Terapi*, 5th edn, Fakultas Kedokteran Universtias Indonesia, Jakarta.
- Hadiwijaya, H 2013, 'Pengaruh Perbedaan Penambahan Gula Terhadap Karakteristik Sirup Buah Naga Merah (*Hylocereus polyrhizus*)' , Tersedia dari Repository UNAND [25 Juli 2016],<http://repository.unand.ac.id/20528/>

Hertog, MGL, Hollman, PCH & Venema, DP 1992, 'Optimization of a quantitative HPLC determination of potentially anticarcinogenic flavonoids in vegetable and fruits' , *Journal of Agricultural and Food Chemistry*, vol. 40, pp. 1591-1598, diakses 25 juli 2016,<http://pubs.acs.org/doi/abs/10.1021/jf00021a023>

Indriasari, I 2012,'Ekstrak Ethanol Buah Naga Merah (*Hylocereus Polyrhizus*) Memperbaiki Profil Lipid Pada Tikus Wistar Jantan (*Rattus Norvegicus*) Dislipidemia',Tesis Program Magister Studi Ilmu Biomedik, Denpasar, diakses 25 Juli 2016, http://www.pps.unud.ac.id/thesis/pdf_thesis/unud-1404-202101608-tesisira.pdf

Iriana, I, & Mohamed, G 2012, 'Biological Activities and Effects of Food Processing on Flavonoids as Phenolic Antioxidants' , *Intech*, vol. 1, pt. 5, pp. 101-124, diakses 2 Agustus 2016, <http://cdn.intechopen.com/pdfs-wm/26397.pdf>

Jaafar, RA, Rahman, ARBA, Mahmud, NZC & Vasudevan, R 2009, 'Proximate Analysis of Dragon Fruit (*Hylecereus polyhizus*)' ,*American Journal of Applied Sciences*,vol. 6, pt. 7,pp. 1341-1346, diakses 25 Juli 2016, <http://thescipub.com/PDF/ajassp.2009.1341.1346.pdf>

Kanner, K, Harel, S, & Granit, R 2001, 'Betalains –A new class of dietary cationized antioxidants' ,*Journal of Agricultural and Food Chemistry*,vol. 49, pp. 5178–5185, diakses 2 Agustus 2016, <http://pubs.acs.org/doi/abs/10.1021/jf010456f>

Kementerian Kesehatan RI 2014, *infoDATIN*, diakses 20 Oktober 2016, <http://www.depkes.go.id/resources/download/pusdatin/infodatin/infodatin-diabetes.pdf>

Kellett, GL, and Helliwell, PA 2000, 'The diffusive component of intestinal glucose absorption is mediated by the glucoseinduced recruitment of GLUT2 to the brush-border membrane' , *Biochem. J.*, vol. 350, pp. 155–162, diakses 2 Agustus 2016, <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1221237/pdf/10926839.pdf>

Kim, H, Choi, HK, Moon, JY, Kim, YS, Mosaddik, A, & Cho, SK 2011, 'Comparative Antioxidant and Antiproliferative Activities of Red and White Pitayas and Their Correlation with Flavonoid and Polyphenol Content', *Journal of Food Science*, vol. 76, pt. 1, pp. 38-45, diakses 2 Agustus 2016, <https://www.ncbi.nlm.nih.gov/pubmed/21535651>

Kwon, O, Eck, P, Shenglin, C, Corpe, CP, Je-Hyuk, L, Kruhlak, M, & Levine, M 2007, 'Inhibition of the Intestinal Glucose Transporter GLUT2 by Flavonoids' ,*The FASEB Journal*, vol. 21, pp. 2, pp. 366-377, diakses 2 Agustus 2016, <http://www.fasebj.org/content/21/2/366.full>

LeBellec, F, Vaillant, F, & Imbert, E 2006, 'Pitahaya (*Hylocereus* spp.): a new fruit crop, a market with a future' ,*Fruits*, vol. 61, pt. 4, pp. 237–250, diakses 25 Juli 2016,
<https://www.cambridge.org/core/services/aop-cambridge-core/content/view/S0248129406000211>

Lim, TK 2012, *Edible Medicinal and Non-Medicinal Plants*, Springer, Netherlands.

Longo, DL, Fauci, AS, Kasper, DL, Hauser, SL, Jameson, JL, Losclazo, J 2012, *Harrison's Principles of Internal Medicine*, McGraw-Hill, United States.

Loranza, B, 2012,'Uji Penghambatan Aktivitas Enzim alfa glukosidase dan identifikasi golongan senyawa kimia dari fraksi teraktif daun buni (antidesma bunius L.)', Skripsi Program Sarjana, Universitas Indonesia, Depok. Tersedia dari lib UI[20 Oktober 2016] <http://lib.ui.ac.id/file?file=digital/20310351-S43076-Uji%20penghambatan.pdf>

Luders, L & McMahon, G 2006, 'The pitaya or dragon fruit (*Hylocereus undatus*)', Northern Territory Goverment, Northern Territory,diakses 25 Juli 2016, https://dpir.nt.gov.au/_data/assets/pdf_file/0004/232933/778.pdf

Mahattanatawee, K, Manthey, JA., Luzio, G, Talcott, ST., Goodner, KL & Baldwin, EA 2006, 'Total antioxidant activity and fiber content of select Florida-grown tropical fruits' ,*Journal of Agricultural and Food Chemistry*, vol. 54, pt. 19, pp. 7355-7363, diakses 25 Juli 2016, <http://pubs.acs.org/doi/abs/10.1021/jf060566s>

Middleton, EJr, Kandaswami, C, & Theoharides, TC 2000, 'The Effect of Plant Flavonoids on Mamalian cells : Implication for information, heart isease, and cancer', *The American Society for Pharmacology and Experimental Therapeutics*, vol. 52, pt. 673-751, diakses 2 Agustus 2016, <http://pharmrev.aspetjournals.org/content/pharmrev/52/4/673.full.pdf>

Minh, PH 2014, 'Various factors influencing to red dragon fruit (*Hylocereus polyrhizus*) wine fermentation' ,*International Journal of Multidisciplinary Research and Development*, vol. 1, pt.5, pp. 94-98, diakses 25 Juli 2016, www.allsubjectjournal.com/download/109/10.1

Mohamad, M, Hadi, NA, Rohin, MA, & Yusof, RM 2012, 'Effects of Red Pitaya Fruit (*Hylocereus Polyrhizus*) Consumption on Blood Glucose Level and Lipid Profile in Type 2 Diabetic Subject' ,*Borneo Science*, vol. 31, pp. 113 – 129, diakses 25 Juli 2016, <http://borneoscience.ums.edu.my/?p=803>

Nurliyana, R, Zahir, IS, Suleiman, KM, Aisyah, MR, & Rahim, KK 2010, 'Antioxidant study of pulps and peels of dragon fruits: a comparative study' ,*International Food Research Journal*, vol. 17, pp. 367-375, diakses 25 Juli 2016,[http://www.ifrj.upm.edu.my/17%20\(02\)%202010/IFRJ-2010-367-375%20Kamarul%20IIU\[1\].pdf](http://www.ifrj.upm.edu.my/17%20(02)%202010/IFRJ-2010-367-375%20Kamarul%20IIU[1].pdf)

Panjuantiningrum, F, 2009, 'Pengaruh pemberian buah naga merah (*hylocereus polyrhizus*) terhadap kadar glukosa darah Tikus putih yang diinduksi aloksan', Skripsi Program Sarjana, Univertas Sebelas Maret, Surakarta. Tersedia dari Repository UNS [25 Juli 2016], <https://eprints.uns.ac.id/10386/>

Perkeni, 2015, *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia*, PB. Perkeni, Jakarta.

Putri, NKM, Gunawan, IWG, & Suarsa, IW 2015, 'Aktivitas Antioksidan Antosianin dalam Ekstrak Etanol Kulit Buah Naga Super Merah (*Hylocereus costaricensis*) dan Analisis Kadar Totalnya' ,*Jurnal Kimia*, vol. 9, no.5, hh. 243-251,diakses 25 Juli 2016,
[http://download.portalgaruda.org/article.php?article=365626&val=931&title=AKTIVITAS%20ANTIOKSIDAN%20ANTOSIANIN%20DALAM%20EKSTRAK%20ETANOL%20KULIT%20BUAH%20NAGA%20SUPER%20MERAH%20\(Hylocereus%20costaricensis\)%20DAN%20ANALISIS%20KADAR%20TOTALNYA](http://download.portalgaruda.org/article.php?article=365626&val=931&title=AKTIVITAS%20ANTIOKSIDAN%20ANTOSIANIN%20DALAM%20EKSTRAK%20ETANOL%20KULIT%20BUAH%20NAGA%20SUPER%20MERAH%20(Hylocereus%20costaricensis)%20DAN%20ANALISIS%20KADAR%20TOTALNYA)

Pranata, R 2013, 'Uji Aktivitas Antioksidan Fraksi Kloroform Kulit Buah Naga Merah (*Hylocereus lemairei Britton* dan *Rose*) Menggunakan Metode DPPH (1,1-Difenil-2-Pikrilhidrazil)', Skripsi Program Studi Farmasi, Universitas Tanjungpura : 37-38, diakses 25 Juli 2016,
[http://download.portalgaruda.org/article.php?article=141894&val=5160&title=UJI%20%20AKTIVITAS%20%20ANTIOKSIDAN%20%20FRAKSI%20%20KLOROFORM%20%20KULIT%20BUAH%20NAGA%20MERAH%20\(Hylocereus%20lemairei%20Britton%20dan%20Rose\)%20MENGGUNAKAN%20%20%20METODE%20DPPH%20\(1,1-DIFENIL-2-PIKRILHIDRAZIL\)](http://download.portalgaruda.org/article.php?article=141894&val=5160&title=UJI%20%20AKTIVITAS%20%20ANTIOKSIDAN%20%20FRAKSI%20%20KLOROFORM%20%20KULIT%20BUAH%20NAGA%20MERAH%20(Hylocereus%20lemairei%20Britton%20dan%20Rose)%20MENGGUNAKAN%20%20%20METODE%20DPPH%20(1,1-DIFENIL-2-PIKRILHIDRAZIL))

Rahmat, H 2009, 'Identifikasi Senyawa Flavonoid pada Sayuran Indigenous Jawa Barat', Skripsi Program Sarjana, Institut Pertanian Bogor, Bogor, Tersedia dari Repository Institut Pertanian Bogor [25 Juli 2016], <http://repository.ipb.ac.id/handle/123456789/11374>

Saneto, B 2005, 'Karakterisasi kulit buah naga merah (*Hylocereus Polyrhizuz*)' ,*Jurnal Agarika*,vol. 2, no. 2, hh. 143-149, diakses 25 Juli 2016, <http://widayagama.ac.id/pertanian/wp-content/uploads/2012/01/5budi-s.pdf>

Sudoyo, AW, Setiyoahadi, B, Alwi, I, Simadibrata, M, Setiati, S 2006, *Buku Ajar Ilmu Penyakit Dalam*, Departemen Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia, Jakarta.

Strobel, P, Allard, C, Acle, TP, Calderon, R, Aldunate, R, & Leighton, F 2004, 'Myricetin, Quercetin and Catechin-gallate Inhibit Glucose Uptake in Isolated Rat Adipocytes' ,*Biochem J*, vol. 386, pt. 3, pp. 471-478, diakses 25 Juli 2016,
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1134865/pdf/bj3860471.pdf>

Tarigan, YMS, Suhaidi, I, & Yusraini, E 2015, 'Pengaruh Perbandingan Buah Naga Merah dengan Sirsak dan Konsentrasi Agar-Agar Terhadap Mutu Selai Lembaran' ,*J.Rekayasa Pangan dan Pertanian*, Vol.3, pt. 2, hh. 205-211, diakses 25 Juli 2016,
<http://download.portalgaruda.org/article.php?article=382013&val=4140&title=The%20Effect%20of%20Ratio%20of%20Red%20Dragon%20Fruit%20with%20Soursop%20and%20Agar%20Concentration%20on%20Quality%20of%20Slice%20Jam>

Waladi, Johan, V, & Hamzah, F 2015, 'Pemanfaatan Kulit Buah Naga Merah (*Hylocereus polyrhizus*.) Sebagai Tambahan dalam Pembuatan Es Krim', *Jom Faperta*, vol. 2, No. 1 , hh. 75-85, diakses 25 Juli 2016,
[http://download.portalgaruda.org/article.php?article=294537&val=6448&title=PEMANFAATAN%20KULIT%20BUAH%20NAGA%20MERAH%20\(Hylocereus%20polyrhizus.\)%20SEBAGAI%20BAHAN%20TAMBAHAN%20DALAM%20PEMBUATAN%20ES%20KRIM](http://download.portalgaruda.org/article.php?article=294537&val=6448&title=PEMANFAATAN%20KULIT%20BUAH%20NAGA%20MERAH%20(Hylocereus%20polyrhizus.)%20SEBAGAI%20BAHAN%20TAMBAHAN%20DALAM%20PEMBUATAN%20ES%20KRIM)

Wibawa, PAS, Antara, MS, & Dharmayuda, O 2013,'Identifikasi Senyawa Kimia Ekstrak Buah Naga Putih dan Pengaruhnya Terhadap Glukosa Darah Tikus Diabetes' ,*Indonesia Medicus Veterinus*, Vol. 2, pt. 2, hh. 151-161, diakses 25 Juli 2016,
<http://download.portalgaruda.org/article.php?article=82670&val=974>

World Health Organization, 2016, *Global Report on Diabetes*, diakses 20 Oktober 2016,
http://apps.who.int/iris/bitstream/10665/204871/1/9789241565257_eng.pdf

Wu, LC, Hsu, HW, Chen, Y, Chiu, CC, & Ho, YI 2006, 'Antioxidant and Antiproliferative Activities of Red Pitaya' ,*Food Chemistry*,vol. 95, pp. 319-327, diakses 25 Juli 2016,
<http://www.sciencedirect.com/science/article/pii/S0308814605000889>