

DAFTAR PUSTAKA

- Agrawal, R, Mishra, S, Dixit, VK, Rai, S 2009, ‘Association of non-alcoholic fatty liver disorder with obesity’, *Indian Journal of Preventive and Social Medicine*, vol.40, no.3-4, Juli 2009, pp.40-43.
- Angulo, P 2007, ‘GI epidemiology: nonalcoholic fatty liver disease’, *Aliment Pharmacology Therapy*, vol. 65, no. 6, Juni 2007, pp.883-889
- ACC/AHA/ESC 2006, ‘Guidelines for the Management of Patients With Atrial Fibrillation: A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the European Society of Cardiology Committee for Practice Guidelines (Writing Committee to Revise the 2001 Guidelines for the Management of Patients With Atrial Fibrillation): Developed in Collaboration With the European Heart Rhythm Association and the Heart Rhythm Society’, *Circulation*, Vol.48, no.4, Agustus 2006, pp.114.
- Amarapurkar, DN, Hashimoto, E, Lesmana LA, Sollano JD, Chen, PJ, Goh, KL 2007, ‘How common is non-alcoholic fatty liver disease in the Asia-Pacific region and are there local differences?’, *Journal of Gastroenterology & Hepatology*, Vol. 22, no.6, Juni 2007, pp.788-793.
- Amirudin, R 2009, *Fisiologi dan biokimia hati : Buku Ajar Ilmu Penyakit Dalam Jilid I*, Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI, Jakarta.
- Arief, MTQ 2008, *Pengantar metodologi penelitian untuk ilmu kesehatan*, UNS Press, Surakarta.
- Association of Southeast Asian Nation, The United Nation Children’s Fund, World Health Organization 2016, ‘Regional Report on Nutrition Security in ASEAN’, *UNICEF*, Vol. 2, Bangkok.
- Bae, JC, Cho, YK, Lee, WY 2010, ‘Impact of nonalcoholic fatty liver disease on insulin resistance in relation to HbA1c levels in non-diabetic subjects’, *The American Journal of Gastroenterology*, vol.105, no.11, Juli 2010, pp.2389-2395 [online PubMed].
- Bank Indonesia 2017, ‘*Company Profile Poliklinik Bank Indonesia*’, Bank Indonesia, Jakarta.
- Bayupurnama, Putut, Maduseno, S, Nurdjanah, S, Ratnasari, Neneng, Senorita, H, Asdie, Rizka, Mohd Hilmin, N, Ismail, A, Jamian, N 2009, ‘The Risk Factors Of

- Non-Alcoholic Fatty Liver Disease Prevalence In Obesity With Or Without Diabetes Mellitus', *The Internet Journal of Gastroenterology*, vol.10, no.1, Yogyakarta.
- Bedogni, G, Miglioli, L, Masutti, F, Tiribelli, C, Marchesini, G, Bellentani, S 2005 'Prevalence of and risk factors for nonalcoholic fatty liver disease: the Dionysos nutrition and liver study', *Hepatology*, vol.42, no.1, Juli 2005, pp.45-52 (online PubMed).
- Boer, A 2010, *Ultrasonografi : Pendahuluan, Radiologi Diagnostik Edisi Kedua*, Balai Penerbit FKUI, Jakarta.
- Brea, A 2005, 'Nonalcoholic Fatty Liver Disease Is Associated With Carotid Atherosclerosis: A Case-Control Study', *Arteriosclerosis, Thrombosis, and Vascular Biology*, vol.25, no.5, May 2005, pp.1045-1050.
- Caballeria, L, Pera, G, Auladell, MA 2010, 'Prevalence and factors associated with the presence of nonalcoholic fatty liver disease in an adult population in Spain', *European Journal of Gastroenterology & Hepatology*, 2010, vol.22, no.1, January 2010, pp.24-32 (Online PubMed)
- Centres for Disease Control and Prevention 2007, 'Anthropometry procedures manual', *National Health and Nutrition Examination Survey*, Januari 2007.
- Chan, D, Watts, G, Ng, T, Hua, J, Song, S and Barrett, P 2006, 'Measurement of liver fat by magnetic resonance imaging: relationships with body fat distribution, insulin sensitivity and plasma lipids in healthy men', *Journal of Diabetes, Obesity and Metabolism*, vol.8, no.6, Juli 2006, pp.698-702.
- Chitturi, S, Farrell, GC, George, J 2004, 'Non-alcoholic steatohepatitis in the Asia-Pacific region: Future shock?', *Journal Gastroenterology & Hepatology*, vol.19, no.4, April 2004, pp.368-374.
- Church, TS, Kuk, JL, Ross, R, Priest, EL, Biltoft, E, Blair, SN 2006. 'Association of cardiorespiratory fitness, body mass index, and waist circumference to nonalcoholic fatty liver disease', *Gastroenterology*, vol.130, no.7, Juni 2006, pp.2023–2030.
- Corey, KE, Kaplan, LM 2014, 'Obesity and liver disease: The epidemic of the twenty-first century', *Clinical in Liver Disease*, vol.18, issue 1, Februari 2014, pp.1-18.
- Das, K, Das, K, Mukherjee, PS, Ghosh, A, Ghosh, S, Mridha, AR, Dhibas, A 2010, 'Non-obese population in a developing country has a high prevalence of nonalcoholic fatty liver and significant liver disease', *Hepatology*, vol. 51, no. 5,

Mei 2010, pp.1593-1602.

Dewi, CS 2012, ‘Hubungan Indeks Massa Tubuh Overweight Dengan Gambaran Fatty Liver Pada USG Abdomen di RSUD dr. Moewardi’, *Universitas Sebelas Maret Agustus 2012*, diakses Mei 2017,
<https://digilib.uns.ac.id/dokumen/abstrak/25647/Hubungan-Indeks-Massa-Tubuh-Overweight-dengan-Gambaran-Fatty-Liver-pada-USG-Abdomen-Di-RSUD-Dr-Moewardi>

Dhabi, AS, Brahmbhatt, KJ, Pandya TP 2008, ‘Non- Alcoholic Fatty Liver Disease (NAFLD)’, *Journal of Indian Academy of Clinical Medicine*, vol. 9, no.1, pp.36-41.

Djokomoeltjanto, R 2011, *Endokrinologi pada usia lanjut : Buku ajar Boedhi-Darmojo geriatric (ilmu kesehatan usia lanjut)* edisi 4, Balai Penerbit FK UI, Jakarta.

Dowman, JK, Tomlinson, JW, Newsome, PN 2010, ‘Pathogenesis of non-alcoholic fatty liver disease’, *QJM*, vol. 103, no.2, Februari 2010, pp.71-83.

Dragan, M, Goran, C 2008, ‘Abdominal obesity and type 2 diabetes’, *European Endocrinology*, 2008, vol. 4, pp.26-28.

Everhart, J and Bambha, K 2010, ‘Fatty liver: Think globally’, *Hepatology*, vol.51, no.5, Mei 2010, pp.1491-1493.

Fabbrini, E, Sullivan, S, Klein, S 2010, ‘Obesity and nonalcoholic fatty liver disease: Biochemical, metabolic, and clinical implications’, *Hepatology*, vol.51, no.2, februari 2010, USA.

F C , KRUGER 2008, ‘A study of non-alcoholic fatty liver disease (NAFLD) in South African patients and analysis of selected candidate genes implicated in insulin resistance and fatty acid oxidation’, *Stellenbosch University*, Desember 2008, diakses juni 2017,
<http://scholar.sun.ac.za/handle/10019.1/1415>

Finucane, MM, Stevens, GA, Cowan, M, 2011, ‘National, regional, and global trends in body mass index since 1980: Systematic analysis of health examination surveys and epidemiological studies with 960 country-years and 9.1 million participants’, *Lancet*, Februari 2011, vol.377, no.9765, pp.557-567.

Flegal, K, Carroll, M, Kit, B and Ogden, C 2012, ‘Prevalence of Obesity and Trends in the Distribution of Body Mass Index Among US Adults 1999-2010’, *JAMA*, vol.307, no.5, Februari 2012, pp.491.

- Gardner 2011, *Greenspan's Basic & Clinical Endocrinology 9th edition*, McGraw-Hill, New York.
- Guyton, AC, Hall, JE 2007, *Buku ajar fisiologi kedokteran edisi 11*, EGC, Jakarta.
- Hall, JE, Guyton, AC 2012, *Guyton and Hall Textbook of Medical Physiology 11th edition*, Elsevier Health Sciences, London.
- Hamer, OW, Aguirre, D, Casola, G, Lavine, JE, Woenckhaus, M, Sirlin, CB 2006, 'Fatty liver: imaging patterns and pitfalls, Radiographics', vol.26, no.6, November – Desember 2006, pp.1637-1653.
- Harrison, SA, Day, C 2007, 'Recent advances in clinical practice: Benefits of lifestyle modification in NAFLD', *GUT*, vol. 56, Oktober 2007, pp.1760-1769.
- Harrison, T, Kasper, D, Fauci, A, Hauser, S, Longo, D, Jameson, J, Loscalzo, J 2015, *Harrison's Principles of Internal Medicine*, McGraw-Hill Education, New York.
- Hasan, I 2009, *Perlemakan hati non alkoholik : Buku Ajar Ilmu Penyakit Dalam Jilid I*, Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI, Jakarta.
- Hurjui, DM, Niță, O, Graur, LI, Popescu, DŞ, Mihalache, L, Huțanașu, CI, Graurx, M 2012. 'The pathogenesis of non-alcoholic fatty liver disease is closely related to the metabolic syndrome components', *Romanian Journal of Diabetes Nutrition and Metabolic Diseases*, vol.19, Issue 3, Oktober 2012, pp.311-321.
- Iljas, M 2010, *Ultrasonografi hati: Radiologi Diagnostik Edisi Kedua*, Balai Penerbit FKUI, Jakarta.
- Iljas, G, Budyatmoko, B 2010, *Perkembangan mutakhir pencitraan diagnostik (Diagnostic imaging) : Radiologi Diagnostik Edisi Kedua*, Balai Penerbit FKUI, Jakarta.
- Joy, D, Thava, VR & Scott, BB 2003, 'Diagnosis of fatty liver disease', *European Journal of Gastroenterology & Hepatology*, vol.15, no.5, November 2003, pp.539-543.
- Kristina, NN 2010, *Pedoman Pengendalian Obesitas Kementerian Kesehatan Republik Indonesia*, diakses 8 Agustus 2017,
<http://www.diskes.baliprov.go.id/id/PENGENDALIAN-OBESITAS2>
- Lee, J, Chung, DS, Kang, JH., Yu, BY 2012, 'Comparison of Visceral Fat and Liver Fat as Risk Factors of Metabolic Syndrome', *Journal of Korean Medical Science*, vol.27, no.2, Februari 2012, pp.184.

- Lee, SS, Park, SH 2014, 'Radiologic evaluation of nonalcoholic fatty liver disease', *World Journal of Gastroenterology*, vol.20, no.23, Juni 2014, pp.7392-7402.
- Lee, S, Yang, S, Lee, T, Yeh, H, Tung, C, Chang, C 2017, 'The association of non-alcoholic fatty liver disease with body mass index and waist circumference in a Chinese population', *Journal of Advanced Nutrition and Human Metabolism*, vol.2, Januari 2017, pp.1-7.
- Liu, Q, Bengmark, S, Qu, S 2010, 'The role of hepatic fat accumulation in pathogenesis of non-alcoholic fatty liver disease (NAFLD)', *Lipids in Health and Disease*, vol.9, no.42, April 2010, China.
- Manco, M, Bottazzo, G, DeVito, R, Marcellini, M, Mingrone, G, Nobili, V 2008, 'Nonalcoholic fatty liver disease in children', *Journal of the American College of Nutrition*, vol. 27, no.6, Juni 2008, pp.667-676.
- Marieb, ENE, Hoehn, K 2012, *Human Anatomy & Physiology 9th edition*, Benjamin/Cummings Pub. Co, Redwood City, California.
- Martini & Nath, J 2012, *Fundamentals of Anatomy and Physiology 9th edition*, Pearson/Benjamin Cummings, San Fransisco.
- Miles, JM, Jensen, MD 2005, 'Counterpoint: visceral adiposity is not causally related to insulin resistance', *Diabetes Care*, 2005, vol.28, no.9, September 2005, pp.2326-2328.
- Nguyen, NT, Magno, CP, Lane, KT, Hinojosa, MW, Lane, JS 2008, 'Association of Hypertension, Diabetes, Dyslipidemia, and Metabolic Syndrome with Obesity: Findings from the National Health and Nutrition Examination Survey 1999 to 2004', *Journal of the American College of Surgeons*, vol.207, no.6, Desember 2008, pp.928-934.
- National Intitute for Health and Care Excellence 2006, *Working with people to prevent and manage overweight and obesity: the issues*, diakses 7 Juli 2017, <http://www.nice.org.uk/guidance/cg43>
- Nielsen, S, Guo, Z, Johnson, CM, Hensrud, DD, Jensen, MD 2004, 'Splanchnic lipolysis in human obesity', *Journal of Clinical Investigation*, vol.113, no.11, Juni 2004, pp.1582-1588.
- Pang, C, Gao, Z, Yin, J, Zhang, J, Jia, W, Ye, J 2008, 'Macrophage infiltration into adipose tissue may promote angiogenesis for adipose tissue remodeling in obesity', *American Journal of Physiology Endocrinology Metabolism*, vol.295, no.2, Agustus 2008, pp.313-322.

- Pang, Q 2015, 'Central obesity and nonalcoholic fatty liver disease risk after adjusting for body mass index', *World Journal of Gastroenterology*, vol.21, Issue 5, Februari 2015, pp.1650.
- Patel, PR 2007, *Lecture notes radiologi edisi kedua*, Erlangga, Jakarta.
- Popkin, BM, Slining, MM 2013, 'New dynamics in global obesity facing low- and middle-income countries', *Obesity Reviews*, 2013, vol.14, no.2, November 2013, pp.11-20 (online Epub).
- Rachmi, CN, Li, M, Baur, LA 2017, 'Overweight and obesity in Indonesia : prevalence and risk factors', *Literature Review*, vol.147, Februari 2017, Australia.
- Riset Kesehatan Dasar 2013, *Prevalensi Obesitas Indonesia*, diakses tanggal 23 November,
www.depkes.go.id/resources/download/general/Hasil%20Riskesdas%202013.pdf
- Riwidikdo H 2009, *Statistik Kesehatan*, Mitra Cendekia Press, Yogyakarta.
- Roemling C, Qaim M 2012, 'Obesity trends and determinants in Indonesia', *Appetite*, 2012, vol.58, no.3, Juni 2012, Jerman (online PubMed).
- Sass, DA, Chang, P, Chopra, KB 2005, 'Nonalcoholic fatty liver disease: A clinical review', *Digestive Diseases and Sciences*, vol.50, no.1, Januri 2005, pp.171-180.
- Shen, W 2003, 'Adipose Tissue Quantification by Imaging Methods: A Proposed Classification', *Obesity Research*, vol.11, no.1, Januari 2003, pp.5–16.
- Sugondo S 2009, *Obesitas: Buku Ajar Ilmu Penyakit Dalam Jilid III Edisi V*, Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI, Jakarta.
- Swarjana, IK 2012, *Metodologi penelitian kesehatan*, Yogyakarta, diakses 5 April 2016,
<https://books.google.co.id/books?id=NOkOS2V7vVcC&printsec=frontcover&hl=id#v=onepage&q&f=false>
- Targher, G, Bertolini, L, Scala, L, Zoppini, G, Zenari, L and Falezza, G 2005, ' Non-alcoholic hepatic steatosis and its relation to increased plasma biomarkers of inflammation and endothelial dysfunction in non-diabetic men, Role of visceral adipose tissue', *Diabetic Medicine*, vol.22, no.10, Oktober 2005, pp.1354-1358.

- Thamer, C 2007, 'High visceral fat mass and high liver fat are associated with resistance to lifestyle intervention', *Obesity*, vol.15, no.2, Februari 2007, pp.531-538..
- Tiniakos, MB, Vos and E M, Brunt 2010, 'Nonalcoholic fatty liver disease', *Review of Pathology*, vol. 5, September 2010, pp.145-171.
- Torruellas, C, French, SW, Medici, V 2014, 'Diagnosis of alcoholic liver disease', *World Journal of Gastroenterology : WJG*, 2014, vol.20, no.33, September 2014, pp.11684-11699.
- Trihatmowijoyo, BM, Nusi, AI 2009, *Key fatty liver dan transplantasi liver*, diakses 15 Agustus 2017,
<http://www.scribd.com/doc/38683046/final-FT-1>
- Waist circumference and waist–hip ratio: report of a WHO expert consultation, 8–11 December 2008, Geneva, diakses juni 2017,
whqlibdoc.who.int/publications/.../9789241501491_eng.pdf
- Wang, Y, McPherson, K, Marsh, T, Gortmaker, S, Brown, M 2011, 'Health and economic burden of the projected obesity trends in the USA and the UK', *Lancet* vol.378, Issue 9793, Agustus 2011, pp.815-825.
- Wang, H 2012, 'Epidemiology of general obesity, abdominal obesity and related risk factors in urban adults from 33 communities of Northeast China: the CHPSNE study', *BMC Public Health*, vol.12, Issue 967, November 2012, pp.967.
- Weisberg, SP, McCann, D, Desai, M, Rosenbaum, M, Leibel, RL, Ferrante, AW 2003, 'Obesity is associated with macrophage accumulation in adipose tissue', *Journal of Clinical Investigation*, vol.112, no.12, Desember 2003, pp.1796-1808.
- World Health Organization Media Centre 2017. *Obesity and Overweight*, diakses 12 Februari 2018,
<http://www.who.int/mediacentre/factsheets/fs311/en/>
- World Health Organization 2000, 'The Asia-Pacific perspective: Redefining obesity and its treatment IASO international edition', *International obesity taskforce*, Februari 2000, Australia.
- Widjaja, S 2010, *Gangguan faal (fungsi) hati yang sering ditanyakan oleh penderita*, diakses 18 Februari 2018,
www.medistra.com/index.php?option=com_content&view=arti&cle&id=106 –

Wilson, LM 2006, *Patofisiologi: Konsep Klinis Proses-Proses Penyakit Edisi 6 volume I*, EGC, Jakarta.

Zhang 2010, *Pengontrolan ilmiah penyakit perlemakan hati*, diakses 18 Februari 2018,
<http://indonesian.cri.cn/381/2009/06/28/1s98435.htm>

Zelber-Sagi, S, Nitzan-Kaluski, D, Halpern, Z, Oren, R 2006, 'Prevalence of primary non-alcoholic fatty liver disease in a population-based study and its association with biochemical and anthropometric measures', *Liver International*, vol.26, no.7, September 2006, pp.856-863.

