

DAFTAR PUSTAKA

- Adriaensen, H. *et al.* (1983) "Response properties of thin myelinated (A-delta) fibers in human skin nerves," *Pubmed* [Preprint]. Tersedia pada: <https://doi.org/10.1152/jn.1983.49.1.111>.
- American Academy of Pediatrics (2017) "Prevention and Management of Pain in the Neonate: An Update," 118(5). Tersedia pada: <https://doi.org/10.1542/peds.2006-2277>.
- Anand, K.J.S. *et al.* (2006) "Summary proceedings from the neonatal pain-control group," *Pubmed* [Preprint]. Tersedia pada: <https://doi.org/10.1542/peds.2005-0620C>.
- Asif, S. *et al.* (2024) "Hypoglycemia and hyperglycemia in neonatal encephalopathy," (August).
- Avroy dan Jonathan (2020) "Klaus and Fanaroff's Care of The High-Risk Neonate," in *Elsevier*. Seventh. Missouri.
- Badr, L.K. (2013) "Pain in Premature Infants: What Is Conclusive Evidence and What Is Not," *Newborn and Infant Nursing Reviews*, 13(2), hal. 82–86. Tersedia pada: <https://doi.org/https://doi.org/10.1053/j.nainr.2013.03.002>.
- Balasundaram, P. dan Dumpa, V. (2023) *Neonatal Hyperglycemia*. StatPearls Publishing. Tersedia pada: <https://www.ncbi.nlm.nih.gov/books/NBK567769/>.
- Berger, D.S. *et al.* (2024) "Respiratory Distress Syndrome is Associated with Increased Morbidity and Mortality in Late Preterm Births," *American Journal of Obstetrics & Gynecology MFM*, 6(6). Tersedia pada: <https://doi.org/https://doi.org/10.1016/j.ajogmf.2024.101374>.
- Bouza, H. (2009) "The impact of pain in the immature brain," *The Journal of Maternal-Fetal & Neonatal Medicine*, 22(9). Tersedia pada: <https://doi.org/https://doi.org/10.3109/14767050902926962>.
- Breton-Piette, A. *et al.* (2024) "Prolonged pain in premature neonates hospitalised in neonatal intensive care units: A scoping review," *International Journal of Nursing Studies*, 155. Tersedia pada: <https://doi.org/10.1016/j.ijnurstu.2024.104773>.
- Cao, B. *et al.* (2024) "Pathology of pain and its implications for therapeutic interventions," *Signal Transduction and Targeted Therapy*, 9(1). Tersedia pada: <https://doi.org/10.1038/s41392-024-01845-w>.

- Cascella, M. *et al.* (2016) “The underestimated role of psychological and rehabilitation approaches for management of cancer pain. A brief commentary,” *Pubmed* [Preprint]. Tersedia pada: <https://pubmed.ncbi.nlm.nih.gov/27571557/>.
- Chaudhary, G. (2024) “The Effectiveness of the 5 S ’ s Technique as a Non-Pharmacological Intervention for Promoting Infant Sleep : A Systematic Review,” 14(04), hal. 1203–1219.
- Chen, J. (Steven) *et al.* (2023) “Physiology, Pain,” *StatPearls* [Preprint]. Tersedia pada: <https://www.ncbi.nlm.nih.gov/books/NBK539789/>.
- Committee, N. dan Society, C.P. (2000) “Prevention and management of pain and stress in the neonate,” 5(1), hal. 31–38.
- Costa, K.S.F. *et al.* (2019) “Hammock and nesting in preterm infants: randomized controlled trial,” *Revista Brasileira de Enfermagem*, 72(Suppl 3), hal. 96–102. Tersedia pada: <https://doi.org/10.1590/0034-7167-2018-0099>.
- Cousins, S. *et al.* (2019) “What is an invasive procedure? A definition to inform study design, evidence synthesis and research tracking,” *BMJ Open*, 9(7), hal. 2018–2020. Tersedia pada: <https://doi.org/10.1136/bmjopen-2018-028576>.
- Delgado, D.A. *et al.* (2018) “Validation of Digital Visual Analog Scale Pain Scoring With a Traditional Paper-based Visual Analog Scale in Adults,” *Journal of the American Academy of Orthopaedic Surgeons Global Research and Reviews*, 2(3). Tersedia pada: <https://doi.org/10.5435/JAAOSGlobal-D-17-00088>.
- Dixley, A. dan Ball, H.L. (2022) “The effect of swaddling on infant sleep and arousal: A systematic review and narrative synthesis,” *Frontiers in Pediatrics*, 10(November), hal. 1–8. Tersedia pada: <https://doi.org/10.3389/fped.2022.1000180>.
- Doherty, T.M. *et al.* (2024) “Physiology, Neonatal,” *StatPearls* [Preprint]. Tersedia pada: <https://www.ncbi.nlm.nih.gov/books/NBK539840/>.
- E.Barrett, K. *et al.* (2012) *Buku Ajar Fisiologi Kedokteran Ganong*. Jakarta: EGC Medical Publishers.
- Ernawati, Y. *et al.* (2023) *Asuhan Keperawatan Pada Bayi Dengan Risiko Tinggi*. Jakarta: Nuansa Fajar Cemerlang.
- Fitri, S.Y.R. *et al.* (2019) “Pain in neonates: A concept analysis,” *Anesthesiology and Pain Medicine*, 9(4). Tersedia pada: <https://doi.org/10.5812/aapm.92455>.
- Ginting, G.K.. (2019) “Pentingnya Evaluasi Asuhan Keperawatan Sebagai

- Perbandingan Dalam Mencapai Tujuan Awal.,” *OSF* [Preprint].
- Guiducci, S. *et al.* (2022) “Neonatal Hyperglycemia and Neurodevelopmental Outcomes in Preterm Infants : A Review,” hal. 1–10.
- Health, E.M. of (2018) *NEONATAL CARE CLINICAL GUIDELINES*. Unicef. Tersedia pada: [chrome-extension://efaidnbmnnnibpcajpcgclefindmkaj/https://platform.who.int/docs/default-source/mca-documents/policy-documents/guideline/SWZ-MN-48-01-GUIDELINE-2018-eng-Clinical-neonatal-guidelines-2018.pdf](https://platform.who.int/docs/default-source/mca-documents/policy-documents/guideline/SWZ-MN-48-01-GUIDELINE-2018-eng-Clinical-neonatal-guidelines-2018.pdf).
- Health, S.M.C. (2025) *The Neonatal Intensive Care Unit (NICU), Stanford Medicine Children’s Health*. Tersedia pada: <https://www.stanfordchildrens.org/en/topic/default?id=the-neonatal-intensive-care-unit-nicu-90-P02389> (Diakses: 12 Oktober 2025).
- Hohman, E.E. *et al.* (2024) “Sleep SAAF Responsive Parenting Intervention for Black Mothers Impacts Response to Infant Crying: A Randomized Clinical Trial,” *Academic Pediatrics*, 24(1), hal. 97–104. Tersedia pada: <https://doi.org/10.1016/j.acap.2023.04.012>.
- Irfanti, R.T. *et al.* (2020) “Diaper Dermatitis,” 47, hal. 50–55.
- Karcz, M. *et al.* (2024) “Pathophysiology of Pain and Mechanisms of Neuromodulation: A Narrative Review (A Neuron Project),” *Journal of Pain Research*, 17, hal. 3757–3790. Tersedia pada: <https://doi.org/10.2147/JPR.S475351>.
- Karp, H. (2004) *The “Fourth” Trimester..., DR. GEORGE DEFRANCA*. Tersedia pada: <https://www.drdefranca.com/the-fourth-trimester-and-colic.html> (Diakses: 7 Oktober 2025).
- Kassab, M. *et al.* (2019) “Number and Frequency of Routinely Applied Painful Procedures in University Neonatal Intensive Care Unit,” *Clinical Nursing Research*, 28(4), hal. 488–501. Tersedia pada: <https://doi.org/10.1177/1054773817744324>.
- Katz, N. (2002) “The impact of pain management on quality of life,” *Journal of Pain and Symptom Management*, 24(1 SUPPL. 1), hal. 38–47. Tersedia pada: [https://doi.org/10.1016/S0885-3924\(02\)00411-6](https://doi.org/10.1016/S0885-3924(02)00411-6).
- Kemendes (2023) *Pengkajian dan Pemeriksaan Fisik pada Bayi Baru Lahir, Kemenkes*. Tersedia pada: https://keslan.kemkes.go.id/view_artikel/2763/pengkajian-dan-pemeriksaan-fisik-pada-bayi-baru-lahir (Diakses: 12 Oktober 2025).
- Kenner, C. dan Boykova, M. V (2022) “Neonatal nursing care handbook : an evidence-based approach to conditions and procedures [edited by] Carole Kenner, Marina V. Boykova.,” in. United States: New York, NY : Springer

Publishing Company, LLC.

- Khanna, S. *et al.* (2024) "Procedural pain management in neonates: A Narrative review," *International Journal of Critical Illness and Injury Science*, 14(4), hal. 221–228. Tersedia pada: https://doi.org/10.4103/ijciis.ijciis_44_24.
- Kolcaba, K. dan Steiner, R. (2000) "Empirical Evidence for the Nature of Holistic Comfort," *Sage Journals*, 18(1). Tersedia pada: <https://doi.org/https://doi.org/10.1177/089801010001800106>.
- Lestari, P. dan Ramawati, D. (2023) "Jurnal Aisyah : Jurnal Ilmu Kesehatan Early Detection of Sepsis in Neonates : A Literature Review," 8(2), hal. 827–834. Tersedia pada: <https://doi.org/10.30604/jika.v8i2.1941>.
- Lilla, M. dan Stadelman-Diaw, C. (2013) "La douleur prolongée chez le nouveau-né : étude de cas." Tersedia pada: <https://doi.org/10.3917/rsi.115.0036>.
- Lundqvist, P. *et al.* (2014) "Development and psychometric properties of the Swedish ALPS-Neo pain and stress assessment scale for newborn infants," *Acta Paediatrica, International Journal of Paediatrics*, 103(8), hal. 833–839. Tersedia pada: <https://doi.org/10.1111/apa.12672>.
- Mamentu, P. *et al.* (2020) "BAYI SAAT IMUNISASI BCG Program Studi Ilmu Keperawatan , STIKES Muhammadiyah Manado tertinggi . Sebagian besar metode tindakan."
- Manurung, W.G. *et al.* (2025) "Relationship Between Skin Hydration Levels With The Severity of Diaper Dermatitis In Children Aged 0-24 Months," 5(1), hal. 66–73.
- Marko, T. dan Dickerson, M.L. (2018) "History and Overview of Neonatal Pain," *Clinical Handbook of Neonatal Pain Management for Nurses* [Preprint]. Tersedia pada: <https://doi.org/10.1891/9780826194381.0001>.
- Martinello, K. *et al.* (2017) "Management and investigation of neonatal encephalopathy: 2017 update," hal. 346–358. Tersedia pada: <https://doi.org/10.1136/archdischild-2015-309639>.
- Masta, G.A.A.P. dan Windiyanto, R. (2024) "Kejang Nerulang Pada Bayi Usia 34 Hari Dengan Hiperparatiroid : Sebuah Studi Kasus," 4(1), hal. 44–52.
- McCaffrey, M. dan Pasero., C. (1999) *Pain: Clinical manual (2nd edn)*. C. V. Mosby, St Louis. Tersedia pada: <https://doi.org/10.1046/J.1365-2702.2000.0374C.X>.
- McGregor, K. (2017) "Principles of anaesthesia for term neonates," *Anaesthesia & Intensive Care Medicine*, 18(2), hal. i. Tersedia pada: [https://doi.org/10.1016/s1472-0299\(17\)30003-6](https://doi.org/10.1016/s1472-0299(17)30003-6).

- Meiriza, W. *et al.* (2023) “Efektivitas Penggunaan Bedong Kain Dan Skin Wrap Dalam Pengaturan Suhu Tubuh Bayi Baru Lahir,” *Jurnal Kesehatan Sainika Meditory*, 6(2), hal. 501–510.
- Melzack, R. dan Wall, P.D. (1965) “Pain mechanisms: a new theory,” *Pubmed* [Preprint]. Tersedia pada: <https://doi.org/10.1126/science.150.3699.971>.
- Mencia, S. *et al.* (2022) “Evaluation and Treatment of Pain in Fetuses, Neonates and Children,” *Children*, 9(11), hal. 1–21. Tersedia pada: <https://doi.org/10.3390/children9111688>.
- Möller, E.L. *et al.* (2019) “Infant crying and the calming response: Parental versus mechanical soothing using swaddling, sound, and movement,” *PLoS ONE*, 14(4), hal. 1–16. Tersedia pada: <https://doi.org/10.1371/journal.pone.0214548>.
- Nadila, N. *et al.* (2022) “PENERAPAN DEVELOPMENTAL CARE DAN STIMULASI OROMOTORIK DI NICU : SUATU STUDI KASUS,” 1, hal. 7–15.
- Najib, A. dan Suminar, I.T. (2025) “Jurnal Penelitian Nusantara Laporan Kasus Pada Pasien Asfiksia Neonatus Dengan Pola Nafas Tidak Menulis : Jurnal Penelitian Nusantara,” 1, hal. 95–98.
- Nelson, A.M. (2017) “Risks and Benefits of Swaddling Healthy Infants An Integrative Review,” *MCN The American Journal of Maternal/Child Nursing* [Preprint]. Tersedia pada: <https://doi.org/10.1097/NMC.0000000000000344>.
- Nickavar, A. *et al.* (2007) “Validity of Serum Sodium and Calcium Screening in Children with Febrile Convulsion,” hal. 2–4.
- Nugent, S.M. *et al.* (2021) “Associations of Pain Numeric Rating Scale Scores Collected during Usual Care with Research Administered Patient Reported Pain Outcomes,” *Pain Medicine (United States)*, 22(10), hal. 2235–2241. Tersedia pada: <https://doi.org/10.1093/pm/pnab110>.
- Ojeda, A.B.B. dan Mendez, M.D. (2023) *Diaper Dermatitis*. StatPearls Publishing. Tersedia pada: <https://www.ncbi.nlm.nih.gov/books/NBK559067/>.
- Oktariani, L. *et al.* (2020) “Systematic review.”
- Parappil, H. *et al.* (2022) “Management of Hyperglycemia in the Neonatal Unit: A Practical Approach to Diagnosis and Management,” (January). Tersedia pada: <https://doi.org/10.4103/jcn.jcn>.
- Pasaribu, D.A. dan Sebayang, S.M. (2021) “Efektivitas Metode 5 S terhadap Respon Nyeri pada Bayi Usia 2-6 Bulan saat Imunisasi Pentavalen,” 6(1), hal.

- 15–20.
- Pediatric, A.A. of (2006) “Prevention and management of pain in the neonate: an update,” *AAP Publications* [Preprint]. Tersedia pada: <https://doi.org/10.1542/peds.2006-2277>.
- Philadelphia, T.C.H. of (2025) *Newborn Warning Signs, The Children’s Hospital of Philadelphia*. Tersedia pada: <https://www.chop.edu/pages/newborn-warning-signs> (Diakses: 30 Oktober 2025).
- PPNI, T.P.S.D. (2017) *Standar diagnosis keperawatan indonesia : definisi dan indikator diagnostik*. DPP PPNI.
- Raja S *et al.* (2020) “The Revised IASP Definition Of Pain: Concepts, Challenges, And Compromises,” *Pain*, 161(9), hal. 1976–1982. Tersedia pada: <https://doi.org/10.1097/j.pain.0000000000001939>.The.
- Ramadhani, M. (2022) “Hubungan Antara Kadar Bilirubin Total dengan Kadar Hemoglobin Pada Bayi Ikterus di RSUD Depok.”
- Ramasethu, J. (2017) “Prevention and treatment of neonatal nosocomial infections,” *Maternal Health, Neonatology and Perinatology*, 3(1), hal. 1–11. Tersedia pada: <https://doi.org/10.1186/s40748-017-0043-3>.
- Ranger, M. dan Grunau, R.E. (2014) “Early repetitive pain in preterm infants in relation to the developing brain,” *NIH Public Access* [Preprint]. Tersedia pada: <https://doi.org/10.2217/pmt.13.61>.Early.
- Sarkaria, E. dan Gruszfeld, D. (2022) “Assessing Neonatal Pain with NIPS and COMFORT-B: Evaluation of NICU’s Staff Competences,” *Pain Research and Management*, 2022. Tersedia pada: <https://doi.org/10.1155/2022/8545372>.
- Serrao, F. *et al.* (2024) “pCO₂ values in asphyxiated infants under therapeutic hypothermia after tailored respiratory management: a retrospective cohort study,” (January), hal. 1–9. Tersedia pada: <https://doi.org/10.3389/fped.2023.1293526>.
- Sharma, D. (2017) “Golden hour of neonatal life: Need of the hour,” *Maternal Health, Neonatology and Perinatology*, 3(1), hal. 1–21. Tersedia pada: <https://doi.org/10.1186/s40748-017-0057-x>.
- Silbernagl, S. dan Despopoulos, A. (2008) *Color Atlas Physiology, Journal GEEJ*.
- Simarmata, J.M. *et al.* (2020) “The Effect of Methods 5 S : Swaddling , Side / Stomach Position , Sushing , Swingging , Sucking with Pain Responce on Baby after HB-0 Immunization,” (Ichimat 2019), hal. 444–451. Tersedia pada: <https://doi.org/10.5220/0009837804440451>.

- Stroke, N.I. of N.D. and (2025) *Pain, National Institute of Neurological Disorders and Stroke*. Tersedia pada: <https://www.ninds.nih.gov/health-information/disorders/pain#> (Diakses: 8 Oktober 2025).
- Tim Pokja SIKI DPP PPNI (2018) *Standar Intervensi Keperawatan Indonesia: Definisi dan Tindakan Keperawatan*. Jakarta Selatan.
- Toney-Butler, T.J. dan Thayer., J.M. (2023) *Nursing Process*. StatPearls Publishing. Tersedia pada: [https://www.ncbi.nlm.nih.gov/books/NBK499937/#:~:text=Proses keperawatan berfungsi sebagai panduan,perencanaan%2C implementasi%2C dan evaluasi.](https://www.ncbi.nlm.nih.gov/books/NBK499937/#:~:text=Proses%20keperawatan%20berfungsi%20sebagai%20panduan,perencanaan%20implementasi%20dan%20evaluasi.)
- Trihastutik, T. *et al.* (2019) “Perilaku Perawat dalam Manajemen Nyeri Non Farmakologi pada Neonatus Pendekatan Theory of Planned Behavior (TPB),” *PEDIOMATERNAL NURSING JOURNAL*, 5(1).
- UNICEF (2025) *Danger Sign for Newborn, UNICEF*. Tersedia pada: [chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/https://www.unicef.org/timorleste/media/1601/file/Wall_Hanging_4_\(English\)_Print.pdf](chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/https://www.unicef.org/timorleste/media/1601/file/Wall_Hanging_4_(English)_Print.pdf) (Diakses: 12 Oktober 2025).
- Vaegter, H.B. *et al.* (2023) “FACT SHEET. Higt-impact Chronic Pain,” hal. 1–2. Tersedia pada: <https://we.tl/t-UaYaOAmxrVnmark,>.
- Vance, A.J. *et al.* (2023) “Identifying neonatal intensive care (NICU) admissions using administrative claims data,” *Journal of Neonatal-Perinatal Medicine*, 16(4), hal. 709–716. Tersedia pada: <https://doi.org/10.3233/NPM-230014>.
- Vinall, J. *et al.* (2014) “Invasive procedures in preterm children: Brain and cognitive development at school age,” *Pediatrics*, 133(3), hal. 412–421. Tersedia pada: <https://doi.org/10.1542/peds.2013-1863>.
- Wang, D. *et al.* (2025) “Severe Neonatal Asphyxia Associated with Ureaplasma urealyticum Infection: A Case Report,” hal. 1–5. Tersedia pada: <https://doi.org/10.12659/AJCR.946249>.
- Weng, Y. *et al.* (2024) “Effect of non-pharmacological interventions on pain in preterm infants in the neonatal intensive care unit: a network meta-analysis of randomized controlled trials,” *BMC Pediatrics*, 24(1), hal. 1–14. Tersedia pada: <https://doi.org/10.1186/s12887-023-04488-y>.
- WHO (2025) *Newborn health*. Tersedia pada: https://www.who.int/westernpacific/health-topics/newborn-health#tab=tab_1 (Diakses: 4 Oktober 2025).

- Williams, M.D. dan Lascelles, B.D.X. (2020) “Early Neonatal Pain—A Review of Clinical and Experimental Implications on Painful Conditions Later in Life,” *Frontiers in Pediatrics*, 8(February). Tersedia pada: <https://doi.org/10.3389/fped.2020.00030>.
- Witt, N. *et al.* (2016) “A Guide to Pain Assessment and Management in the Neonate,” *Current Emergency and Hospital Medicine Reports*, 4(1), hal. 1–10. Tersedia pada: <https://doi.org/10.1007/s40138-016-0089-y>.
- Wulandari, N.A. dan Setiyorini, E. (2014) “Aplikasi Teknik Swaddling, Side-Stomach, Shushing, Swinging, Sucking(5S’S) terhadap Skala Nyeri dan Durasi Tangisan pada Neonatus Paska Prosedur Pengambilan Darah,” *Jurnal Ners dan Kebidanan (Journal of Ners and Midwifery)*, 1(3), hal. 171–176. Tersedia pada: <https://doi.org/10.26699/jnk.v1i3.art.p171-176>.
- Yadav, S. dan Lee, B. (2023) *Neonatal Respiratory Distress Syndrome*. StatPearls Publishing. Tersedia pada: <https://www.ncbi.nlm.nih.gov/books/NBK560779/>.