

DAFTAR PUSTAKA

- Abdalhafith, O., Rababa, M., Hayajneh, A. A., Alharbi, T. A. F., Alhumaidi, B., & Alharbi, M. N. (2025). Critical care nurses' knowledge, confidence, and clinical reasoning in sepsis management: a systematic review. *BMC Nursing*, 24(1). <https://doi.org/10.1186/s12912-025-02986-1>
- Ait-Oufella, H., & Bakker, J. (2016). Understanding clinical signs of poor tissue perfusion during septic shock. *Intensive Care Medicine*, 42(12), 2070–2072. <https://doi.org/10.1007/s00134-016-4250-6>
- Baddam, S., & Burns, B. (2025). *Systemic Inflammatory Response Syndrome*. StatPearls.
- Dharan, R., Kumar, Dr. D. S., Prasanthi, Dr. J., Naryanan, S., Babu, M., & K, Dr. V. (2024). Vital Signs or Lab parameters: Evaluation of National Early Warning Score2 (NEWS2) and Sequential Organ Failure Assessment (SOFA) Scores for Sepsis Screening in Low resource Hospital Setting. *Journal of Global Antimicrobial Resistance*, 39, 66. <https://doi.org/10.1016/j.jgar.2024.10.211>
- Evans, L., Rhodes, A., Alhazzani, W., Antonelli, M., Coopersmith, C. M., French, C., Machado, F. R., McIntyre, L., Ostermann, M., Prescott, H. C., Schorr, C., Simpson, S., Wiersinga, W. J., Alshamsi, F., Angus, D. C., Arabi, Y., Azevedo, L., Beale, R., Beilman, G., ... Levy, M. (2021). Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock 2021. *Critical Care Medicine*, 49(11), e1063–e1143. <https://doi.org/10.1097/CCM.0000000000005337>
- Fulton II, M. R., Zubair, M., & Taghavi, S. (2025). *Laboratory Evaluation of Sepsis*. StatPearls Publishing, Treasure Island (FL). <http://europepmc.org/books/NBK594258>
- Gauer, R., Forbes, D., & Boyer, N. (2020). Sepsis: Diagnosis and Management. *American Family Physician*, 101(7), 409–418.
- Gavelli, F., Castello, L. M., & Avanzi, G. C. (2021). Management of sepsis and septic shock in the emergency department. In *Internal and Emergency Medicine* (Vol. 16, Number 6, pp. 1649–1661). Springer Science and Business Media Deutschland GmbH. <https://doi.org/10.1007/s11739-021-02735-7>
- Gildea, A., Mulvihill, C., McFarlane, E., Gray, A., & Singer, M. (2024). Recognition, diagnosis, and early management of suspected sepsis: summary of updated NICE guidance. *BMJ*, q1173. <https://doi.org/10.1136/bmj.q1173>

- Goodacre, S., Sutton, L., Thomas, B., Hawksworth, O., Iftikhar, K., Croft, S., Fuller, G., Waterhouse, S., Hind, D., Bradburn, M., Smyth, M. A., Perkins, G. D., Millins, M., Rosser, A., Dickson, J. M., & Wilson, M. J. (2023). Prehospital early warning scores for adults with suspected sepsis: retrospective diagnostic cohort study. *Emergency Medicine Journal*, 40(11), 768–776. <https://doi.org/10.1136/emmermed-2023-213315>
- Guan, G., Lee, C. M. Y., Begg, S., Crombie, A., & Mnatzaganian, G. (2022). The use of early warning system scores in prehospital and emergency department settings to predict clinical deterioration: A systematic review and meta-analysis. In *PLoS ONE* (Vol. 17, Number 3 March). Public Library of Science. <https://doi.org/10.1371/journal.pone.0265559>
- Guarino, M., Perna, B., Cesaro, A. E., Maritati, M., Spampinato, M. D., Contini, C., & De Giorgio, R. (2023). 2023 Update on Sepsis and Septic Shock in Adult Patients: Management in the Emergency Department. In *Journal of Clinical Medicine* (Vol. 12, Number 9). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/jcm12093188>
- Guo, Q., Liu, D., & Wang, X. (2024). Early peripheral perfusion monitoring in septic shock. In *European journal of medical research* (Vol. 29, Number 1, p. 477). <https://doi.org/10.1186/s40001-024-02074-1>
- Gustad, L., Bangstad, I.-L., Torsvik, M., & Rise, M. (2024). Nurses' and Physicians' Experiences After Implementation of a Quality Improvement Project to Improve Sepsis Awareness in Hospitals. *Journal of Multidisciplinary Healthcare, Volume 17*, 29–41. <https://doi.org/10.2147/JMDH.S439017>
- Harley, A., Johnston, A. N. B., Denny, K. J., Keijzers, G., Crilly, J., & Massey, D. (2019). Emergency nurses' knowledge and understanding of their role in recognising and responding to patients with sepsis: A qualitative study. *International Emergency Nursing*, 43, 106–112. <https://doi.org/10.1016/j.ienj.2019.01.005>
- Hester, J., Youn, T. S., Trifilio, E., Robinson, C. P., Babi, M. A., Ameli, P., Roth, W., Gatica, S., Pizzi, M. A., Gennaro, A., Crescioni, C., MacIel, C. B., & Busl, K. M. (2021). The Modified Early Warning Score: A Useful Marker of Neurological Worsening but Unreliable Predictor of Sepsis in the Neurocritically Ill - A Retrospective Cohort Study. *Critical Care Explorations*, 3(5), E0386. <https://doi.org/10.1097/CCE.0000000000000386>
- Hsieh, M. S., Chiu, K. C., Chattopadhyay, A., Lu, T. P., Liao, S. H., Chang, C. M., Lee, Y. C., Lo, W. E., Hsieh, V. C. R., Hu, S. Y., & How, C. K. (2024). Utilizing the National Early Warning Score 2 (NEWS2) to confirm the impact of emergency department management in sepsis patients: a cohort study from taiwan 1998–2020. *International Journal of Emergency Medicine*, 17(1). <https://doi.org/10.1186/s12245-024-00614-4>

- Jalal, S. M., Jalal, S. H., Alabdullatif, A. A., Alasmakh, K. E., Alnasser, Z. H., & Alhamdan, W. Y. (2025). Evaluating Sepsis Management and Patient Outcomes: A Comprehensive Retrospective Study of Clinical and Treatment Data. *Journal of Clinical Medicine*, 14(10). <https://doi.org/10.3390/jcm14103555>
- Jarczak, D., Kluge, S., & Nierhaus, A. (2021). Sepsis—Pathophysiology and Therapeutic Concepts. *Frontiers in Medicine*, 8. <https://doi.org/10.3389/fmed.2021.628302>
- Javaid, S. T., Brace, B., & Lee, B. (2024). Audit on Monitoring of National Early Warning Scores 2 (NEWS2) in Old Age Patients. *BJPsych Open*, 10(S1), S241–S241. <https://doi.org/10.1192/bjo.2024.586>
- Julienne, J., Douillet, D., Mozziconacci, M.-S., & Callahan, J.-C. (2023). Prognostic accuracy of using lactate in addition to the quick Sequential Organ Failure Assessment score and the National Early Warning Score for emergency department patients with suspected infection. *Emergency Medicine Journal*, 40(1), 28–35. <https://doi.org/10.1136/emmermed-2021-211271>
- Jumarta, N., & Samsul Bahri, T. (2024). *Pengetahuan Perawat Tentang Sepsis di Ruang Intensive Care Unit: VIII* (Number 01).
- La Via, L., Sangiorgio, G., Stefani, S., Marino, A., Nunnari, G., Cocuzza, S., La Mantia, I., Cacopardo, B., Stracquadanio, S., Spampinato, S., Lavallo, S., & Maniaci, A. (2024). The Global Burden of Sepsis and Septic Shock. In *Epidemiologia* (Vol. 5, Number 3, pp. 456–478). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/epidemiologia5030032>
- Lane, D. J., & Hortwitz, S. (2020, March 17). *Sepsis, and septic Shock: Pathogenesis and clinical findings*.
- Lemoh, A. Y., Rashidzada, Z., Krishnasamy, M., Wilkinson, A., Blackwood, R., Rivalland, A., Ierano, C., Thursky, K. A., & Guccione, L. (2025). Roles and responsibilities of registered nurses in the early recognition and management of sepsis in acute hospital settings: a scoping review. *BMJ Open Quality*, 14(4), e003485. <https://doi.org/10.1136/bmjoq-2025-003485>
- Lian, H., Zhang, H., Ding, X., & Wang, X. (2022). The importance of a sepsis layered early warning system for critical patients. In *Am J Transl Res* (Vol. 14, Number 8). www.ajtr.org
- Liu, L., Wu, L., Chen, Y., Deng, R., Hu, Y., Tu, Y., & Fang, B. (2025). Clinical management of sepsis-associated acute respiratory distress syndrome: current evidence and future directions. In *Frontiers in Medicine* (Vol. 12). Frontiers Media SA. <https://doi.org/10.3389/fmed.2025.1531275>

- Lo Conte, S., Fruscoloni, G., Cartocci, A., Vitiello, M., De Marco, M. F., Cevenini, G., & Barbini, P. (2025). Development and Validation of a NEWS2-Enhanced Multivariable Prediction Model for Clinical Deterioration and In-Hospital Mortality in Hospitalized Adults. *Medicina (Lithuania)*, *61*(9). <https://doi.org/10.3390/medicina61091543>
- Long, B., & Gottlieb, M. (2025). Emergency medicine updates: Management of sepsis and septic shock. *The American Journal of Emergency Medicine*, *90*, 179–191. <https://doi.org/10.1016/j.ajem.2025.01.054>
- Mellhammar, L., Linder, A., Tverring, J., Christensson, B., Boyd, J. H., Sendi, P., Åkesson, P., & Kahn, F. (2019). NEWS2 is superior to qSOFA in detecting sepsis with organ dysfunction in the emergency department. *Journal of Clinical Medicine*, *8*(8). <https://doi.org/10.3390/jcm8081128>
- Melnyk, B. Mazurek., & Fineout-Overholt, Ellen. (2015). *Evidence-based practice in nursing & healthcare : a guide to best practice*. Wolters Kluwer Health.
- Meyer, N. J., & Prescott, H. C. (2024). Sepsis and Septic Shock. *New England Journal of Medicine*, *391*(22), 2133–2146. <https://doi.org/10.1056/NEJMra2403213>
- Naghavi, M. (2025). Global, regional, and national sepsis incidence and mortality, 1990-2021: a systematic analysis. *The Lancet. Global Health*, *13*(12), e2013–e2026. [https://doi.org/10.1016/S2214-109X\(25\)00356-0](https://doi.org/10.1016/S2214-109X(25)00356-0)
- Nunnally, J., Ko, S. M., Ugale, K., Lowe, T., Bond, J., Kenny, J.-E. S., Fargo, R. A., & Haycock, K. (2024). A nursing-led sepsis response team guiding resuscitation with point-of-care ultrasound: A review and model for improving bundle compliance while individualizing sepsis care. *SAGE Open Medicine*, *12*. <https://doi.org/10.1177/20503121241290378>
- Ogbebor, O., Niranjana, S., Saini, V., Ramanujam, D., DiSilvio, B., & Cheema, T. (2025). Evaluation of the Modified Early Warning Score (MEWS) in In-Hospital Cardiac Arrest in a Tertiary Healthcare Facility. *Journal of Clinical Medicine*, *14*(15). <https://doi.org/10.3390/jcm14155384>
- Oi, Y., Ogawa, F., Honzawa, H., Abe, T., Imaki, S., & Takeuchi, I. (2025). A Screening Tool to Predict Sepsis in Patients With Suspected Infection in the Emergency Department. *Cureus*. <https://doi.org/10.7759/cureus.78728>
- Pozzessere, P., Lovero, R., Crocetta, C., Firza, N., Brescia, V., Cazzolla, A. P., Dioguardi, M., Testa, F., Colella, M., & Santacroce, L. (2025). Improved Prognostic Accuracy of NEWS2 Score with Triage Data in Adults with Bacterial Sepsis: A Retrospective Cohort Study. *International Journal of Translational Medicine*, *5*(4), 44. <https://doi.org/10.3390/ijtm5040044>

- PPNI. (2017). *Standar Diagnosis Keperawatan Indonesia : Definisi dan Indikator Diagnostik*. Persatuan Perawat Nasional Indonesia.
- PPNI. (2018). *Standar Intervensi Keperawatan Indonesia : Definisi dan Tindakan Keperawatan*. Persatuan Perawat Nasional Indonesia.
- PPNI. (2019). *Standar Luaran Keperawatan Indonesia : Definisi dan Kriteria Hasil Keperawatan*. Persatuan Perawat Nasional Indonesia.
- Pujiastuti, D., Purwaty, E., Janah, Ngadhi, P. Y., Suriyanto, P., Dewi, R. C., & Talu, Y. (2021). Penerapan Early Warning System (EWS) sebagai Deteksi Dini Kematian di Critical Care Area. *Jurnal Penelitian Keperawatan*, 7(EWS, kematian, keperawatan kritis).
- Qiu, X., Lei, Y.-P., & Zhou, R.-X. (2023). SIRS, SOFA, qSOFA, and NEWS in the diagnosis of sepsis and prediction of adverse outcomes: a systematic review and meta-analysis. *Expert Review of Anti-Infective Therapy*, 21(8), 891–900. <https://doi.org/10.1080/14787210.2023.2237192>
- Reitz, K. M., Kennedy, J., Li, S. R., Handzel, R., Tonetti, D. A., Neal, M. D., Zuckerbraun, B. S., Hall, D. E., Sperry, J. L., Angus, D. C., Tzeng, E., & Seymour, C. W. (2022). Association Between Time to Source Control in Sepsis and 90-Day Mortality. *JAMA Surgery*, 157(9), 817. <https://doi.org/10.1001/jamasurg.2022.2761>
- Resuscitation Council UK. (2024). *The ABCDE Approach Underlying principles*.
- Rhodes, A., Evans, L. E., Alhazzani, W., Levy, M. M., Antonelli, M., Ferrer, R., Kumar, A., Sevransky, J. E., Sprung, C. L., Nunnally, M. E., Rochwerg, B., Rubenfeld, G. D., Angus, D. C., Annane, D., Beale, R. J., Bellingham, G. J., Bernard, G. R., Chiche, J.-D., Coopersmith, C., ... Dellinger, R. P. (2017). Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. *Critical Care Medicine*, 45(3), 486–552. <https://doi.org/10.1097/CCM.0000000000002255>
- Royal Collage of Physicians. (2017). *National Early Warning Score (NEWS) 2 Standardising the assessment of acute-illness severity in the NHS*. www.rcplondon.ac.uk
- Rudd, K. E., Johnson, S. C., Agesa, K. M., Shackelford, K. A., Tsoi, D., Kievlan, D. R., Colombara, D. V., Ikuta, K. S., Kissoon, N., Finfer, S., Fleischmann-Struzek, C., Machado, F. R., Reinhart, K. K., Rowan, K., Seymour, C. W., Watson, R. S., West, T. E., Marinho, F., Hay, S. I., ... Naghavi, M. (2020). Global, regional, and national sepsis incidence and mortality, 1990–2017: analysis for the Global Burden of Disease Study. *The Lancet*, 395(10219), 200–211. [https://doi.org/10.1016/S0140-6736\(19\)32989-7](https://doi.org/10.1016/S0140-6736(19)32989-7)

- Sabir, L., Ramlakhan, S., & Goodacre, S. (2022). Comparison of qSOFA and Hospital Early Warning Scores for prognosis in suspected sepsis in emergency department patients: a systematic review. *Emergency Medicine Journal*, 39(4), 284–294. <https://doi.org/10.1136/emmermed-2020-210416>
- Srzić, I., Adam, V. N., & Pejak, D. T. (2022). Sepsis Definition: What's New In The Treatment Guideline. *Acta Clinica Croatica*, 61, 67–72. <https://doi.org/10.20471/acc.2022.61.s1.11>
- Subbe, C. P. (2001). Validation of a modified Early Warning Score in medical admissions. *QJM*, 94(10), 521–526. <https://doi.org/10.1093/qjmed/94.10.521>
- Torres, J. S. S., Tamayo-Giraldo, F. J., Bejarano-Zuleta, A., Nati-Castillo, H. A., Quintero, D. A., Ospina-Mejía, M. J., Salazar-Santoliva, C., Suárez-Sangucho, I., Ortiz-Prado, E., & Izquierdo-Condoy, J. S. (2025). Sepsis and post-sepsis syndrome: a multisystem challenge requiring comprehensive care and management—a review. In *Frontiers in Medicine* (Vol. 12). Frontiers Media SA. <https://doi.org/10.3389/fmed.2025.1560737>
- Torsvik, M., Gustad, L. T., Mehl, A., Bangstad, I. L., Vinje, L. J., Damås, J. K., & Solligård, E. (2016). Early identification of sepsis in hospital inpatients by ward nurses increases 30-day survival. *Critical Care*, 20(1), 244. <https://doi.org/10.1186/s13054-016-1423-1>
- Verma, A., Farooq, A., Jaiswal, S., Haldar, M., Sheikh, W. R., Khanna, P., Vishen, A., Ahuja, R., Khatai, A. A., & Prasad, N. (2023). National Early Warning Score 2 is superior to quick Sequential Organ Failure Assessment in predicting mortality in sepsis patients presenting to the emergency department in India: A prospective observational study. *International Journal of Critical Illness and Injury Science*, 13(1), 26–31. https://doi.org/10.4103/ijciis.ijciis_41_22
- Wahyudi, J. T., & Fadillah, A. (2023). Pengembangan Aplikasi National Early Warning Score 2 (NEWS2) Berbasis Web dalam Penilaian Awal Pasien dengan Penyakit Akut. *Masker Medika*, 11(2), 346–353. <https://doi.org/10.52523/maskermedika.v11i2.569>
- Wahyuni, F., Rustina, Y., & Efendi, D. (2020). Oral Care Prevents Late-Onset Sepsis in Risk Preterm Infants. *Jurnal Keperawatan Indonesia*, 23(1), 31–40. <https://doi.org/10.7454/jki.v23i1.551>
- Welch, J., Dean, J., & Hartin, J. (2022). Using NEWS2: an essential component of reliable clinical assessment. *Clinical Medicine, Journal of the Royal College of Physicians of London*, 22(6), 509–513. <https://doi.org/10.7861/clinmed.2022-0435>