

DAFTAR PUSTAKA

- Alimsyah, F. (2020). Optimization of mixture of ethanol extract of papaya fruit (*Carica papaya* L.) and extract of morning leaf (*Moringa oleifera* L.). *Jurnal Kesehatan STIKES Darul Azhar Batulicin*, 9(1).
- Amin, A. (2023). Rasio nilai rendamen dan lama ekstraksi maserat etanol daging buah burahol (*Stelecocharpus burahol*) berdasarkan cara preparasi simplisia. *Makassar Natural Product Journal (MNPJ)*, 176–184.
- Aminah, A., Tomayahu, N., & Abidin, Z. (2017). Penetapan kadar flavonoid total ekstrak etanol kulit buah alpukat (*Persea americana* Mill.) dengan metode spektrofotometri UV-Vis. *Jurnal Fitofarmaka Indonesia*, 4(2), 226–230.
- Amoroso, R., Hollmann, F., & Maccallini, C. (2021). Choline chloride-based DES as solvents/catalysts/chemical donors in pharmaceutical synthesis. *Molecules*, 26(20). <https://doi.org/10.3390/molecules26206286>
- Andriani, M., Permana, I., & Widarta, I. W. R. (2019). Pengaruh suhu dan waktu ekstraksi daun belimbing wuluh (*Averrhoa bilimbi* L.) terhadap aktivitas antioksidan dengan metode Ultrasonic-Assisted Extraction (UAE). *Jurnal Ilmu Dan Teknologi Pangan*, 8(3), 330–340.
- Angraini, N., & Yanti, F. (2021). Penggunaan spektrofotometer Uv-Vis untuk analisis nutrisi fosfat pada sedimen dalam rangka pengembangan modul praktikum oseanografi kimia. *Jurnal Penelitian Sains*, 23(2), 78–83.
- Ashworth, C. R., Matthews, R. P., Welton, T., & Hunt, P. A. (2016). Doubly ionic hydrogen bond interactions within the choline chloride–urea deep eutectic solvent. *Physical Chemistry Chemical Physics*, 18(27), 18145–18160.
- Bhagawan, W. S., Atmaja, R. R. D., & Atiqah, S. N. (2017). Optimization and quercetin release test of moringa leaf extract (*Moringa oleifera*) in gel-microemulsion preparation. *Journal of Islamic Pharmacy*, 2(2), 34–42.
- Calinescu, I., Vinatoru, M., Ghimpeanu, D., Lavric, V., Masom, T. J., & Vartolomei, A. (2024). Corrigendum to “A new reactor for process intensification involving the simultaneous application of adjustable ultrasound and microwave radiation”. *Ultrasonics Sonochemistry*, 111, 107147.
- Cantika, Y., Fauziah, C., & Setyaningsih, Y. (2019). Pengaruh pemberian ekstrak buah naga merah (*Hylocereus polyrhizus*) terhadap gambaran spermatogenesis tikus putih (*Rattus norvegicus*) galur wistar yang diinduksi pakan tinggi lemak. *Jurnal Profesi Medika: Jurnal Kedokteran Dan Kesehatan*, 13(2).

- Chemat, F., Abert Vian, M., Ravi, H. K., Khadhraoui, B., Hilali, S., Perino, S., & Fabiano Tixier, A.-S. (2019). Review of alternative solvents for green extraction of food and natural products: Panorama, principles, applications and prospects. *Molecules*, 24(16), 3007.
- Cruz-Reyes, I. G., Mendoza-Pérez, J. A., Ruiz-Guerrero, R., Medina-Velázquez, D. Y., Zepeda-Vallejo, L. G., & Morales-Ramírez, Á. de J. (2022). Kinetics of Zn–C battery leaching with choline chloride/urea natural deep eutectic solvents. *Recycling*, 7(6). <https://doi.org/10.3390/recycling7060086>
- Dellima, B. R. E. M., Sari, E. K., & Rosita, M. E. (2023). Analisis flavonoid daun kelor serta aplikasinya dalam sediaan sabun. *Indonesian Journal of Pharmaceutical Sciences and Clinical Research*, 1(2).
- Depkes RI. (2020). Farmakope Indonesia edisi IV. *Departemen Kesehatan Republik Indonesia*.
- Ditjen POM. (2017). Farmakope Herbal Indonesia. *Pocket Handbook of Nonhuman Primate Clinical Medicine*, 307–310.
- Dzah, C. S., Duan, Y., Zhang, H., Wen, C., Zhang, J., Chen, G., & Ma, H. (2020). The effects of ultrasound assisted extraction on yield, antioxidant, anticancer and antimicrobial activity of polyphenol extracts: A review. *Food Bioscience*, 35, 100547.
- Effendy, S., Neldi, V., & Ramadhani, P. (2024). Penetapan kadar flavonoid total dan fenol total serta uji aktivitas antioksidan dari ekstrak etanol bunga rosella (*Hibiscus sabdariffa* L.). *Jurnal Farmasi Higea*, 16(1), 72–80.
- Elderderi, S., Sacré, P.-Y., Wils, L., Chourpa, I., Elbashir, A. A., Hubert, P., Byrne, H. J., Boudesocque-Delaye, L., Ziemons, E., & Bonnier, F. (2022). Comparison of vibrational spectroscopic techniques for quantification of water in natural deep eutectic solvents. *Molecules*, 27(15). <https://doi.org/10.3390/molecules27154819>
- Ewing, A. (2016). *ATR-FTIR spectroscopic imaging to study drug release and tablet dissolution*. Imperial College London.
- Ewing, A. V, & Kazarian, S. G. (2018). Recent advances in the applications of vibrational spectroscopic imaging and mapping to pharmaceutical formulations. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 197, 10–29.

- Franco-Londoño, M., Laribi, M., Strelkov, S. E., & Saldaña, M. D. A. (2025). Extraction of anthocyanins from cranberry pomace using HIUS and NADES: Antioxidant and antifungal activity. *LWT*, 235, 118616. <https://doi.org/https://doi.org/10.1016/j.lwt.2025.118616>
- Grande, F., Parisi, O. I., Mordocco, R. A., Rocca, C., Puoci, F., Scrivano, L., Quintieri, A. M., Cantafio, P., Ferla, S., & Brancale, A. (2016). Quercetin derivatives as novel antihypertensive agents: Synthesis and physiological characterization. *European Journal of Pharmaceutical Sciences*, 82, 161–170.
- Guntarti, A., Sugihartini, N., Umayyah, S. A., & Salamah, N. (2021). Determination of total phenolic levels in ethanol extract of moringa (*Moringa oleifera* L.) leaves based on differences in growing sites. *Journal of Food and Pharmaceutical Sciences*, 403–411.
- Haaren, C. V., De Bock, M., & Kazarian, S. G. (2023). Advances in ATR-FTIR spectroscopic imaging for the analysis of tablet dissolution and drug release. *Molecules*, 28(12). <https://doi.org/10.3390/molecules28124705>
- Haeria, H., Tahar, N., & Munadiah, M. (2018). Penentuan kadar flavonoid dan kapasitas antioksidan ekstrak etanol kulit batang kelor (*Moringa oleifera* L.) dengan metode DPPH, CUPRAC dan FRAP. *Jurnal Farmasi UIN Alauddin Makassar*, 6(2), 88–97.
- Hakim, A. R., & Saputri, R. (2020). Narrative review: Optimasi etanol sebagai pelarut senyawa flavonoid dan fenolik. *Jurnal Surya Medika (JSM)*, 6(1), 177–180.
- Hammond, O. S., Bowron, D. T., & Edler, K. J. (2016). Liquid structure of the choline chloride-urea deep eutectic solvent (reline) from neutron diffraction and atomistic modelling. *Green Chemistry*, 18(9), 2736–2744.
- Hayyan, A., Mjalli, F. S., AlNashef, I. M., Al-Wahaibi, Y. M., Al-Wahaibi, T., & Hashim, M. A. (2013). Glucose-based deep eutectic solvents: Physical properties. *Journal of Molecular Liquids*, 178, 137–141.
- Hikmawanti, N. P. E., Ramadon, D., Jantan, I., & Mun'im, A. (2021). Natural Deep Eutectic Solvents (NADES): phytochemical extraction performance enhancer for pharmaceutical and nutraceutical product development. *Plants*, 10(10). <https://doi.org/10.3390/plants10102091>
- Hikmawanti, N. P. E., Saputri, F. C., Yanuar, A., Jantan, I., Ningrum, R. A., Juanssilfero, A. B., & Mun'im, A. (2024). Choline chloride-urea-based natural deep eutectic solvent for highly efficient extraction of polyphenolic antioxidants from *Pluchea indica* (L.) less leaves. *Arabian Journal of Chemistry*, 17(2), 105537.

- Jauregi, P., Esnal-Yeregi, L., & Labidi, J. (2024). Natural Deep Eutectic Solvents (NADES) for the extraction of bioactives: emerging opportunities in biorefinery applications. *PeerJ Analytical Chemistry*, 6, e32.
- Jeong, K. M., Jin, Y., Han, S. Y., Kim, E. M., & Lee, J. (2018). One-step sample preparation for convenient examination of volatile monoterpenes and phenolic compounds in peppermint leaves using deep eutectic solvents. *Food Chemistry*, 251, 69–76.
- Jusnita, N., & Tridharma, W. S. (2019). Karakterisasi nanoemulsi ekstrak daun kelor (*Moringa oleifera* Lamk.). *Jurnal Sains Farmasi & Klinis*, 6(1), 16–24.
- Kassem, A., Abbas, L., Coutinho, O., Opara, S., Najaf, H., Kasperek, D., Pokhrel, K., Li, X., & Tiquia-Arashiro, S. (2023). Applications of Fourier Transform-Infrared spectroscopy in microbial cell biology and environmental microbiology: advances, challenges, and future perspectives. *Frontiers in Microbiology*, 14, 1304081.
- Komari, N., Adawiyah, R., Hadi, S., & Suhartono, E. K. O. (2022). Interaksi asam galat dan metil galat dari tumbuhan kasturi (*mangifera casturi*) sebagai inhibitor protein Human Epidermal Growth Factor 2 (HER 2): Evaluasi Molekular Docking. *Gunung Djati Conference Series*, 15, 69–74.
- Kombongkila, O., Taunaumang, H., & Tumimomor, F. R. (2024). Analisis struktur film tipis disperse orange-3 hasil FTIR. *Jurnal FisTa: Fisika Dan Terapannya*, 5(1), 45–50.
- Lanari, D., Zadra, C., Negro, F., Njem, R., & Marcotullio, M. C. (2022). Influence of choline chloride-based nades on the composition of *Myristica fragrans* Houtt. Essential Oil. *Heliyon*, 8(5), e09531. <https://doi.org/https://doi.org/10.1016/j.heliyon.2022.e09531>
- Li, D. (2022). Natural deep eutectic solvents in phytonutrient extraction and other applications. *September*, 1–11. <https://doi.org/10.3389/fpls.2022.1004332>
- Liu, Y., & Guo, M. (2015). Studies on transition metal-quercetin complexes using electrospray ionization tandem mass spectrometry. *Molecules*, 20(5), 8583–8594.
- Mansinhos, I., Gonçalves, S., Rodríguez-Solana, R., Ordóñez-Díaz, J. L., Moreno-Rojas, J. M., & Romano, A. (2021). Ultrasonic-assisted extraction and natural deep eutectic solvents combination: a green strategy to improve the recovery of phenolic compounds from *Lavandula pedunculata* subsp. lusitanica (Chaytor) franco. *Antioxidants*, 10(4). <https://doi.org/10.3390/antiox10040582>

- Marhaeni, L. S. (2021). Daun kelor (*Moringa oleifera*) sebagai sumber pangan fungsional dan antioksidan. *AGRISIA: Jurnal Ilmu-Ilmu Pertanian*, 13(2).
- Mehmood, A., Ishaq, M., Zhao, L., Yaqoob, S., Safdar, B., Nadeem, M., Munir, M., & Wang, C. (2019). Impact of ultrasound and conventional extraction techniques on bioactive compounds and biological activities of blue butterfly pea flower (*Clitoria ternatea* L.). *Ultrasonics Sonochemistry*, 51, 12–19.
- Munu, P. S. (2023). The effect of solvent type on flavonoid levels of moringa leaf extract (*Moringa oleifera* L.). *Journal of Health, Technology and Science (JHTS)*, 4(4), 45–55.
- Muthmainnah, B. (2019). Skrining fitokimia senyawa metabolit sekunder dari ekstrak etanol buah delima (*Punica granatum* L.) dengan metode uji warna. *Media Farmasi*, 13(2), 36–41.
- Nam, M. W., Zhao, J., Lee, M. S., Jeong, J. H., & Lee, J. (2015). Enhanced extraction of bioactive natural products using tailor-made deep eutectic solvents: application to flavonoid extraction from *Flos sophorae*. *Green Chemistry*, 17(3), 1718–1727.
- Nazir, F., Nazir, A., Javed, S., & Abid, H. A. (2023). Synthesis and characterization of natural deep eutectic solvents as green extractants for isolation of bioactive flavonoids from *Amaranthus viridis*. *Sustainable Chemistry and Pharmacy*, 33, 101058.
- Ni'ma, A., & Lindawati, N. Y. (2022). Analysis of total flavanoid levels of fennel leaves (*Foeniculum vulgare*) ethanol extract by spectrophotometry visibel. *Jurnal Farmasi Sains Dan Praktis*, 1–11.
- Novitasari, H. (2018). Analisis senyawa fenolik pada ekstrak segar daun sirih merah (*Piper Crocatum* Ruiz & Pav) menggunakan metode Folin cioceltau secara spektrofotometri Uv-Vis. *Jurnal Analis Farmasi*, 3(3), 155–163.
- Nurulita, N. A., Sundhani, E., Amalia, I., Rahmawati, F., & Utami, N. N. D. (2019). Uji aktivitas antioksidan dan anti aging body butter dengan bahan aktif ekstrak daun kelor. *Jurnal Ilmu Kefarmasian Indonesia*, 17(1), 1–8.
- Oliveira, I. L. de, Domínguez-Rodríguez, G., Montero, L., Viganó, J., Cifuentes, A., Rostagno, M. A., & Ibáñez, E. (2024). Advanced extraction techniques combined with natural deep eutectic solvents for extracting phenolic compounds from pomegranate (*Punica granatum* L.) peels. *International Journal of Molecular Sciences*, 25(18). <https://doi.org/10.3390/ijms25189992>

- Peng, W., Wang, X., Wang, W., Wang, Y., Huang, J., Zhou, R., Bo, R., Liu, M., Yin, S., & Li, J. (2024). Comparison, optimization and antioxidant activity of ultrasound-assisted natural deep eutectic solvents extraction and traditional method: A greener route for extraction of flavonoid from *Moringa oleifera* Lam. leaves. *Ultrasonics Sonochemistry*, 109, 107003. <https://doi.org/https://doi.org/10.1016/j.ultsonch.2024.107003>
- Prabowo, W. C. (2020). Optimasi metode ekstraksi berbantu mikrowave dengan pelarut hijau (asam sitrat-glukosa) terhadap kadar polifenol total dari daun kadamba (*mitragyna speciosa* korth. Havil) menggunakan response surface methodology. *Majalah Farmasi dan Farmakologi*, 24(1).
- Pratiwi, D., Nisa, D. Q., Martia, E., Wulanbirru, P., & Andini, S. D. (2021). Isolasi senyawa kumarin pada tanaman. *Syntax Idea*, 3(7), 1576–1585.
- Prihadi, A. R., Maimulyanti, A., Sulistiawaty, L., Nurhasanah, I. M., Mapiliandari, I., & Djanis, R. L. (2024). Application of natural deep eutectic solvent for extraction of phenolic and tannin from coffee cherry. *RASAYAN Journal of Chemistry*, 17(2).
- Purwani, A. I. A. H., Sari, F., Kharisma, K., Nurhayati, R., & Kurniawati, E. (2024). Uji perbandingan pelarut metanol dan etanol 96% terhadap hasil kromatografi lapis tipis flavonoid pada tanaman daun patikan kebo (*Euphorbia hirta* L.). *Journal of Herbal, Clinical and Pharmaceutical Science (HERCLIPS)*, 6(01), 82–88.
- Rahman, M. K., Fachriyah, E., & Kusrini, D. (2023). Ekstraksi daun salam berbasis natural deep eutectic solvent dan pemanfaatannya sebagai antioksidan. *Greensphere: Journal of Environmental Chemistry*, 2(2), 7–12.
- Rahman, N. F., Nursamsiar, N., Megawati, M., Handayani, H., & Soares, C. A. M. (2021). Total phenolic and flavonoid contents and antioxidant activity of kembang bulan leaves (*Tithonia diversifolia* (Hemsley) A. Gray). *Indonesian Journal of Pharmaceutical Science and Technology*, 1, 57–65.
- Rifkia, V., & Prabowo, I. (2020). Pengaruh variasi suhu dan waktu terhadap rendemen dan kadar total flavonoid pada ekstraksi daun *Moringa oleifera* Lam. dengan metode ultrasonik. *PHARMACY: Jurnal Farmasi Indonesia (Pharmaceutical Journal of Indonesia)*, 17(2), 387–395.
- Rifkia, V., & Revina, R. (2023). Pengaruh variasi bahan: pelarut dan lama ekstraksi ultrasonik dari ekstrak daun kelor terhadap rendemen dan kadar total fenol. *PHARMACY: Jurnal Farmasi Indonesia (Pharmaceutical Journal of Indonesia)*, 15(1), 94–100.

- Roberts, J., Power, A., Chapman, J., Chandra, S., & Cozzolino, D. (2018). The use of Uv-Vis spectroscopy in bioprocess and fermentation monitoring. *Fermentation*, 4(1). <https://doi.org/10.3390/fermentation4010018>
- Roda, A., Matias, A. A., Paiva, A., & Duarte, A. R. C. (2019). Polymer science and engineering using deep eutectic solvents. *Polymers*, 11(5), 912.
- Rudiana, T., & Indriatmoko, D. D. (2021). Aktivitas antioksidan kombinasi ekstrak etanol daun salam (*Syzygium polyanthum*) dan daun kelor (*Moringa oleifera*). *Majalah Farmasi Dan Farmakologi*, 25(1), 20–22.
- Rumiyati, S., Kartikaningsih, H., Setijawati, D., & Nursyam, H. (2024). Qualitative analysis of caulerpa racemosa chlorophyll extract in natural deep eutectic solvent (glucose-glycerol) using FTIR. *Int. J. Agric. Biosci.*, 13, 295–300.
- Rusli, Z., & Amalia, N. P. (2024). Optimasi ultrasound assisted extraction senyawa flavonoid dari daun meniran menggunakan natural deep eutectic solvent. *FITOFARMAKA: Jurnal Ilmiah Farmasi*, 13(2), 121–129.
- Rusli, Z., Suhendar, U., & Masrani, Z. (2022). Ekstraksi flavonoid daun meniran menggunakan pelarut natural deep eutectic solvent berbasis kolin klorida-asam dengan ultrasound assisted extraction. *FITOFARMAKA: Jurnal Ilmiah Farmasi*, 12(1), 46–57.
- Sa'adah, H., & Nurhasnawati, H. (2015). Perbandingan pelarut etanol dan air pada pembuatan ekstrak umbi bawang tiwai (*Eleutherine americana* Merr) menggunakan metode maserasi. *Jurnal Ilmiah Manuntung: Sains Farmasi Dan Kesehatan*, 1(2), 149–153.
- Şahin, S. (2019). Tailor-designed deep eutectic liquids as a sustainable extraction media: An alternative to ionic liquids. *Journal of Pharmaceutical and Biomedical Analysis*, 174, 324–329.
- Sailau, Z., Almas, N., Aldongarov, A., & Toshtay, K. (2022). Studying the formation of choline chloride-and glucose-based natural deep eutectic solvent at the molecular level. *Journal of Molecular Modeling*, 28(8), 235.
- Sakurai, Y. C. N., Pires, I. V., Ferreira, N. R., Moreira, S. G. C., Silva, L. H. M. da, & Rodrigues, A. M. da C. (2024). Preparation and characterization of Natural Deep Eutectic Solvents (NADESS): Application in the extraction of phenolic compounds from araza pulp (*Eugenia stipitata*). *Foods*, 13(13). <https://doi.org/10.3390/foods13131983>
- Salim, R. (2021). Kadar fenolat flavonoid si ungu mentawai (*Graptophyllum pictum*(L.) Griff). *Jurnal Katalisator*, 6(1), 34–54.

- Salsabila, A. S., Safira, R. Z., Nugraha, A. R., Wulandari, D., Qaivani, R., & Sari, W. A. (2023). Studi in silico senyawa dalam daun kelor (*Moringa oleifera* L.) sebagai inhibitor protein kinase c alpha pada kanker payudara. *Indonesian Journal of Biological Pharmacy*, 3(3), 154–173.
- Sari, I. P., Zulaicha, A. S., & Triyanti, S. B. (2024). Choline chloride based deep eutectic solvents: physicochemical properties and spectroscopic insights. *Analit: Analytical and Environmental Chemistry*, 23–34.
- Satriyani, D. P. P. (2021). Review artikel: Aktivitas antioksidan ekstrak daun kelor (*Moringa oleifera* Lam.). *Jurnal Farmasi Malahayati*, 4(1), 31–43. <https://ejurnalmalahayati.ac.id/index.php/farmasi/article/viewFile/4263/pdf>
- Senduk, T. W., Montolalu, L., Dotulong, V., Ratulangi, S., & Bahu, K. U. (2020). Rendemen ekstrak air rebusan daun tua mangrove sonneratia alba. *Jurnal Perikanan Dan Kelautan Tropis*, 11(1), 9–15.
- Shen, L., Pang, S., Zhong, M., Sun, Y., Qayum, A., Liu, Y., Rashid, A., Xu, B., Liang, Q., Ma, H., & Ren, X. (2023). A comprehensive review of Ultrasonic Assisted Extraction (UAE) for bioactive components: Principles, advantages, equipment, and combined technologies. *Ultrasonics Sonochemistry*, 101, 106646. <https://doi.org/https://doi.org/10.1016/j.ultsonch.2023.106646>
- Silvestro, S., Bramanti, P., & Mazzon, E. (2021). Role of quercetin in depressive-like behaviors: findings from animal models. *Applied Sciences*, 11(15). <https://doi.org/10.3390/app11157116>
- Singh, V. K. (2023). 8 - Phase equilibria and formation of clinker phases. In V. K. Singh (Ed.), *The Science and Technology of Cement and Other Hydraulic Binders*. Woodhead Publishing. <https://doi.org/https://doi.org/10.1016/B978-0-323-95080-0.00008-X>
- Socas-Rodríguez, B., Torres-Cornejo, M. V., Álvarez-Rivera, G., & Mendiola, J. A. (2021). Deep eutectic solvents for the extraction of bioactive compounds from natural sources and agricultural by-products. *Applied Sciences*, 11(11). <https://doi.org/10.3390/app11114897>
- Syarifah, A. N., Suryadi, H., Hayun, H., Simamora, A., & Mun'im, A. (2023). Detoxification of comfrey (*Symphytum officinale* L.) extract using Natural Deep Eutectic Solvent (NADES) and evaluation of its anti-inflammatory, antioxidant, and hepatoprotective properties. *Frontiers in Pharmacology*, 14, 1012716.
- Taufik, H. (n.d.). Nurlansi.(2023). Uji aktivitas antioksidan fraksi n-heksan dan etil asetat daun kelor (*Moringa oleifera*). *Sains: Jurnal Kimia Dan Pendidikan Kimia*, 12(1), 31–40.

- Uduwana, S., Abeynayake, N., & Wickramasinghe, I. (2023). Synergistic, antagonistic, and additive effects on the resultant antioxidant activity in infusions of green tea with bee honey and *Citrus limonum* extract as additives. *Journal of Agriculture and Food Research*, 12, 100571.
- Vergara-Jimenez, M., Almatrafi, M. M., & Fernandez, M. L. (2017). Bioactive components in moringa oleifera leaves protect against chronic disease. *Antioxidants* (Basel, Switzerland), 6(4). <https://doi.org/10.3390/antiox6040091>.
- Vo, T. P., Trang Nguyen, T. H., Tran Nguyen, H. B., Nguyen, H. N., Nhi Le, N. Van, Ha, M. H., Pham, G. B., & Nguyen, D. Q. (2025). Enhancing phenolic and flavonoid recovery from Vietnamese balm using green solvent-based ultrasonic-enzymatic-assisted extraction. *Ultrasonics Sonochemistry*, 121, 107546. <https://doi.org/https://doi.org/10.1016/j.ultsonch.2025.107546>.
- Wahyuni, S., & Marpaung, M. P. (2020). Penentuan kadar alkaloid total ekstrak akar kuning (*Fibraurea chloroleuca* Miers) berdasarkan perbedaan konsentrasi etanol dengan metode spektrofotometri uv-vis. *Dalton: Jurnal Pendidikan Kimia Dan Ilmu Kimia*, 3(2).
- Wahyunia, H. S., Yuliasmia, S., Lailab, L., & Japa, C. C. (2024). Analysis of total phenol, flavonoid, and chlorogenic acid content of robusta coffee leaves extract using NADES (Natural Deep Eutectic Solvent). *Journal of Medicinal and Pharmaceutical Chemistry Research*, 6(8), 1223–1236.
- Wijaya, A., & Satriawan, B. (2023). Pengaruh perbedaan jenis pelarut terhadap nilai rendemen ekstrak daun pepaya (*Carica papaya* L). *Jurnal Ilmiah JOPHUS: Journal Of Pharmacy UMUS*, 5(1), 10–17.
- Yuliani, H., & Rasyid, M. I. (2019). Efek perbedaan pelarut terhadap uji toksisitas ekstrak *Pineung nyen teusalee*. *Jurnal Fitofarmaka Indonesia*, 6(2), 347–352.
- Zain, M. S., Yeoh, J. X., Lee, S. Y., & Shaari, K. (2021). Physicochemical properties of choline chloride-based Natural Deep Eutectic Solvents (NaDES) and their applicability for extracting oil palm flavonoids. *Sustainability*, 13(23), 12981.