

DAFTAR PUSTAKA

- Alifah N, Ahmad AR, Fawwaz M. (2025). Studi Komparasi Potensi Antioksidan Green Extraction dan Ekstraksi Konvensional Ekstrak Daun Gandaria (*Bouea macrophylla* griff). *Indones. Res. J. Educ.* 5(1):1150–1157.
- Alzaeem IAM, Abdelhakam KEK. (2023). Effect of Freeze-Drying of Prickly Pear (*Opuntia Ficus-Indica*) on Flavonoids and Antioxidants. *J. Hunan Univ. Nat. Sci.* 50(2):207–214. doi:10.55463/issn.1674-2974.50.2.22.
- Anas Y, Rakhmawati D, Fuadah L, Rahayu NC. (2019). Efek Antidiare Ekstrak Etanol Daun Parijoto (*Medinilla speciosa* Blume) pada Mencit Jantan Galur. *J. Ilmu Farm. Dan Farm. Klin.* 16(1):28–35. doi:10.31942/jiffk.v16i01.2926.
- Andersen OM, Markham KR, editor. (2005). *Flavonoids: Chemistry, Biochemistry and Applications*. Ed ke-0. CRC Press. [diunduh 2026 Jan 22]. Tersedia pada: <https://www.taylorfrancis.com/books/9781420039443>
- Anindita R, Yolanda H, Inggraini M. (2022). Skrining Fitokimia dan Uji Antibakteri Senyawa Ekstrak Etanol Kulit Jeruk Lemon (*Citrus limon* (L.) Osbeck) Terhadap *Staphylococcus aureus*. 11.
- Antony A, Farid M. (2022). Effect of Temperatures on Polyphenols during Extraction. *Appl. Sci.* 12(4). doi:10.3390/app12042107. [diunduh 2026 Jan 22]. Tersedia pada: <https://www.mdpi.com/2076-3417/12/4/2107>
- Asghar A, Abdul Raman AA, Daud WMAW. (2014). A Comparison of Central Composite Design and Taguchi Method for Optimizing Fenton Process. *Sci. World J.* 2014:869120. doi:10.1155/2014/869120.
- Asih NPS, Sudirga IGM, Tirta IG. (2021). The Diversity, Distribution and Conservation of Bali's *Medinilla* in Eka Karya Bali Botanical Garden. *J. WASIAN.* 8(2):103–113. doi:10.20886/jwas.v8i2.6286.
- Assegehegn G, Fuente EB la, Franco JM, Gallegos C. (2019). The Importance of Understanding the Freezing Step and Its Impact on Freeze-Drying Process Performance. *J. Pharm. Sci.* 108(4):1378–1395. doi:10.1016/j.xphs.2018.11.039.
- Awolusi TF, Oke OL, Akinkurolere OO, Sojobi AO. (2019). Application of response surface methodology: Predicting and optimizing the properties of concrete containing steel fibre extracted from waste tires with limestone powder as filler. *Case Stud. Constr. Mater.* 10:e00212. doi:10.1016/j.cscm.2018.e00212.
- Bai J, Zhang Yunsen, Tang C, Hou Y, Ai X, Chen X, Zhang Yi, Wang X, Meng X. (2021). Gallic acid: Pharmacological activities and molecular mechanisms involved in

- inflammation-related diseases. *Biomed. Pharmacother.* 133:110985.doi:10.1016/j.biopha.2020.110985.
- Bartosz IS, Bartosz G. (2022). Evaluation of The Antioxidant Capacity of Food Products: Methods, Applications and Limitations. *Processes.* 10(10):2031.doi:10.3390/pr10102031.
- Biswas A, Dey S, Huang S, Xiao A, Zhang J, Birhanie ZM, Deng Y, Liu L, Li D. (2023). Ultrasound-assisted extraction (UAE) of antioxidant phenolics from *Corchorus olitorius* leaves: A response surface optimization. .doi:10.21203/rs.3.rs-2679287/v1. [diunduh 2025 Jul 24]. Tersedia pada: <https://www.researchsquare.com/article/rs-2679287/v1>
- Brainina K, Stozhko N, Vidrevich M. (2019). Antioxidants: Terminology, Methods, and Future Considerations. *Antioxidants.* 8(8):297.doi:10.3390/antiox8080297.
- Breheny P, Burchett W. (2017). Visualization of Regression Models Using visreg. *R J.* 9(2):56–71.doi:10.32614/RJ-2017-046.
- Chelladurai SJS, K. M, Ray AP, Upadhyaya M, Narasimharaj V, S. G. (2021). Optimization of process parameters using response surface methodology: A review. *Mater. Today Proc.* 37:1301–1304.doi:10.1016/j.matpr.2020.06.466.
- Chen J, Yang J, Ma L, Li J, Shahzad N, Kim CK. (2020). Structure-antioxidant activity relationship of methoxy, phenolic hydroxyl, and carboxylic acid groups of phenolic acids. *Sci. Rep.* 10(1):2611.doi:10.1038/s41598-020-59451-z.
- Chigayo K, Mojapelo PEL, Mnyakeni-Moleele S, Misihairabgwi JM. (2016). Phytochemical and antioxidant properties of different solvent extracts of *Kirkia wilmsii* tubers. *Asian Pac. J. Trop. Biomed.* 6(12):1037–1043.doi:10.1016/j.apjtb.2016.10.004.
- Dadi DW, Emire SA, Hagos AD, Eun JB. (2019). Effect of Ultrasound-Assisted Extraction of *Moringa stenopetala* Leaves on Bioactive Compounds and Their Antioxidant Activity. *Food Technol. Biotechnol.* 57(1):77–86.doi:10.17113/ftb.57.01.19.5877.
- David AVA, Arulmoli R, Parasuraman S. (2016). Overviews of biological importance of quercetin: A bioactive flavonoid. *Pharmacogn. Rev.* 10(20):84.doi:10.4103/0973-7847.194044.
- Dey S, Mukhopadhyay T, Adhikari S. (2017). Metamodel based high-fidelity stochastic analysis of composite laminates: A concise review with critical comparative assessment. *Compos. Struct.* 171:227–250.doi:10.1016/j.compstruct.2017.01.061.

- Do QD, Angkawijaya AE, Tran-Nguyen PL, Huynh LH, Soetaredjo FE, Ismadji S, Ju Y-H. (2014). Effect of extraction solvent on total phenol content, total flavonoid content, and antioxidant activity of *Limnophila aromatica*. *J. Food Drug Anal.* 22(3):296–302.doi:10.1016/j.jfda.2013.11.001.
- El Omari N, Bakrim S, Khalid A, Abdalla AN, Iesa MAM, El Kadri K, Tang SY, Goh BH, Bouyahya A. (2024). Unveiling the molecular mechanisms: dietary phytosterols as guardians against cardiovascular diseases. *Nat. Prod. Bioprospecting.* 14(1):27.doi:10.1007/s13659-024-00451-1.
- Elshreef HS, Mirghani MES, Sulaiman S, Jami MS. (2021). A review of the effect of UAE optimization parameters on antioxidant activity. *IOP Conf. Ser. Earth Environ. Sci.* 765(1):012109.doi:10.1088/1755-1315/765/1/012109.
- Fadel MN, Huda N, Hasriyani H, Besan EJ, Ayuningsih S. (2024). Aktivitas Antibakteri Ekstrak Etanol Daun Parijoto (*Medinilla speciosa* Blume) pada Sediaan Gel Hand Sanitizer. *IJF Indones. J. Farm.* 9(1):1–12.doi:10.26751/ijf.v9i1.2433.
- Fioroni N, Mouquet-Rivier C, Meudec E, Cheynier V, Boudard F, Hemery Y, Laurent-Babot C. (2023). Antioxidant Capacity of Polar and Non-Polar Extracts of Four African Green Leafy Vegetables and Correlation with Polyphenol and Carotenoid Contents. *Antioxidants.* 12(9).doi:10.3390/antiox12091726. [diunduh 2026 Jan 23]. Tersedia pada: <https://www.mdpi.com/2076-3921/12/9/1726>
- GBIF. (2025). GBIF Backbone Taxonomy. .doi:10.15468/39OMEI. [diunduh 2025 Jul 13]. Tersedia pada: <https://www.gbif.org/dataset/d7dddbf4-2cf0-4f39-9b2a-bb099caae36c>
- Ghamsari SK, Rahimi M, Khorsandi K. (2023). An update on the potential mechanism of gallic acid as an antibacterial and anticancer agent. *Food Sci. Nutr.* 11(10):5856–5872.doi:10.1002/fsn3.3615.
- González-Morales D, Valencia A, Nuñez AD, Estrada MF, Santos OL, Beltrán OG. (2020). Development of a Low-Cost UV-Vis Spectrophotometer and Its Application for the Detection of Mercuric Ions Assisted by Chemosensors. *Sensors.* 20(3):906.doi:10.3390/s20030906.
- He Z, Zhu P-F, Park S-H. (2012). A robust desirability function method for multi-response surface optimization considering model uncertainty. *Eur. J. Oper. Res.* 221(1):241–247.doi:10.1016/j.ejor.2012.03.009.
- Herzyk F, Piłakowska-Pietras D, Korzeniowska M. (2024). Supercritical Extraction Techniques for Obtaining Biologically Active Substances from a Variety of Plant Byproducts. *Foods.* 13(11):1713.doi:10.3390/foods13111713.

- Hidayat IR, Zuhrotun A, Sopyan I. (2020). Design-Expert Software sebagai Alat Optimasi Formulasi Sediaan Farmasi. *Maj. Farmasetika*. 6(1).doi:10.24198/mfarmasetika.v6i1.27842. [diunduh 2026 Jan 2]. Tersedia pada: <http://jurnal.unpad.ac.id/farmasetika/article/view/27842>
- Hilma R, Herliani H, Almurda M. (2018). Determination of Total Phenolic, Flavonoid Content Andfree Radical Scavenging Activity of Etanol Extract Sawo Stem Bark (Manilkara Zapota (L.)). *Pros. CELSciTech*. 3:62–68.
- Hiranpradith V, Therdthai N, Soonrunnarudrungsri A, Rungsuriyawiboon O. (2025). Optimisation of Ultrasound-Assisted Extraction of Total Phenolics and Flavonoids Content from Centella asiatica. *Foods*. 14(2).doi:10.3390/foods14020291. [diunduh 2026 Jan 23]. Tersedia pada: <https://www.mdpi.com/2304-8158/14/2/291>
- Hosamo H, Mazzetto S. (2024). Performance Evaluation of Machine Learning Models for Predicting Energy Consumption and Occupant Dissatisfaction in Buildings. *Buildings*. 15(1):39.doi:10.3390/buildings15010039.
- Hradaya KPT, Husni A. (2021). Pengaruh Suhu Ekstraksi terhadap Aktivitas Antioksidan Ekstrak Metanolik Eucheuma spinosum: Effect of Extraction Temperature on Antioxidant Activity of Methanolic Extract of Eucheuma spinosum. *J. Pengolah. Has. Perikan. Indones*. 24(1):1–10.doi:10.17844/jphpi.v24i1.34193.
- Ilyasov IR, Beloborodov VL, Selivanova IA, Terekhov RP. (2020). ABTS/PP Decolorization Assay of Antioxidant Capacity Reaction Pathways. *Int. J. Mol. Sci*. 21(3):1131.doi:10.3390/ijms21031131.
- Irnowati I, Riyanto S, Martono S, Rohman A. (2021). The optimization of ultrasonic method for the extraction of Pumpkin seed (Cucurbita maxima). *Indones. J. Chemom. Pharm. Anal*. 1(1):45–51.doi:10.22146/ijcpa.527.
- Jha AK, Sit N. (2022). Extraction of bioactive compounds from plant materials using combination of various novel methods: A review. *Trends Food Sci. Technol*. 119:579–591.doi:10.1016/j.tifs.2021.11.019.
- Jo S-T, Shin H-S, Lee Y-G, Lee J-H, Choi J-Y. (2022). Optimal Design of a BLDC Motor Considering Three-Dimensional Structures Using the Response Surface Methodology. *Energies*. 15(2).doi:10.3390/en15020461. [diunduh 2026 Jan 23]. Tersedia pada: <https://www.mdpi.com/1996-1073/15/2/461>
- Juliana D, Aisyah SI, Priosoeryanto BP, Nurcholis W. (2022 Jun 5). Optimization of cardamom (Amomum compactum) fruit extraction using the Box–Behnken design focused on polyphenol extraction with antioxidant activity. *J. Appl. Pharm. Sci.*:194–209.doi:10.7324/JAPS.2022.120619.

- Kautsari SN, Humaedi A, Wijayanti DR, Safaat M. (2021). Kadar Total Fenol dan Flavonoid Ekstrak Temu Kunci (*Boesenbergia pandurata*) Melalui Metode Ekstraksi Microwave. *ALCHEMY J. Penelit. Kim.* 17(1):96–104.doi:10.20961/alchemy.17.1.46497.96-104.
- Khalifi A, Garrigós MC, Ramos M, Jiménez A. (2024). Optimization of the Microwave-Assisted Extraction Conditions for Phenolic Compounds from Date Seeds. *Foods Basel Switz.* 13(23):3771.doi:10.3390/foods13233771.
- Knez E, Kadac-Czapska K, Grembecka M. (2025). Evaluation of Spectrophotometric Methods for Assessing Antioxidant Potential in Plant Food Samples—A Critical Approach. *Appl. Sci.* 15(11):5925.doi:10.3390/app15115925.
- Kolla MC, Laya A, Bayang JP, Koubala BB. (2021). Effect of different drying methods and storage conditions on physical, nutritional, bioactive compounds and antioxidant properties of doum (*Hyphaene thebaica*) fruits. *Heliyon.* 7(4).doi:10.1016/j.heliyon.2021.e06678. [diunduh 2025 Jul 25]. Tersedia pada: [https://www.cell.com/heliyon/abstract/S2405-8440\(21\)00781-7](https://www.cell.com/heliyon/abstract/S2405-8440(21)00781-7)
- Kristina CVM, Yusasrini NL, Yusa NM. (2022). Pengaruh Waktu Ekstraksi Dengan Menggunakan Metode Ultrasonic Assisted Extraction (UAE) Terhadap Aktivitas Antioksidan Ekstrak Daun Duwet (*Syzygium cumini*). *J. Ilmu Dan Teknol. Pangan ITEPA.* 11(1):13.doi:10.24843/itepa.2022.v11.i01.p02.
- Kumar D, Verma N, Raj V. (2023). Quantitative Analysis of Gallic Acid and Quercetin by HPTLC and In Vitro Antioxidant Activity of *Averrhoa carambola* Linn. *Orient. J. Chem.* 39(3):727–735.
- Kumar K, Srivastav S, Sharanagat VS. (2020). Ultrasound assisted extraction (UAE) of bioactive compounds from fruit and vegetable processing by-products: A review. *Ultrason. Sonochem.* 70:105325.doi:10.1016/j.ultsonch.2020.105325.
- Kumar K, Srivastav S, Sharanagat VS. (2021). Ultrasound assisted extraction (UAE) of bioactive compounds from fruit and vegetable processing by-products: A review. *Ultrason. Sonochem.* 70:105325.doi:10.1016/j.ultsonch.2020.105325.
- Kumar R, Reji M. (2023). Response surface methodology (RSM): An overview to analyze multivariate data. *Indian J. Microbiol. Res.* 9(4):241–248.doi:10.18231/j.ijmr.2022.042.
- Kunarto B, Sani EY. (2020). Ekstraksi Buah Parijoto (*Medinilla speciosa* Blume) Berbantu Ultrasonik pada berbagai Suhu, Waktu, dan Konsentrasi Pelarut Etanol. *J. Teknol. Pertan.* 21(1):29–38.doi:10.21776/ub.jtp.2020.021.01.4.

- Kurniasih KSI, Firdausia RS, Leswara DF, Nurhayati A, Febriana SZ. (2025). Penerapan Response Surface Methodology dalam Optimasi Proses Ekstraksi dari *Artemisia vulgaris* Terhadap Nilai Rendemen. *Maj. Farm.* 21(2):204.doi:10.22146/farmaseutik.v21i2.101817.
- Kurniawan C, Pujiarti H, Surahman E, Arrozi USF, Taufiqurrahman F, Yunikawati NA. (2025). Exploring Ethical Clearance in Research: Students Perceptions. *Awang Long Law Rev.* 7(2):383–391.doi:10.56301/awl.v7i2.1339.
- Kusuma MCH, Hakim AR, Audina M, Rohama R. (2023). Perbandingan Kadar Flavonoid Total Ekstrak Daun Ketapang (*Terminalia catappa* L.) Berdasarkan Perbedaan Metode Ekstraksi. *Sains Med.* 2(1):54–58.
- Lefebvre T, Destandau E, Lesellier E. (2021). Selective extraction of bioactive compounds from plants using recent extraction techniques: A review. *J. Chromatogr. A.* 1635:461770.doi:10.1016/j.chroma.2020.461770.
- Lourenço SC, Moldão-Martins M, Alves VD. (2019). Antioxidants of Natural Plant Origins: From Sources to Food Industry Applications. *Molecules.* 24(22):4132.doi:10.3390/molecules24224132.
- Lutfiani AQD, Da'i M. (2022 Nov 30). Penetapan Kadar Flavonoid dan Fenolik Ekstrak Etanol Tanaman Parijoto (*Medinilla speciosa*) serta Aktivitas Sitotoksiknya terhadap sel Kanker Serviks Hela. *Usadha J. Pharm.:*505–520.doi:10.23917/ujp.v1i4.140.
- Marthia N, Triani R, M NAF. (2025). Optimasi Ekstrak Bioaktif Propolis Menggunakan Microwave-Assisted Extraction dengan Respon Surface Methodology. *Pasundan Food Technol. J.* 12(3):142–148.doi:10.23969/pftj.v12i3.34939.
- Martins R, Mouro C, Pontes R, Nunes J, Gouveia I. (2023). Ultrasound-assisted extraction of bioactive pigments from *Spirulina platensis* in natural deep eutectic solvents. *Bioresour. Bioprocess.* 10(1):88.doi:10.1186/s40643-023-00692-x.
- Milanda T, Lestari K, Tarina NTI. (2021). Antibacterial Activity of Parijoto (*Medinilla speciosa* Blume) Fruit Against *Serratia marcescens* and *Staphylococcus aureus*. *Indones. J. Pharm. Sci. Technol.* 8(2):76.doi:10.24198/ijpst.v8i2.32166.
- Munteanu IG, Apetrei C. (2021). Analytical Methods Used in Determining Antioxidant Activity: A Review. *Int. J. Mol. Sci.* 22(7):3380.doi:10.3390/ijms22073380.
- Munteanu IG, Apetrei C, Munteanu IG, Apetrei C. (2021). Analytical Methods Used in Determining Antioxidant Activity: A Review. *Int. J. Mol. Sci.* 22(7).doi:10.3390/ijms22073380. [diunduh 2025 Des 29]. Tersedia pada: <https://www.mdpi.com/1422-0067/22/7/3380>

- Musyaffa MSI, Yudistira N, Basori AH, Firdausiah Mansur AB, Batoro J. (2024). IndoHerb: Indonesia medicinal plants recognition using transfer learning and deep learning. *Heliyon*. 10(23):e40606.doi:10.1016/j.heliyon.2024.e40606.
- Nawangsih A, Muti AF, Revina R, Rifkia V. (2024). Ferric Reducing Ability Ekstrak Daun Jombang (*Taraxacum officinale* F.H Wigg) pada Lokasi Berbeda di Indonesia. *J. Farmagazine*. 11(1).doi:http://dx.doi.org/10.47653/farm.v11i1.725.
- Nortjie E, Basitere M, Moyo D, Nyamukamba P. (2022). Extraction Methods, Quantitative and Qualitative Phytochemical Screening of Medicinal Plants for Antimicrobial Textiles: A Review. *Plants*. 11(15):2011.doi:10.3390/plants11152011.
- Nowak D, Jakubczyk E. (2020). The Freeze-Drying of Foods—The Characteristic of the Process Course and the Effect of Its Parameters on the Physical Properties of Food Materials. *Foods*. 9(10):1488.doi:10.3390/foods9101488.
- Nugraha NS, Listyani TA, Septiarini AD. (2022). The Antioxidant Test And Determination Of Phenolic Content In Packaged Green Tea Using The FRAP Method. *Sci. Community Pharm. J.* 1(2):59–68.doi:10.63520/scpj.v1i2.324.
- Nurhayati R. (2022). Analisis Kualitatif Fitokimia Kandungan Flavonoid Ekstrak Etanol dan Fraksi Metanol Daun Talas (*Colocasia esculenta* (L.) Schott) menggunakan Metode KLT-Densitometri. *J. PHARMA BHAKTA*. 2(2). [diunduh 2026 Jan 21]. Tersedia pada: <https://www.jurnalpharmabhakta.iik.ac.id/index.php/jpb/article/view/26>
- Nurliyasman, Khotima MK, Srihainil S. (2022). Aktivitas Antioksidan Ekstrak Etanol dan Fraksi Etil Asetat Daun Senduduk (*Melastoma malabathricum* L.) dengan Metode FRAP (Ferric Reducing Antioxidant Power). *J. Kesehat. Farm.* 4(1):57–61.doi:10.36086/jpharm.v4i1.1251.
- Park CH, Yeo HJ, Park C, Chung YS, Park SU, Park CH, Yeo HJ, Park C, Chung YS, Park SU. (2021). The Effect of Different Drying Methods on Primary and Secondary Metabolites in Korean Mint Flower. *Agronomy*. 11(4).doi:10.3390/agronomy11040698. [diunduh 2026 Jan 13]. Tersedia pada: <https://www.mdpi.com/2073-4395/11/4/698>
- Patel S, Raulji A, Patel D, Panchal D, Dalwadi M, Upadhyay DU. (2022). A Review on “Uv Visible Spectroscopy.” *Int. J. Pharm. Res. Appl.* 7(5):1144–1151.
- Pathak I, Niraula M. (2019). Assessment of Total Phenolic, Flavonoid Content and Antioxidant Activity of *Ocimum sanctum* Linn. *J. Nepal Chem. Soc.* 40:30–35.doi:10.3126/jncs.v40i0.27275.

- Pérez M, Dominguez-López I, Lamuela-Raventós RM. (2023). The Chemistry Behind the Folin–Ciocalteu Method for the Estimation of (Poly)phenol Content in Food: Total Phenolic Intake in a Mediterranean Dietary Pattern. *J. Agric. Food Chem.* 71(46):17543–17553.doi:10.1021/acs.jafc.3c04022.
- Phuyal N, Jha PK, Raturi PP, Rajbhandary S. (2020). Total Phenolic, Flavonoid Contents, and Antioxidant Activities of Fruit, Seed, and Bark Extracts of *Zanthoxylum armatum* DC. *Sci. World J.* 2020(1):8780704.doi:10.1155/2020/8780704.
- Portoacă AI, Ripeanu RG, Diniță A, Tănase M. (2023). Optimization of 3D Printing Parameters for Enhanced Surface Quality and Wear Resistance. *Polymers.* 15(16).doi:10.3390/polym15163419. [diunduh 2026 Jan 23]. Tersedia pada: <https://www.mdpi.com/2073-4360/15/16/3419>
- Powers SJ. (2021). Regression analysis in the context of designed experiments: Neglect not thy opportunity to test for position and parallelism. *Ann. Appl. Biol.* 179(1):4–11.doi:10.1111/aab.12710.
- Pratiwi RA, Nandiyanto ABD. (2022). How to Read and Interpret UV-VIS Spectrophotometric Results in Determining the Structure of Chemical Compounds. *Indones. J. Educ. Res. Technol.* 2(1):1–20.doi:10.17509/ijert.v2i1.35171.
- Purnamasari I, Rohama R, Noval N. (2024). Uji Aktivitas Antioksidan Ekstrak Daun Pepaya Jepang (*Cnidioscolus acanitifolius*) dengan Metode Frap: Antioxidant Activity Test Of Japanese Papaya Leaf Extract (*Cnidioscolus aconitifolius*) Using FRAP Method. *J. Surya Med. JSM.* 10(1):244–252.doi:10.33084/jsm.v10i1.7205.
- Putri DM, Lubis SS. (2022). Skrining Fitokimia Ekstrak Etil Asetat Daun Kalayu (*Erioglossum rubiginosum* (Roxb.) Blum). *AMINA.* 2(3):120–125.doi:10.22373/amina.v2i3.1384.
- Rahayu LR, Putri OP, Manggarani RD. (2022). Kadar Flavonoid dan Fenolik Ekstrak Daun Waru (*Hibiscus tiliaceus*) Serta Aktivitasnya Sebagai Antioksidan. *JC-T J. Cis-Trans J. Kim. Dan Ter.* 6(1).doi:10.17977/um0260v6i12022p017. [diunduh 2025 Jul 30]. Tersedia pada: <http://journal2.um.ac.id/index.php/jct/article/view/23924>
- Rajput A, Sharma R, Bharti R. (2022). Pharmacological activities and toxicities of alkaloids on human health. *Mater. Today Proc.* 48:1407–1415.doi:10.1016/j.matpr.2021.09.189.
- Rappoport Z, editor. (2003). *The Chemistry of Phenols*. Hoboken, NJ: Wiley. (The chemistry of functional groups).

- Ratananikom K, Premprayoon K. (2022). Ultrasonic-Assisted Extraction of Phenolic Compounds, Flavonoids, and Antioxidants from Dill (*Anethum graveolens* L.). Rahimi M, editor.[editorial]. *Scientifica*. 2022:1–6.doi:10.1155/2022/3848261.
- Rifkia V, Prabowo I. (2020). Pengaruh Variasi Suhu dan Waktu terhadap Rendemen dan Kadar Total Flavonoid pada Ekstraksi Daun Moringa oleifera Lam. dengan Metode Ultrasonik. *Pharm. J. Indones*. 17(02):387–395.
- Rifkia V, Revina R. (2023). Pengaruh Variasi Bahan: Pelarut dan Lama Ekstraksi Ultrasonik dari Ekstrak Daun Kelor terhadap Rendemen dan Kadar Total Fenol. *JFIOOnline Print ISSN 1412-1107 E-ISSN 2355-696X*. 15(1):94–100.doi:10.35617/jfionline.v15i1.126.
- Riyadi PH, Susanto E, Anggo AD, Arifin MH, Rizki L. (2023). Effect of methanol solvent concentration on the extraction of bioactivecompounds using ultrasonic-assisted extraction (UAE) from *Spirulina platensis*. *Food Res*. 7(Supplementary 3):59–66.doi:10.26656/fr.2017.7(s3).9.
- Ruiz-Domínguez MC, Cerezal P, Salinas F, Medina E, Renato-Castro G, Ruiz-Domínguez MC, Cerezal P, Salinas F, Medina E, Renato-Castro G. (2020). Application of Box-Behnken Design and Desirability Function for Green Prospection of Bioactive Compounds from *Isochrysis galbana*. *Appl. Sci*. 10(8).doi:10.3390/app10082789. [diunduh 2026 Jan 2]. Tersedia pada: <https://www.mdpi.com/2076-3417/10/8/2789>
- Safrina D, Susanti D, Wijaya NR. (2023). Pengembangan Produk Buah Parijoto (*Medinilla speciosa* Blume) serta Potensinya sebagai Tanaman Obat : Review.
- Šangut IJ, Pavličević L, Šamec D. (2024). Influence of Air Drying, Freeze Drying and Oven Drying on the Biflavone Content in Yellow Ginkgo (*Ginkgo biloba* L.) Leaves. *Appl. Sci*. 14(6).doi:10.3390/app14062330. [diunduh 2026 Jan 21]. Tersedia pada: <https://www.mdpi.com/2076-3417/14/6/2330>
- Setyani W, Murwanti R, Sulaiman TNS, Hertiani T. (2023). Application of Response Surface Methodology (RSM) for the Optimization of Ultrasound-Assisted Extraction (UAE) of *Moringa oleifera*: Extraction Yield, Content of Bioactive Compounds, and Biological Effects In Vitro. *Plants*. 12(13):2455.doi:10.3390/plants12132455.
- Shen L, Pang S, Zhong M, Sun Y, Qayum A, Liu Y, Rashid A, Xu B, Liang Q, Ma H, *et al.* (2023). A comprehensive review of ultrasonic assisted extraction (UAE) for bioactive components: Principles, advantages, equipment, and combined technologies. *Ultrason. Sonochem*. 101:106646.doi:10.1016/j.ultsonch.2023.106646.

- Sholikhati A, Kurnia SD, Mundriyastutik Y. (2024). Kajian Aktivitas Farmakologis Buah Parijoto (*Medinilla speciosa*): Sistematis Review. *J. Med. Indones.* 5(1):27–32.
- Sibarani NH, Albina M. (2025). Etika dalam Penelitian Pendidikan. *Karakter. J. Ris. Ilmu Pendidik. Islam.* 2(3):10–21.doi:10.61132/karakter.v2i3.1099.
- Siqhny ZD, Azkia MN, Kunarto B. (2020). Karakteristik Nanoemulsi Ekstrak Buah Parijoto (*Medinilla speciosa* Blume). *J. Teknol. Pangan Dan Has. Pertan.* 15(1):1–10.doi:10.26623/jtphp.v15i1.1888.
- Slimani C, Fadil M, Rais C, El-hanafi L, Benjelloun M, Shin H-M, Giesy JP, Lazraq A, Abulmeaty MMA, Almutairi KM, *et al.* (2025). Extraction of natural antioxidants from Moroccan saffron (*Crocus sativus* L.) using ultrasound-assisted extraction: An optimization approach with box-behnken design. *Ultrason. Sonochem.* 120:107448.doi:10.1016/j.ultsonch.2025.107448.
- Spinu SM, Cudalbeanu MD, Major N, Ban SG, Palčić I, Ortan A, Rosu PM, Babeanu NE. (2025). Box–Behnken Design Optimization of Green Extraction from Tomato Aerial Parts and Axillary Shoots for Enhanced Recovery of Rutin and Complementary Bioactive Compounds. *Antioxidants.* 14(9):1062.doi:10.3390/antiox14091062.
- Styawan AA, Rohmanti G. (2020). Determination of Flavonoid Levels of AlCl₃ Methode in The Extract of Metanol Flowers (*Clitoria ternatea* L.). *J. Farm. Sains Dan Prakt.* 6(2):134–141.doi:10.31603/pharmacy.v6i2.3912.
- Sugihartini N, Nur MU, Yuliani S. (2022). The Effect of Methanol Concentration on the Extraction of Moringa Leaf (*Moringa oleifera*) and Papaya Fruit (*Carica papaya*) on Elastase and Hyaluronidase Installing Activities. *Open Access Maced. J. Med. Sci.* 10(A):1463–1470.doi:10.3889/oamjms.2022.10302.
- Surendar S, B. R, B. B. (2024). Influence of Urea Foliar Nutrition and Leaf Harvesting Intensity on Growth, Yield Attributes and Yield in Cowpea [*Vigna unguiculata* (L.) Walp.]. *J. Sci. Res. Rep.* 30(7):1072–1085.doi:10.9734/jsrr/2024/v30i72217.
- Tang J, Dunshea FR, Suleria HAR. (2019). LC-ESI-QTOF/MS Characterization of Phenolic Compounds from Medicinal Plants (Hops and Juniper Berries) and Their Antioxidant Activity. *Foods.* 9(1):7.doi:10.3390/foods9010007.
- Teguh, Kunarto B, Putri AS. (2023). Aktivitas Antioksidan Teh Herbal Daun Parijoto (*Medinilla speciosa*) pada Berbagai Lama Pengeringan. *J. Teknol. Pangan Dan Has. Pertan.* 18(2).doi:10.26623/jtphp.v18i2.5398. [diunduh 2025 Jul 1]. Tersedia pada: <https://journals.usm.ac.id/index.php/jtphp/article/view/5398>

- Ulfa AM, Wardhani AG, Amalia P. (2024). Pengaruh Variasi Lama Ekstraksi Ultrasonik Terhadap Kadar Flavonoid dan Polifenol Ekstrak Bunga Telang (*Clitoria ternatea* L.). *J. Anal. Farm.* 9(1).doi:10.33024/jaf.v9i1.10986. [diunduh 2025 Agu 25]. Tersedia pada: <https://ejournalmalahayati.ac.id/index.php/analisfarmasi/article/view/10986>
- Veza I, Spraggon M, Fattah IMR, Idris M. (2023). Response surface methodology (RSM) for optimizing engine performance and emissions fueled with biofuel: Review of RSM for sustainability energy transition. *Results Eng.* 18:101213.doi:10.1016/j.rineng.2023.101213.
- Wang J, Wan W. (2009). Experimental design methods for fermentative hydrogen production: A review. *Int. J. Hydrog. Energy.* 34(1):235–244.doi:10.1016/j.ijhydene.2008.10.008.
- Wang Y, Zhao W, Li Y, Zhao H, Ye X, Li T, Wang Z, Huang L. (2022). Optimization of ultrasound-assisted extraction method for phytochemical compounds and antioxidant activities of sour jujube extracts. *Food Sci. Nutr.* 10(11):3736–3748.doi:10.1002/fsn3.2971.
- Wijaya HM, Nisyak M. (2020). Efektivitas Daun Parijoto (*Medinilla speciosa* Blume) sebagai Penumbuh Rambut pada Hewan Uji Kelinci Jantan. *J. Farm. Sains Indones.* 3(2):22–27.
- Wijayanti D, Ardigurnita F. (2019). Potential of Parijoto (*Medinilla speciosa*) Fruits and Leaves in Male Fertility. *Anim. Prod.* 20(2):81.doi:10.20884/1.jap.2018.20.2.685.
- Yesu KS. (2024). A Review on UV Vis Spectrophotometer. *Int. Res. J. Mod. Eng. Technol. Sci.* 6(3):491–4926.
- Youl O, Moné-Bassavé BRH, Yougbaré S, Yaro B, Traoré TK, Boly R, Yaméogo JBG, Koala M, Ouedraogo N, Kabré E, *et al.* (2023). Phytochemical Screening, Polyphenol and Flavonoid Contents, and Antioxidant and Antimicrobial Activities of *Opilia amentacea* Roxb. (Opiliaceae) Extracts. *Appl. Biosci.* 2(3):493–512.doi:10.3390/applbiosci2030031.
- Zhang Q-W, Lin L-G, Ye W-C. (2018). Techniques for extraction and isolation of natural products: a comprehensive review. *Chin. Med.* 13:20.doi:10.1186/s13020-018-0177-x.
- Zulfisa Z, Fika R, Agusfina M, Yonrizon Y, Muhsanah A. (2023). Determination of Total Phenolic Content of Ethanol Extract of Broken Bone Twigs (*Euphorbia tirucalli* Linn.) by Folin-Ciocalteu Method Spectrophotometrically. *J. EduHealth.* 14(3):1326–1331.doi:10.54209/jurnaleduhealth.v14i3.2603.