

DAFTAR PUSTAKA

- [1] United Nations, “The Sustainable Development Goals Report 2025,” New York, 2025.
- [2] I. Renewable Energy Agency, *RENEWABLE CAPACITY STATISTICS 2025 STATISTIQUES DE CAPACITÉ RENOUVELABLE 2025 ESTADÍSTICAS DE CAPACIDAD RENOVABLE 2025 About IRENA*. 2025. [Online]. Available: www.irena.org
- [3] M. I. Ullah *et al.*, “Isolated Grid-Forming Control of Wave Energy Converter for Island Electrification,” *IEEE Access*, vol. 13, pp. 50860–50875, 2025, doi: 10.1109/ACCESS.2025.3552820.
- [4] Y.-H. Yu, D. S. Jenne, R. Thresher, A. Copping, S. Geerlofs, and L. A. Hanna, “Reference Model 5 (RM5): Oscillating Surge Wave Energy Converter,” Golden, CO, Jan. 2015. [Online]. Available: www.nrel.gov/publications.
- [5] A. Ulbig, T. S. Borsche, and G. Andersson, “Impact of low rotational inertia on power system stability and operation,” in *IFAC Proceedings Volumes (IFAC-PapersOnline)*, IFAC Secretariat, 2014, pp. 7290–7297. doi: 10.3182/20140824-6-za-1003.02615.
- [6] R. Rosso, X. Wang, M. Liserre, X. Lu, and S. Engelken, “Grid-Forming Converters: Control Approaches, Grid-Synchronization, and Future Trends - A Review,” 2021, *Institute of Electrical and Electronics Engineers Inc.* doi: 10.1109/OJIA.2021.3074028.
- [7] J. Wang, Z. Liu, Y. Shi, and J. Liu, “A Full Comparison between Droop Control and Virtual Synchronous Generator Control Considering Reactive Power Dynamics in Grid-Forming Inverters,” in *PEDG 2023 - 2023 IEEE 14th International Symposium on Power Electronics for Distributed Generation Systems*, Institute of Electrical and Electronics Engineers Inc., 2023, pp. 651–660. doi: 10.1109/PEDG56097.2023.10215129.
- [8] N. Mohammed, H. Udawatte, W. Zhou, D. J. Hill, and B. Bahrani, “Grid-Forming Inverters: A Comparative Study of Different Control Strategies in Frequency and Time Domains,” *IEEE Open Journal of the Industrial Electronics Society*, vol. 5, no. March, pp. 185–214, 2024, doi: 10.1109/OJIES.2024.3371985.
- [9] W. Lai, M. Ji, J. Li, H. Yang, and X. Zheng, “Numerical study and optimal control of an oscillating-body wave energy converter with a hydraulic PTO system,” *Energy*, vol. 339, Dec. 2025, doi: 10.1016/j.energy.2025.139108.

- [10] Robert H. Lasseter, "MicroGrids," in *2002 IEEE Power Engineering Society Winter Meeting*, IEEE, 2002, pp. 305–308. doi: <https://doi.org/10.1109/pesw.2002.985003>.
- [11] N. Einabadi and M. Kazerani, "Nanogrids in Modern Power Systems: A Comprehensive Review," Feb. 01, 2025, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/smartcities8010011.
- [12] N. Pogaku, M. Prodanović, and T. C. Green, "Modeling, analysis and testing of autonomous operation of an inverter-based microgrid," *IEEE Trans. Power Electron.*, vol. 22, no. 2, pp. 613–625, Mar. 2007, doi: 10.1109/TPEL.2006.890003.
- [13] P. R. Saputra, T. Agustinah, and A. Priyadi, "DESAIN KONTROL POWER SHARING MICROGRID PADA BEBAN NON-LINEAR," *Transmisi: Jurnal Ilmiah Teknik Elektro*, vol. 25, no. 2, pp. 64–74, Jun. 2023, doi: 10.14710/transmisi.25.2.64-74.
- [14] P. S. Suharso, T. Agustinah, and A. Priyadi, "DESAIN KONTROL NONLINIER UNTUK SISTEM HYBRID MICROGRID DENGAN SUMBER ENERGI PEMBANGKIT LISTRIK TENAGA SURYA," *Transmisi: Jurnal Ilmiah Teknik Elektro*, vol. 25, no. 3, pp. 126–135, Jul. 2023, doi: 10.14710/transmisi.25.3.126-135.
- [15] A. M. Simanullang, R. Tomia, M. A. V. Pardede, H. Devitra, H. Zulkarnain, and R. Pramana, "Potensi Energi Gelombang Laut di Indonesia: Studi Kasus Teknologi WaveForce di pantai Tanjung Siambang," *Jurnal Energi Baru dan Terbarukan*, vol. 6, no. 1, pp. 83–90, Jan. 2025, doi: 10.14710/jebt.2025.25662.
- [16] A. Nuryadi, N. Yendri Sudiar, and Hamdi, "Systematic Literature Review of Ocean Wave Renewable Energy," *Journal of Climate Change Society*, vol. 1, no. 2, Nov. 2023, doi: 10.24036/jccs/vol1-iss2/16.
- [17] International Towing Tank Conference, "Laboratory Modelling of Waves," 2021.
- [18] International Towing Tank Conference, "Wave Energy Converter Model Test Experiments," 2024.
- [19] Moch Rizky Sya'bana, Dian Sisinggih, and M Amar Sajali, "Studi Potensi Energi Gelombang laut Di Pantai Selatan Malang Kabupaten Malang Dengan Menggunakan Aplikasi Numerik Delft3D," *Jurnal Teknologi dan Rekayasa Sumber Daya Air*, vol. 5, no. 2, pp. 934–943, Jul. 2025, doi: 10.21776/ub.jtresda.2025.005.02.088.

- [20] J. Sjolte, C. M. L. Sandvik, E. Tedeschi, and M. Molinas, “Exploring the potential for increased production from the wave energy converter lifesaver by reactive control,” *Energies (Basel)*, vol. 6, no. 8, pp. 3706–3733, 2013, doi: 10.3390/en6083706.
- [21] M. Penalba and J. V. Ringwood, “A review of wave-to-wire models for wave energy converters,” *Energies (Basel)*, vol. 9, no. 7, p. 506, Jul. 2016, doi: 10.3390/en9070506.
- [22] S. Rasool, K. M. Muttaqi, and D. Sutanto, “Modelling of a wave-to-wire system for a wave farm and its response analysis against power quality and grid codes,” *Renew. Energy*, vol. 162, pp. 2041–2055, Dec. 2020, doi: 10.1016/j.renene.2020.10.035.
- [23] H. A. Said and J. V. Ringwood, “Grid integration aspects of wave energy—Overview and perspectives,” Oct. 01, 2021, *John Wiley and Sons Inc.* doi: 10.1049/rpg2.12179.
- [24] J. Rocabert, A. Luna, F. Blaabjerg, and P. Rodríguez, “Control of power converters in AC microgrids,” *IEEE Trans. Power Electron.*, vol. 27, no. 11, pp. 4734–4749, 2012, doi: 10.1109/TPEL.2012.2199334.
- [25] T. C. Wang, Z. Ye, G. Sinha, and X. Yuan, “Output Filter Design for a Grid-interconnected Three-phase Inverter.”
- [26] R. Ruffo, P. Guglielmi, and E. Armando, “Inverter Side RL Filter Precise Design for Motor Overvoltage Mitigation in SiC-Based Drives,” *IEEE Transactions on Industrial Electronics*, vol. 67, no. 2, pp. 863–873, Feb. 2020, doi: 10.1109/TIE.2019.2898623.
- [27] C. Liyanage, I. Nutkani, and L. Meegahapola, “A Comparative Analysis of Prominent Virtual Synchronous Generator Strategies Under Different Network Conditions,” *IEEE Open Access Journal of Power and Energy*, vol. 11, pp. 178–195, 2024, doi: 10.1109/OAJPE.2024.3384354.
- [28] A. Wicaksono, K. Khairudin, and N. Soedjarwanto, “VIRTUAL SYNCHRONOUS GENERATOR UNTUK KOMPENSASI INERSIA PADA SISTEM MICROGRID,” *Jurnal Informatika dan Teknik Elektro Terapan*, vol. 10, no. 2, Apr. 2022, doi: 10.23960/jitet.v10i2.2436.
- [29] F. Danang Wijaya, Fikri Waskito, Eka Firmansyah, and Juan C. Vasques, “Virtual Inertia Control Topology Addressing Indonesia’s Low-Inertia Renewable Grid Resilience Challenge,” *Jurnal Nasional Teknik Elektro dan Teknologi Informasi*, vol. 14, no. 4, pp. 307–316, Nov. 2025, doi: 10.22146/jnteti.v14i4.25234.

- [30] P. Kundur, *Power System Stability and Control*. New York: McGraw-Hill, 1994.
- [31] Transmission and Distribution Committee of the IEEE Power and Energy Society, *IEEE Standard for Harmonic Control in Electric Power Systems*, IEEE Std 519-2022. New York: IEEE, 2022. Accessed: Jun. 10, 2026. [Online]. Available: <https://ieeexplore.ieee.org/document/9848440>
- [32] Infineon, “EVAL-M1-IM523 user guide iMotion™ modular application design kit About this document.” [Online]. Available: www.infineon.com
- [33] Zehong Liu, Yu Sun, and Chao Ma, “An overview of grid-forming technology and its application in new-type power system,” *Global Energy Interconnection*, vol. 7, no. An overview of grid-forming technology and its application in new-type power system, pp. 541–552, Oct. 2024.
- [34] M. Khan, W. Wu, and L. Li, “Grid-forming control for inverter-based resources in power systems: A review on its operation, system stability, and prospective,” Apr. 27, 2024, *John Wiley and Sons Inc.* doi: 10.1049/rpg2.12991.
- [35] Aripriharta *et al.*, “Queen honey bee migration (QHBM) optimization for droop control on DC microgrid under load variation,” *Journal of Mechatronics, Electrical Power, and Vehicular Technology*, vol. 15, no. 1, pp. 12–22, 2024, doi: 10.55981/j.mev.2024.742.
- [36] Q. C. Zhong and G. Weiss, “Synchronverters: Inverters that mimic synchronous generators,” *IEEE Transactions on Industrial Electronics*, vol. 58, no. 4, pp. 1259–1267, Apr. 2011, doi: 10.1109/TIE.2010.2048839.
- [37] “interp1 - 1-D data interpolation (table lookup) - MATLAB.” Accessed: Jul. 03, 2026. [Online]. Available: <https://www.mathworks.com/help/matlab/ref/double.interp1.html>
- [38] “Moving Average - Moving average-value computation - Simulink.” Accessed: Jun. 29, 2026. [Online]. Available: <https://www.mathworks.com/help/sps/ref/movingaverage.html>
- [39] “Upgrade Specialized Power Systems Models to use Simscape Electrical Blocks - MATLAB & Simulink.” Accessed: Jun. 29, 2026. [Online]. Available: <https://www.mathworks.com/help/sps/ug/upgrade-sps-models-to-use-simscape-blocks.html>
- [40] C. Roberts, J. D. Lara, R. Henriquez-Auba, B. K. Poolla, and D. S. Callaway, “Grid-coupled dynamic response of battery-driven voltage source converters,” in *2020 IEEE International Conference on Communications*,

Control, and Computing Technologies for Smart Grids, SmartGridComm 2020, Institute of Electrical and Electronics Engineers Inc., Nov. 2020. doi: 10.1109/SmartGridComm47815.2020.9302950.

- [41] “Unit Delay - Delay signal one sample period - Simulink.” Accessed: Jul. 03, 2026. [Online]. Available: <https://www.mathworks.com/help/simulink/slref/unitdelay.html>
- [42] “PID Controller - Continuous-time or discrete-time PID controller - Simulink.” Accessed: Jun. 29, 2026. [Online]. Available: <https://www.mathworks.com/help/simulink/slref/pidcontroller.html>
- [43] M. C. Chandorkar, S. Member, D. M. Divan, R. Adapa, and S. Member, “Control of Parallel Connected Inverters in Standalone ac Supply Systems,” 1993.
- [44] “PWM Generator (Three-phase, Two-level) - Generate three-phase, two-level pulse width modulated waveform - Simulink.” Accessed: Jun. 29, 2026. [Online]. Available: <https://www.mathworks.com/help/sps/ref/pwmgeneratorthreephasetwolevel.html>
- [45] “RMS Measurement - Calculate root-mean-square (RMS) properties of a signal - Simulink.” Accessed: Jul. 03, 2026. [Online]. Available: <https://www.mathworks.com/help/sps/ref/rmsmeasurement.html>
- [46] “Sinusoidal Measurement (PLL, Three-Phase) - Estimate three-phase sinusoidal characteristics using a phase-locked loop - Simulink.” Accessed: Jun. 29, 2026. [Online]. Available: <https://www.mathworks.com/help/sps/ref/sinusoidalmeasurementpllthreephase.html>
- [47] “Discrete Filter - Model Infinite Impulse Response (IIR) filters - Simulink.” Accessed: Jul. 03, 2026. [Online]. Available: <https://www.mathworks.com/help/simulink/slref/discretefilter.html>
- [48] “Discrete Derivative - Compute discrete-time derivative - Simulink.” Accessed: Jul. 03, 2026. [Online]. Available: <https://www.mathworks.com/help/simulink/slref/discretederivative.html>
- [49] “lsiminfo - Compute linear response characteristics - MATLAB.” Accessed: Jun. 29, 2026. [Online]. Available: <https://www.mathworks.com/help/control/ref/lsiminfo.html>

- [50] “Release Notes for Control System Toolbox.” Accessed: Jul. 03, 2026. [Online]. Available: <https://www.mathworks.com/help/control/release-notes.html>
- [51] Y. Hoon, M. A. M. Radzi, M. K. Hassan, and N. F. Mailah, “DC-link capacitor voltage regulation for three-phase three-level inverter-based shunt active power filter with inverted error deviation control,” *Energies (Basel)*., vol. 9, no. 7, Jul. 2016, doi: 10.3390/en9070533.
- [52] “Total Harmonic Distortion - Total harmonic distortion measurement - Simulink.” Accessed: Jul. 03, 2026. [Online]. Available: <https://www.mathworks.com/help/sps/ref/totalharmonicdistortion.html>