

## DAFTAR PUSTAKA

- Ahmad, M. N., Ishak, M. R., & Zulkafle Hannah, M. Z. (2024). The Effect of Fused Deposition Modeling Parameters (FDM) on the Mechanical Properties of Polylactic Acid (PLA) Printed Parts. *Journal of Advanced Research in Applied Mechanics*, 123(1), 238–246. <https://doi.org/10.37934/ARAM.123.1.238246>
- Ahmad, M. N., & Yahya, A. (2023). Effects of 3D Printing Parameters on Mechanical Properties of ABS Samples. *Designs*, 7(6). <https://doi.org/10.3390/designs7060136>
- Ansari, A. A., & Kamil, M. (2021). Effect of print speed and extrusion temperature on properties of 3D printed PLA using fused deposition modeling process. *Materials Today: Proceedings*, 45, 5462–5468. <https://doi.org/10.1016/j.matpr.2021.02.137>
- Ardeljan, D. D., Frunzaverde, D., Cojocaru, V., Turiac, R. R., Bacescu, N., Ciubotariu, C. R., & Marginean, G. (2025). The Impact of Elevated Printing Speeds and Filament Color on the Dimensional Precision and Tensile Properties of FDM-Printed PLA Specimens. *Polymers*, 17(15), 2090. <https://doi.org/10.3390/polym17152090>
- Ding, S., Zou, B., Wang, P., & Ding, H. (2019). Effects of nozzle temperature and building orientation on mechanical properties and microstructure of PEEK and PEI printed by 3D-FDM. *Polymer Testing*, 78. <https://doi.org/10.1016/j.polymertesting.2019.105948>
- Ferninda Putri, S. (2025). *Pengaruh Nozzle Temperature Dan Layer Height Terhadap Akurasi Dimensi Produk Ulir Menggunakan Filamen PETG* (Vol. 03, Issue 1).
- Gulo, T., Mardiyana, D., & Sumarno, D. I. (2025). Analysis of Print Speed Variations Effect and Nozzle Temperature on the Tensile Strength of 3D Printed TPU-95A Products. *Jurnal Konversi Energi Dan Manufaktur*, 53–60. <https://doi.org/10.21009/jkem.10.1.6>
- Hasdiansah, Masdani, Indra Feriadi, & Pristiansyah. (2020). *OPTIMASI PARAMETER PROSES TERHADAP AKURASI DIMENSI PLA FOOD GRADE MENGGUNAKAN METODE TAGUCHI*.
- Ian Gibson, David Rosen, & Brent Stucker. (2015). *Additive Manufacturing Technologies 3D Printing, Rapid Prototyping, and Direct Digital Manufacturing Second Edition*.
- Ilmal Yaqin, R., Preston Siahaan, J., Tumpu, M., Prakoso, B., Hermawan, A., Luthfiani, F., & Kurniawan, A. (2024). Material and process parameter

- optimization for dimensional accuracy in Fused Deposition Modeling 3D printing. *Disseminating Information on the Research of Mechanical Engineering-Jurnal Polimesin*, 22(6). <http://e-jurnal.pnl.ac.id/polimesin>
- Khalida, Z., Dzulfikri Halimi, A., Rahmad, H., Nurdin Yulfiansyah, F., & Kediri Politeknik Negeri Malang, P. (n.d.). *Pengaruh Suhu Extruder Nozzle terhadap Hasil Cetakan pada Printer 3D Kartesian* (Vol. 7).
- Kholili, N., Setyono, G., Nugroho, A., Muharom, D. M., Program, D., Teknik, S., Universitas, M., Putra, W., Raya, J., No, B., Surabaya, J., & Timur, I. (2025). *PENINGKATAN KOMPETENSI COMPUTER AIDED DESIGN TERHADAP SISWA SMK SUNAN AMPEL SEBAGAI IMPLEMENTASI TEKNOLOGI PROSES PEMESINAN* (Vol. 04, Issue 01).
- Mawar Lestari, Subkhan, & Pristiansyah. (2022). *PROSIDING SEMINAR NASIONAL INOVASI TEKNOLOGI TERAPAN PENGARUH PARAMETER PROSES 3D PRINTING TERHADAP AKURASI DIMENSI FILAMENT PETG (Polyethylene terephthalate Gylacol)*.
- Moreno Nieto, D., Moreno Sánchez, D., & Mandolini, M. (2021). *Design for Additive Manufacturing: Tool Review and a Case Study*. <https://doi.org/10.3390/app>
- Ngo, T. D., Kashani, A., Imbalzano, G., Nguyen, K. T. Q., & Hui, D. (2018). Additive manufacturing (3D printing): A review of materials, methods, applications and challenges. In *Composites Part B: Engineering* (Vol. 143, pp. 172–196). Elsevier Ltd. <https://doi.org/10.1016/j.compositesb.2018.02.012>
- ÖZSOY, K., ERÇETİN, A., & ÇEVİK, Z. A. (2021). Comparison of Mechanical Properties of PLA and ABS Based Structures Produced by Fused Deposition Modelling Additive Manufacturing. *European Journal of Science and Technology*. <https://doi.org/10.31590/ejosat.983317>
- Pristiansyah, H. , S. (2019). Optimasi Parameter Proses 3D Printing FDM Terhadap Akurasi Dimensi Menggunakan Filament Eflex. *Jurnal Teknologi Manufaktur*, 11(01).
- Rais, M. H., Li, Y., & Ahmed, I. (2021). Spatiotemporal G-code modeling for secure FDM-based 3D printing. *ICCPS 2021 - Proceedings of the 2021 ACM/IEEE 12th International Conference on Cyber-Physical Systems (with CPS-IoT Week 2021)*, 177–186. <https://doi.org/10.1145/3450267.3450545>
- Ridho Muhammad, A., Rei Sakura, R., Dwilaksana, D., & Trifiananto, M. (2022). Layer Height, Temperature Nozzle, Infill Geometry and Printing Speed Effect on Accuracy 3D Printing PETG. *Rekayasa Energi Manufaktur) Jurnal* |, 7(2), 2528–3723. <https://doi.org/10.21070/rem.v7i2.1649>

Soejanto, I. (2009). *DESAIN EKSPERIMEN DENGAN METODE TAGUCHI*.

ZHU, J., ZHOU, H., WANG, C., ZHOU, L., YUAN, S., & ZHANG, W. (2021). A review of topology optimization for additive manufacturing: Status and challenges. In *Chinese Journal of Aeronautics* (Vol. 34, Issue 1, pp. 91–110). Chinese Journal of Aeronautics. <https://doi.org/10.1016/j.cja.2020.09.020>