

DAFTAR PUSTAKA

- [1] Y. Yu, Q. Niu, X. Li, J. Xue, W. Liu, and D. Lin, "A Review of Fingerprint Sensors: Mechanism, Characteristics, and Applications," *Micromachines*, vol. 14, no. 6, 2023, doi: 10.3390/mi14061253.
- [2] M. Marani, M. Soltani, M. Bahadori, M. Soleimani, M. Davari, and A. Moshayedi, "The Role of Biometric in Banking : A Review," *EAI Endorsed Trans. AI Robot.*, pp. 1–15, 2023.
- [3] J. Mason, R. Dave, P. Chatterjee, I. Graham-allen, A. Esterline, and K. Roy, "An Investigation of Biometric Authentication in the Healthcare Environment," *Array*, vol. 8, no. September, p. 100042, 2020, doi: 10.1016/j.array.2020.100042.
- [4] M. Hernandez-de-Menendez, R. Morales-Menendez, C. A. Escobar, and J. Arinez, "Biometric applications in education," *Int. J. Interact. Des. Manuf.*, vol. 15, no. 2–3, pp. 365–380, 2021, doi: 10.1007/s12008-021-00760-6.
- [5] D. Van De Ville, Y. Farouj, M. G. Preti, R. Liégeois, and E. Amico, "When makes you unique : Temporality of the human brain fingerprint," *Sci. Adv.*, no. October, pp. 1–10, 2021.
- [6] Adewole, Jimoh, and Abikoye, "A Review of Algorithms for Fingerprint Image Acquisition, Preprocessing and Minutiae Extraction," *Ilorin J. Sci.*, vol. 1, no. 2, pp. 245–263, 2014, doi: 10.54908/iljs.2014.01.02.002.
- [7] C. Li, P. Gu, and Y. Guo, "Optical Fingerprint Recognition Apparatus And Display Panel," US 10,664,680 B2, 2020
- [8] I. H. Kang, M. T. Hong, and B. S. Bae, "Capacitive sensor pixel circuit with single transistor for touch-fingerprint recognition sensor," *Electron. Lett.*, vol. 54, no. 21, pp. 1212–1214, 2018, doi: 10.1049/el.2018.5189.
- [9] A. Iula, "Ultrasound systems for biometric recognition," *Sensors*, vol. 19, no. 10, 2019, doi: 10.3390/s19102317.
- [10] C. M. Insights, "Fingerprint Sensors Market Analysis & Forecast: 2025-2032," Ceherent Market Insights. Accessed: Jan. 06, 2026. [Online]. Available: <https://www.coherentmarketinsights.com/market-insight/fingerprint-sensors-market-5444>

- [11] F. Alonso, F. Roli, and G. Luca, "Performance of fingerprint quality measures depending on sensor technology," *J. Electron. Imaging*, vol. 17, no. 1, 2008, doi: 10.1117/1.2895876.
- [12] P. Krishnasamy, S. Belongie, and D. Kriegman, "Wet fingerprint recognition: Challenges and opportunities," in *2011 International Joint Conference on Biometrics, IJCB 2011*, 2011. doi: 10.1109/IJCB.2011.6117594.
- [13] M. Shin, S. Lee, and S. Baek, "A Quantitative Analysis Study on the Effects of Moisture and Light Source on FTIR Fingerprint Image Quality," *Sensors*, vol. 25, no. 4, 2025, doi: 10.3390/s25041276.
- [14] Z. S. Chen *et al.*, "A Hybrid Deep Learning and Feature Descriptor Approach for Partial Fingerprint Recognition," *Electron.*, vol. 14, no. 9, 2025, doi: 10.3390/electronics14091807.
- [15] E. Esekhaigbe and E. O. Okoduwa, "Design and implementation of a fingerprint-based biometric access control system," *J. Adv. Sci. Eng.*, vol. 7, no. 1, pp. 18–23, 2022, doi: 10.37121/jase.v7i1.183.
- [16] V. Conti, C. Militello, F. Sorbello, and S. Vitabile, "A multimodal technique for an embedded fingerprint recognizer in mobile payment systems," *Mob. Inf. Syst.*, vol. 5, no. 2, pp. 105–124, 2009, doi: 10.1155/2009/284124.
- [17] A. A. Sari and R. Afriansyah, "Sistem Aplikasi Presensi Menggunakan Fingerprint Sebagai Monitoring Orang Tua Terhadap Kehadiran Mahasiswa Polman Babel Berbasis IoT," *J. Inov. Teknol. Terap.*, vol. 3, no. 2, pp. 485–493, 2025, doi: 10.33504/jitt.v3i2.318.
- [18] M. A. Al Rakib, M. M. Rahman, and S. Uddin, "Fingerprint Based Smart Home Automation and Security System," *Eur. J. Eng. Technol. Res.*, vol. 7, no. 2, pp. 140–145, 2022, doi: 10.24018/ejeng.2022.7.2.2745.
- [19] G. S. Ginantaka, L. K. P. Saputra, and S. Suwarno, "Testing The Accuracy of Fingerprint Recognition using Levenshtein Distance and Hamming Distance Methods," *JOINCS (Journal Informatics, Network, Comput. Sci.)*, vol. 6, no. 1, pp. 1–7, 2023, doi: 10.21070/joincs.v6i1.1612.
- [20] X. Lv, "Application of fingerprint image fuzzy edge recognition algorithm in criminal technology," *Open Comput. Sci.*, vol. 13, no. 1, 2023, doi:

10.1515/comp-2022-0263.

- [21] F. Liu, G. Liu, Q. Zhao, and L. Shen, “Robust and high-security fingerprint recognition system using optical coherence tomography,” *Neurocomputing*, vol. 402, pp. 14–28, 2020, doi: 10.1016/j.neucom.2020.03.102.
- [22] T. N. Khasanah, N. H. Putri, S. Amalia, R. P. Rahmadani, and ..., “Penerapan Machine Learning Untuk Pengenalan Sidik Jari Menggunakan Decision Tree,” *J. Mhs. Sist. ...*, vol. 6, no. 2, pp. 264–272, 2025.
- [23] N. Yanti, F. Z. Rachman, N. Jamal, and E. Purwanto, “Jaringan Syaraf Tiruan Untuk Pengenalan Citra Sidik Jari Pada Smart Home,” *J. Teknol. Inf. dan Ilmu Komput.*, vol. 5, no. 5, pp. 597–604, 2018, doi: 10.25126/jtiik2018551032.
- [24] J. K. P. S. Yadav, L. Singh, and Z. A. Jaffrey, “A Robust Automatic Fingerprint Recognition System Using Multi-Connection Hopfield Neural Network,” *Trait. du Signal*, vol. 39, no. 2, pp. 683–694, 2022, doi: 10.18280/ts.390232.
- [25] T. Sawhney *et al.*, “Fingerprint Matching for Noisy and Distorted Patterns Using a Siamese Network With ResNet50 and Multihead Attention,” *IEEE Access*, vol. 13, no. May, pp. 88047–88064, 2025, doi: 10.1109/ACCESS.2025.3567328.
- [26] Z. Li *et al.*, “A novel fingerprint recognition method based on a Siamese neural network,” *J. Intell. Syst.*, vol. 31, no. 1, pp. 690–705, 2022, doi: 10.1515/jisys-2022-0055.
- [27] M. A. Olsen, M. Dusio, and C. Busch, “Fingerprint skin moisture impact on biometric performance,” in *3rd International Workshop on Biometrics and Forensics, IWBF 2015*, 2015. doi: 10.1109/IWBF.2015.7110223.
- [28] J. D. Glover *et al.*, “The developmental basis of fingerprint pattern formation and variation,” *Cell*, vol. 186, no. 5, pp. 940–956.e20, 2023, doi: 10.1016/j.cell.2023.01.015.
- [29] H. G. Muhammad and Z. A. Khalaf, “A Survey Of Fingerprint Identification System Using Deep Learning,” *Int. J. Comput. Digit. Syst.*, vol. 17, no. 1, 2025, doi: 10.12785/ijcds/1571022983.
- [30] V. Kumari, M. K. Thakar, B. Mondal, and S. K. Pal, “Effects of oils, lotions,

- hand sanitizers, and mehendi on fingerprints captured through digital fingerprint scanner,” *Egypt. J. Forensic Sci.*, vol. 11, no. 1, 2021, doi: 10.1186/s41935-021-00222-w.
- [31] V. Jalaja, A. Gsgn, and L. Narendra Mohan, “Fingerprint recognition based on biometric cryptosystem,” *J. Integr. Sci. Technol.* 2024, vol. 2024, no. 3, p. 763, 2023, [Online]. Available: <http://pubs.thesciencein.org/jist>
 - [32] A. A. Momani and L. T. Kóczy, “A robust fingerprint identification approach using a fuzzy system and novel rotation method,” *Pattern Recognit.*, vol. 159, no. April 2023, 2025, doi: 10.1016/j.patcog.2024.111134.
 - [33] M. Talebian, K. Kiani, and R. Rastgoo, “A Deep Learning-based Model for Fingerprint Verification,” *Technol. J. Artif. Intell. Data Min.*, vol. 12, no. 2, pp. 241–248, 2024, doi: 10.22044/jadm.2024.14298.2531.
 - [34] J. J. Engelsma, K. Cao, and A. K. Jain, “Learning a Fixed-Length Fingerprint Representation,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 43, no. 6, pp. 1981–1997, 2021, doi: 10.1109/TPAMI.2019.2961349.
 - [35] A. Buades, B. Coll, and J. Morel, “Non-Local Means Denoising Pixelwise Implementation,” *Image Process. Line*, vol. 1, pp. 208–212, 2011.
 - [36] M. Kumar and Priyanka, “Various image enhancement and matching techniques used for fingerprint recognition system,” *Int. J. Inf. Technol.*, vol. 11, no. 4, pp. 767–772, 2019, doi: 10.1007/s41870-017-0061-4.
 - [37] U. Atila and M. Ucar, “Plant leaf disease classification using EfficientNet deep learning model Ümit,” *J. Hazard. Mater.*, p. 123965, 2020, [Online]. Available: <https://doi.org/10.1016/j.jhazmat.2020.123965>
 - [38] D. D. Mandave and L. V. Patil, “A Statistically Rigorous Comparison of MobileNetV2 and EfficientNet-B0 for Facial Expression Recognition on the FER2013 Benchmark,” *Inf. Dyn. Appl.*, pp. 189–200, 2025.
 - [39] C. C. Aggarwal, *Data Mining: The Textbook*. 2015. doi: 10.1007/978-3-319-14142-8.
 - [40] A. Hermans, L. Beyer, and B. Leibe, “In Defense of the Triplet Loss for Person Re-Identification,” 2017, [Online]. Available: <http://arxiv.org/abs/1703.07737>
 - [41] A. J. Mohamed Abdul Cader, J. Banks, and V. Chandran, “Fingerprint

- Systems: Sensors, Image Acquisition, Interoperability and Challenges,” *Sensors*, vol. 23, no. 14, pp. 1–28, 2023, doi: 10.3390/s23146591.
- [42] H. Technology, “AS608 Optical Finger Print Sensor Module [Datasheet],” 2023. [Online]. Available: <https://handsontec.com>
- [43] S. Maltoni, D. Maio, D. Jain, A. K., & Prabhakar, *Handbook of Fingerprint Recognition*, 2nd Editio. Springer, 2003. doi: 10.1007/b97303.
- [44] implFerris, “ESP32 DevKit V1 Pinout,” impl Rust. Accessed: Dec. 23, 2025. [Online]. Available: <https://esp32.implrust.com/esp32-intro/pinout>
- [45] A. Paszke *et al.*, “PyTorch: An imperative style, high-performance deep learning library,” in *Advances in Neural Information Processing Systems*, 2019.
- [46] S. A. Hicks *et al.*, “On evaluation metrics for medical applications of artificial intelligence,” *Sci. Rep.*, vol. 12, no. 1, pp. 1–9, 2022, doi: 10.1038/s41598-022-09954-8.
- [47] A. Alrashidi, A. Alotaibi, M. Hussain, H. Alshehri, H. A. Aboalsamh, and G. Bebis, “Cross-sensor fingerprint matching using siamese network and adversarial learning,” *Sensors*, vol. 21, no. 11, pp. 1–15, 2021, doi: 10.3390/s21113657.
- [48] G. S. Hura, *Data and computer communications*. 2014. doi: 10.1201/9781420041316.
- [49] R. C. Woods and R. E. Gonzalez, *Digital Image Processing*. 2018.
- [50] S. C. Chapra and R. P. Canale, *Numerical Methods for Engineers*, 8th ed. New York, 2020. doi: 10.1080/03043799408928310.
- [51] D. S. LeSassier *et al.*, “Artificial fingerprints for cross-comparison of forensic DNA and protein recovery methods,” *PLoS One*, vol. 14, no. 10, pp. 1–14, 2019, doi: 10.1371/journal.pone.0223170.
- [52] P. W. Wertz, “Human synthetic sebum formulation and stability under conditions of use and storage,” *Int. J. Cosmet. Sci.*, vol. 31, no. 1, pp. 21–25, 2009, doi: 10.1111/j.1468-2494.2008.00468.x.
- [53] H. S. C. D. Manning, P. Raghavan, *Introduction to Information Retrieval*, 2nd Editio. Cambridge, 2008. doi: 10.1108/00242530410565256.
- [54] G. Kertész, “Deep Metric Learning Using Negative Sampling Probability

- Annealing,” *Sensors*, vol. 22, no. 19, 2022, doi: 10.3390/s22197579.
- [55] C. Esposito, G. A. Landrum, N. Schneider, N. Stiefl, and S. Riniker, “GHOST: Adjusting the Decision Threshold to Handle Imbalanced Data in Machine Learning,” 2021. doi: 10.1021/acs.jcim.1c00160.
- [56] K. M. Sujon, R. Hassan, K. Choi, and M. A. Samad, “Accuracy, precision, recall, f1-score, or MCC? empirical evidence from advanced statistics, ML, and XAI for evaluating business predictive models,” *J. Big Data*, vol. 12, no. 1, 2025, doi: 10.1186/s40537-025-01313-4.