

DAFTAR PUSTAKA

- Ahmed, F. *et al.* (2024) "Spatial and temporal clustering of typhoid fever in an urban slum of dhaka city: Implications for targeted typhoid vaccination," *PLoS Neglected Tropical Diseases*, 2024-June. Available at: <https://doi.org/10.1371/journal.pntd.0012273>.
- Ardiaria, M. (2019) "Epidemiologi, Manifestasi Klinis, Dan Penatalaksanaan Demam Tifoid," *Journal of Nutrition and Health* [Preprint], (02).
- Arifiyani, I. *et al.* (2018) *Hubungan Sanitasi dan Personal Hygiene Dengan Kejadian Demam Tifoid Pada Anak Usia 1 - 5 Tahun di Wilayah Kerja Puskesmas Bargas Tahun 2018*.
- Azmatullah, A. *et al.* (2015) "Systematic review of the global epidemiology, clinical and laboratory profile of enteric fever," *Journal of Global Health*, 5(2). Available at: <https://doi.org/10.7189/jogh.05.020407>.
- Basnyat, B. *et al.* (2021) "Enteric fever," *BMJ*, 372. Available at: <https://doi.org/10.1136/bmj.n437>.
- Bhandari, J. *et al.* (2024) "Typhoid Fever," *StatPearls*.
- BPS DKI Jakarta (2025) *Provinsi DKI Jakarta Dalam Angka 2025*.
- Brett, T.S. and Rohani, P. (2025) "Collateral effects of COVID-19 pandemic control on the US infectious disease landscape," *Science*, 390(6772), pp. 510–515. Available at: <https://doi.org/10.1126/science.adw4964>.
- Brockett, S. *et al.* (2020) "Associations among Water, Sanitation, and Hygiene, and Food Exposures and Typhoid Fever in Case–Control Studies: A Systematic Review and Meta-Analysis," *The American Journal of Tropical Medicine and Hygiene*, 103(3), pp. 1020–1031. Available at: <https://doi.org/10.4269/ajtmh.19-0479>.
- CDC (2024a) *About Typhoid Fever and Paratyphoid Fever, Center for Disease Control and Prevention*.
- CDC (2024b) *Typhoid and Paratyphoid Fever, Center for Disease Control and Prevention*.
- Celentano, D.D., Szklo, M. and Gordis, Leon. (2019) *Gordis epidemiology*. Elsevier.
- Cheng, yuejia and Tang, F. (2013) "spatial analysis of typhoid fever in jiangsu province people."

- Ching, C. *et al.* (2024) “Trends in typhoid fever during the COVID-19 pandemic in Pakistan,” *Journal of Infection in Developing Countries*, 18(4), pp. 550–555. Available at: <https://doi.org/10.3855/jidc.18374>.
- Cohen, R. *et al.* (2023) “Immune debt: Recrudescence of disease and confirmation of a contested concept,” *Infectious Diseases Now*, 53(2), p. 104638. Available at: <https://doi.org/10.1016/j.idnow.2022.12.003>.
- Cromley, E.K. and McLafferty, S.L. (2012) *GIS and Public Health*.
- Crump, J.A., Luby, S.P. and Mintz, E.D. (2004) *The global burden of typhoid fever, Bulletin of the World Health Organization*.
- Debellut, F. *et al.* (2024) “The cost of typhoid illness in low- and middle-income countries, a scoping review of the literature,” *PLOS ONE*, 19(6), p. e0305692. Available at: <https://doi.org/10.1371/journal.pone.0305692>.
- Dewan, A.M. *et al.* (2013a) “Typhoid Fever and Its Association with Environmental Factors in the Dhaka Metropolitan Area of Bangladesh: A Spatial and Time-Series Approach,” *PLoS Neglected Tropical Diseases*, 7(1). Available at: <https://doi.org/10.1371/journal.pntd.0001998>.
- Dewan, A.M. *et al.* (2013b) “Typhoid Fever and Its Association with Environmental Factors in the Dhaka Metropolitan Area of Bangladesh: A Spatial and Time-Series Approach,” *PLoS Neglected Tropical Diseases*, 7(1), p. e1998. Available at: <https://doi.org/10.1371/journal.pntd.0001998>.
- Erkamim, M. *et al.* (2023) *Sistem Informasi Geografis (SIG)*. Available at: <https://www.researchgate.net/publication/376582770>.
- Fachrizal, Y., Handayani, Y. and Ashan, H. (2022) *Faktor-Faktor yang Berhubungan Dengan Kejadian Demam Tifoid pada Anak di Rumah Sakit Stroke Nasional Bukittinggi Tahun 2019*. Available at: <http://journal.scientic.id/index.php/sciena/issue/view/3>.
- Fikri, E. *et al.* (2021) “Analysis Autocorrelation Spatial Diarrhea, Typhoid and Leptospirosis on The East Flood Canal, Semarang City: Moran Index Method,” *Jurnal Aisyah : Jurnal Ilmu Kesehatan*, 6(4). Available at: <https://doi.org/10.30604/jika.v6i4.734>.
- Gao, Q. *et al.* (2022) “Impact of Temperature and Rainfall on Typhoid/Paratyphoid Fever in Taizhou, China: Effect Estimation and Vulnerable Group Identification,” *American Journal of Tropical Medicine and Hygiene*, 106(2), pp. 532–542. Available at: <https://doi.org/10.4269/ajtmh.20-1457>.
- Gustian, T. *et al.* (2023) “Faktor-Faktor Yang Berhubungan Dengan Kejadian Typoid Di Rumah Sakit Bhayangkara Polda Bengkulu Tahun 2024,” *Journal Hygea Public Health* [Preprint].

- Hechaichi, A. *et al.* (2023) “Outbreak Investigation of Typhoid Fever in the District of Gabes, South of Tunisia,” *Epidemiologia*, 4(3), pp. 223–234. Available at: <https://doi.org/10.3390/epidemiologia4030023>.
- Hinman, S.E. (2007) *Spatial and temporal structure of typhoid fever in Washington, D.C., 1895-1909: a geographic information systems exploration of urban health concerns*. Available at: https://digitalcommons.lsu.edu/gradschool_dissertations/21.
- Hughes, M., Appiah, G. and Watkins, L. (2024) *CDC Yellow Book 2024*, CDC.
- Hutton, G. (2012) *Global costs and benefits of drinking-water supply and sanitation interventions to reach the MDG target and universal coverage*. Available at: www.who.int.
- Ignacio, N. (2019) “Spatiotemporal Analysis of Typhoid Cases in Baguio City, Philippines,” *Springer Nature* [Preprint].
- Kaljee, L.M. *et al.* (2018) “Social and Economic Burden Associated With Typhoid Fever in Kathmandu and Surrounding Areas: A Qualitative Study,” *The Journal of Infectious Diseases*, 218(suppl_4), pp. S243–S249. Available at: <https://doi.org/10.1093/infdis/jix122>.
- Kamei, A. and Soori, B.S. (2026) “Water treatment and E. coli in drinking water: Household responses to (invisible) water quality risks,” *PLOS One*, 21(1), p. e0331258. Available at: <https://doi.org/10.1371/journal.pone.0331258>.
- Karkey, A. *et al.* (2010) “The Burden and Characteristics of Enteric Fever at a Healthcare Facility in a Densely Populated Area of Kathmandu,” *PLoS ONE*, 5(11), p. e13988. Available at: <https://doi.org/10.1371/journal.pone.0013988>.
- KDI (2024) *Demam Tifoid*.
- Khan, M.I. *et al.* (2012) “Risk factors associated with typhoid fever in children aged 2-16 years in Karachi, Pakistan,” *Epidemiology and Infection*, 140(4), pp. 665–672. Available at: <https://doi.org/10.1017/S0950268811000938>.
- Khan, Z. (2024) “GIS: Bridging The Gap Between Data And Location,” *Journal of Nonlinear Analysis and Optimization*, 15(16), p. 2024. Available at: <https://www.researchgate.net/publication/380901177>.
- Kim, C. *et al.* (2023) “Associations of water, sanitation, and hygiene with typhoid fever in case–control studies: a systematic review and meta-analysis,” *BMC Infectious Diseases*, 23(1), p. 562. Available at: <https://doi.org/10.1186/s12879-023-08452-0>.

- Kim, S. *et al.* (2019) “Spatial and Temporal Patterns of Typhoid and Paratyphoid Fever Outbreaks: A Worldwide Review, 1990-2018,” *Clinical Infectious Diseases*. Oxford University Press, pp. S499–S509. Available at: <https://doi.org/10.1093/cid/ciz705>.
- Kurniawan, D., Apriliana, E. and Himayani, R. (2024) *Faktor Risiko Personal dan Lingkungan dalam Kejadian Demam Tifoid*.
- Laeli, M., Khasanah, N.N. and Wijayanti, K. (2025) “Faktor-Faktor Yang Berhubungan Dengan Kejadian Demam Tifoid Pada Anak Di RS Bhakti Asih Brebes,” *Jurnal Ilmu Farmasi dan Kesehatan*, 3(2). Available at: <https://doi.org/10.59841/an-najat.v3i2.2419>.
- Lakens, D. (2022) *Sample Size Justification*. 1st ed.
- Maarisit, C.L., Sarimin, S. and Babakal. Abram (2014) *Hubungan Pengetahuan Orang Tua Tentang Demam Tifoid Dengan Kebiasaan Jajan Pada Anak Di Wilayah Kerja RSUD Mala Kecamatan Melonguane Kabupaten Talaud*.
- Masyrofah, D., Laily, I. and Salman, S. (2023) “Review Artikel : Hubungan Umur dengan Demam Tifoid,” *Journal of Pharmaceutical and Sciences*, 6, pp. 215–220. Available at: <https://doi.org/10.36490/journal-jps.com.v6i1.11>.
- Maulina Aini, Z. (2019) “Hubungan Kualitas Air Minum dan Kebiasaan Makan/Minum di Luar Rumah dengan Terjadinya Demam Tifoid pada Pasien Rawat Inap di RSUD Kota Kendari Zida Maulina Aini,” 6.
- Mirembe, B.B. *et al.* (2019) “Temporal, spatial and household dynamics of Typhoid fever in Kasese district, Uganda,” *PLoS ONE*, 14(4). Available at: <https://doi.org/10.1371/journal.pone.0214650>.
- Mogasale, Vijayalaxmi V. *et al.* (2026) “Burden of typhoid fever and antimicrobial resistance in India (2023): a modelling study,” *The Lancet Regional Health - Southeast Asia*, 44, p. 100714. Available at: <https://doi.org/10.1016/j.lansea.2025.100714>.
- Mujiyanto, M. *et al.* (2025) “Typhoid fever in Jakarta, Indonesia 2017-2023: spatial clustering and seasonality of hospitalization data to inform better intervention,” *Geospatial health*, 20(1). Available at: <https://doi.org/10.4081/gh.2025.1372>.
- Naspendra, Z. and Setiawati, A.R. (2020) *Pedoman Praktikum Sistem Informasi Geografis (SIG)*.
- Nur Laila, O., Khambali and Sulistio, I. (2022) “Perilaku, Sanitasi Lingkungan Rumah dan Kejadian Demam Tifoid.” Available at: <https://doi.org/10.33846/sf13247>.

- Ochiai, R.L. *et al.* (2008) “A study of typhoid fever in five Asian countries: Disease burden and implications for controls,” *Bulletin of the World Health Organization*, 86(4), pp. 260–268. Available at: <https://doi.org/10.2471/BLT.06.039818>.
- Osei, F.B., Stein, A. and Nyadanu, S.D. (2018) “Spatial and temporal heterogeneities of district-level typhoid morbidities in Ghana: A requisite insight for informed public health response,” *PLoS ONE*, 13(11). Available at: <https://doi.org/10.1371/journal.pone.0208006>.
- Oswald, P. (2012) *Modul Pelatihan Quantum GIS Tingkat Dasar Versi 1.8.0 Lisboa*.
- PAHO and WHO (1989) *WHO “Golden Rules” for Safe Food Preparation*, Pan American Health Organization.
- Pangestu, D.H. (2023) “Hubungan Kebiasaan Mencuci Tangan, Sumber Air Bersih, Dan Kondisi Tempat Sampah Dengan Kejadian Demam Tifoid,” *Indonesian Journal Of Health and Medical*, 3(4).
- Parween, F., Yadav, J. and Qadri, A. (2019) “The virulence polysaccharide of salmonella Typhi suppresses activation of rho family gtpases to limit inflammatory responses from epithelial cells,” *Frontiers in Cellular and Infection Microbiology*, 9(MAY). Available at: <https://doi.org/10.3389/fcimb.2019.00141>.
- Piantadosi, S., Byar, D.P. and Green, S.B. (1988) “The Ecological Fallacy,” *American Journal of Epidemiology*, 127(5), pp. 893–904. Available at: <https://doi.org/10.1093/oxfordjournals.aje.a114892>.
- Prasad, N. *et al.* (2018) “Epidemiology and risk factors for typhoid fever in Central Division, Fiji, 2014–2017: A case-control study,” *PLOS Neglected Tropical Diseases*, 12(6), p. e0006571. Available at: <https://doi.org/10.1371/journal.pntd.0006571>.
- Prehamukti, A.A. (2018) “Faktor Lingkungan dan Perilaku terhadap Kejadian Demam Tifoid,” *HIGEIA (Journal of Public Health Research and Development)*, 2(4), pp. 587–598. Available at: <https://doi.org/10.15294/higeia.v2i4.24275>.
- Rahmat, W., Akune, K. and Sabir, M. (2019) *Thypoid Fever With Sepsis Complication : Definition, Epidemiology, Pathogenesis, and A Case Report*, *Jurnal Medical Profession (MedPro)*.
- Rahmawati, A.D. (2010) *Analisis Spasiotemporal Kasus Demam Tifoid Di Kota Semarang*. Universitas Diponegoro.

- Rasul, F. *et al.* (2017) “Surveillance Report On Typhoid Fever Epidemiology And Risk Factors Assessment In District Gujrat, Punjab, Pakistan,” *Biomedical Research*, 28(8).
- Ren, X. *et al.* (2023) “Spatial heterogeneity of socio-economic determinants of typhoid/paratyphoid fever in one province in central China from 2015 to 2019,” *BMC Public Health*, 23(1). Available at: <https://doi.org/10.1186/s12889-023-15738-0>.
- Santoso, J.T., Kom, S. and Kom, M. (2021) *Geographic Information System (GIS) : Sistem Informasi Geografis*.
- Septina, D. (2019) “Faktor-faktor Yang Berhubungan Dengan Kejadian Demam Tifoid Pada Penduduk Wilayah Pinggiran Sungai Musi Di Seberang Ulu Palembang Tahun 2019.”
- Setiyawan, H. *et al.* (2020) *Pemetaan Penyakit Demam Tifoid Di Wilayah Panggang Gunungkidul Tahun 2018*. Available at: <http://thejournalish.com/ojs/index.php/jce/index>.
- Sharma, A. *et al.* (2024) “Spatial analysis of food and water-borne diseases in Ahmedabad, India: Implications for urban public health planning,” *Acta Tropica*, 253, p. 107170. Available at: <https://doi.org/https://doi.org/10.1016/j.actatropica.2024.107170>.
- Sitinjak, A.M., Dewi, R.S. and Khairani, A.I. (2024) “Asuhan Keperawatan Pada Pasien Demam Tifoid Di Rumah Sakit TK II Putri Hijau Medan,” *SENTRI : Jurnal Riset Ilmiah* [Preprint], (3).
- Splichalova, A. *et al.* (2019) “Impact of the lipopolysaccharide chemotype of salmonella enterica serovar typhimurium on virulence in gnotobiotic piglets,” *Toxins*, 11(9). Available at: <https://doi.org/10.3390/toxins11090534>.
- Taftazani, R., Kazama, S. and Takizawa, S. (2022) “Spatial Analysis of Groundwater Abstraction and Land Subsidence for Planning the Piped Water Supply in Jakarta, Indonesia,” *Water*, 14(20), p. 3197. Available at: <https://doi.org/10.3390/w14203197>.
- Tawfiq, U.A. *et al.* (2022) *Epidemiology And Risk Factors For Typhoid Fever In Gombe Metropolis, Gombe State, Nigeria, Malaysian Journal of Public Health Medicine*.
- Titus, I. *et al.* (2023) “Phenotypic Characterization of Virulence Factors in Multidrug-Resistant Salmonella typhi Serovars Isolated from Clinical Specimens in Bauchi Metropolis,” *South Asian Journal of Research in Microbiology*, 15(3), pp. 10–20. Available at: <https://doi.org/10.9734/sajrm/2023/v15i3287>.

- Tobing, J.F.J. (2024) “Demam Tifoid,” *IKRAITH Humaniora : Jurnal Sosial dan Humaniora*, 8(2), pp. 463–470. Available at: <https://doi.org/10.37817/ikraith-humaniora.v8i2>.
- Ulfa, F. and Woro Kasmini Handayani, O. (2018) “Kejadian Demam Tifoid Di Wilayah Kerja Puskesmas Pagiyaten,” *Higeia Journal Of Public Health Research and Development*, 2(2), pp. 227–238. Available at: <http://journal.unnes.ac.id/sju/index.php/higeia>.
- Umar, A.T. *et al.* (2024) “Typhoid Incidence and Environmental (Weather) Determinants in Gombe Municipality Gombe Nigeria: A Five-Year Epidemiological Study,” *UMYU Scientifica*, 3(3), pp. 96–104. Available at: <https://doi.org/10.56919/usci.2433.012>.
- WHO (2023) *Typhoid*, World Health Organization.
- Yushananta, P. and Putri, M.F.E. (2024) “Household and Environmental Typhoid Fever Transmission in Bandar Lampung City, Indonesia: A Case-Control Study,” *Journal of Nepal Medical Association*, 62(277), pp. 564–569. Available at: <https://doi.org/10.31729/jnma.8744>.
- Yustati, E. and Surya Dinata, A. (2023) “Analisis Faktor Personal Hygiene Dan Sanitasi Lingkungan Dengan Demam Typhoid Di Wilayah Kerja Puskesmas Kemalaraja Kabupaten Ok,” *Jurnal Kesehatan Abdurahman Palembang*, 12(2).
- Zaneta Aurelia, S. *et al.* (2024) “Article Review: Evaluasi Penggunaan Antibiotik Menggunakan Metode Atc/Ddd Pada Pasien Demam Tifoid,” 3(2), pp. 54–59.