

DAFTAR PUSTAKA

- [1] L. Lesmini and D. R. Fadhlurrahman, “Kinerja Quay Container Crane Dalam Kegiatan Bongkar Muat Petikemas Di Kso Terminal Petikemas Koja Jakarta Utara,” *J. Transp. Logistik, dan Aviasi*, vol. 1, no. 1, pp. 55–64, 2021, doi: 10.52909/jtla.v1i1.38.
- [2] M. Waseem *et al.*, “Electrical Demand and its Flexibility in Different Energy Sectors,” *Electr. Power Components Syst.*, vol. 48, no. 12–13, pp. 1339–1361, 2020, doi: 10.1080/15325008.2020.1854372.
- [3] M. Tisenkopfs, L. Jansons, I. Geipele, S. Lapuke, and A. Backurs, “Optimization of Electricity Consumption-Associated Costs in a Medium-Sized Logistics Company,” vol. 2022, pp. 1–21, 2025.
- [4] I. Shofi’i, Taqiyuddin, and M. W. Kasrani, “Aliran Daya dan Kebutuhan Energi Listrik Pelabuhan Kontainer : Kajian Perencanaan Elektrifikasi dan Profitabilitas di PT . Kaltim Kariangau Terminal,” vol. 9, no. 1, pp. 511–517, 2024.
- [5] H. Widiarto, “Analisis Aliran Daya Pada Sistem Tenaga Listrik Di Bandara Internasional Supadio Menggunakan Software ETAP 19,” vol. 3, no. 4, pp. 307–318, 2023.
- [6] Z. Gan and Z. Jing, “The Impact Of Load Transfer On Transmission and Distribution Costs,” 2021, doi: 10.1088/1755-1315/675/1/012114.
- [7] M. Ridwan, “Analisa Rekonfigurasi Jaringan Distribusi Untuk Mengurangi Rugi-Rugi Daya Menggunakan Metode Binary Particle Swarm Optimization (BPSO),” *JREEC*, vol. 04, pp. 48–57, 2024, doi: 10.31284/j.JREEC.2024.v1i1.
- [8] L. Thurner, A. Scheidler, A. Probst, and M. Braun, “Heuristic Optimisation for Network Restoration and Expansion in Compliance With the Single-Contingency Policy,” *IET Gener. Transm. Distrib.*, vol. 11, no. 17, pp. 4264–4273, 2017, doi: 10.1049/iet-gtd.2017.0729.
- [9] I. W. Utama, I. W. D. Pancane, M. Van Nover, and A. P. Abiyasa, “Optimization of Load Balancing with Feeder Network Reconfiguration Using ETAP Simulation,” *Ra J. Appl. Res.*, vol. 08, no. 07, 2022, doi: 10.47191/rajar/v8i7.06.
- [10] H. R. Tazkia, Karnoto, and A. J. Zahra, “Analisis Kebutuhan Jaringan Distribusi 20 Kv Untuk Memenuhi Pelanggan Industri Baru 15 Mw Kawasan Randu Garut,” *Transient J. Ilm. Tek. Elektro*, vol. 11, no. 2, pp. 45–50, 2022, doi: 10.14710/transient.v1i1.2.45-50.
- [11] M. Syahrudin, M. Putri, C. Cholish, and A. Abdullah, “Stabilizing Voltage and Managing Power Loss in Medium Voltage Distribution Systems Through Strategic Maneuvers,” *Int. J. Electr. Electron. Res.*, vol. 12, no. 3, pp. 1060–1066, 2024, doi: 10.37391/ijeer.120341.

- [12] S. H. Chowdhury, T. Uddin, D. Saha, and A. Helal, "Design of 2500 KVA 11/0.4 KV Distribution Substation Based on Load Flow Analysis Using ETAP Software," *Int. J. Mater. Math. Sci.*, vol. 3, no. 6, pp. 133–138, 2021, doi: 10.34104/ijmms.021.01330138.
- [13] V. V. Mehtre and I. Katakwar, "Load Flow Analysis of Power System in ETAP," *Int. J. Innov. Res. Electr. Electron.*, vol. 12, no. 4, pp. 64–69, 2024, doi: 10.17148/IJIREEICE.2024.12409.
- [14] A. Tanjung, "Rekonfigurasi Sistem Distribusi 20 Kv Gardu Induk Teluk Lembu Dan PLTMG Langgam Power Untuk Mengurangi Rugi Daya Dan Drop Tegangan," vol. 11, no. 2, pp. 160–166, 2014.
- [15] Syukri, T. M. Asyadi, Muliadi, and F. Moesnadi, "Analisa Pembebanan Transformator Distribusi 20 kV Pada Penyulang LS5 Gardu LSA 249," *Jambura J. Electr. Electron. Eng.*, vol. 4, pp. 119–125, 2022.
- [16] N. A. Pambudi *et al.*, "Renewable Energy in Indonesia: Current Status, Potential, and Future Development," *Sustain.*, vol. 15, no. 3, 2023, doi: 10.3390/su15032342.
- [17] R. Syahputra and L. F. Arrozak, "Power Transformer Loading Analysis in Order to Improve the Reliability of a Substation," *J. Electr. Technol. UMY*, vol. 1, no. 4, pp. 165–175, 2017, doi: 10.18196/jet.1422.
- [18] Y. M. Tun and A. T. Win, "Interference Analysis of Medium Voltage Air Line 20 KV Feeder Using Failure Mode and Effects Analysis Method," *J. La Multiapp*, vol. 1, no. 6, pp. 28–34, 2020, doi: 10.37899/journallamultiapp.v1i6.301.
- [19] E. N. Rizki, "Simulasi Modifikasi Konfigurasi Jaringan Spindel Menjadi Loop Tertutup Untuk Meningkatkan Keandalan Sistem Distribusi Menggunakan Software ETAP," *Energi & Kelistrikan*, vol. 13, no. 1, pp. 33–39, 2021, doi: 10.33322/energi.v13i1.1199.
- [20] T. A. Al Qoyyimi, O. Penangsang, and N. K. Aryani, "Penentuan Lokasi Gangguan Hubung Singkat pada Jaringan Distribusi 20 kV Penyulang Tegalsari Surabaya dengan Metode Impedansi Berbasis GIS (Geographic Information System) Thoriq," *J. Tek. ITS*, vol. 6, no. 1, 2017.
- [21] H. K. Adi, "Kajian Manajerial Efektifitas Pemeliharaan Jaringan dan Transformator Distribusi 20 kV Menggunakan Uji ANOVA," *J. Tek. Mesin Sinergi*, vol. 21, no. 2, pp. 266–273, 2023, doi: 10.31963/sinergi.v21i2.4447.
- [22] R. A. Duyo and A. Sulkifli, "Analisis Jaringan Dan Pemeliharaan Pada Jaringan Distribusi di PT PLN Wilayah Cabang Pinrang," *J. Vertex Elektro*, vol. 01, no. 02, pp. 1–11, 2019.
- [23] P. Mangera and D. Hardiantono, "Analisis Rugi Tegangan Jaringan Distribusi 20 kV Pada PT PLN Cabang Merauke," *J. MJEME*, vol. 1, no. 2, pp. 61–69, 2019.
- [24] R. A. Duyo and A. Sulkifli, "Analisis Jaringan dan Pemeliharaan Pada

- Jaringan Distribusi di PT PLN Wilayah Cabang Pinrang,” *Vertex Elektro*, vol. 01, no. 02, 2019.
- [25] PT PLN, *Kriteria Enjinering Konstruksi Jaringan Distribusi Tenaga Listrik*, vol. 1. 2010.
- [26] A. Bari, J. Jiang, W. Saad, and A. Jaekel, “Challenges in the smart grid applications: An overview,” *Int. J. Distrib. Sens. Networks*, vol. 2014, 2014, doi: 10.1155/2014/974682.
- [27] S. Syafii and K. Ika Putri, “Analisa Operasi Ekonomis Pembangkit Termal untuk Melayani Beban Puncak Sistem Kelistrikan Sumbar,” *J. Nas. Tek. Elektro*, vol. 7, no. 1, p. 1, 2018, doi: 10.25077/jnte.v7n1.458.2018.
- [28] S. Suropto, *Sistem Tenaga Listrik*. LP3M UMY, 2017.
- [29] R. Syahputra, A. Wahyu Nugroho, K. Purwanto, and F. Mujaahid, “Dynamic performance of synchronous generator in steam power plant,” *Int. J. Adv. Comput. Sci. Appl.*, vol. 10, no. 12, pp. 389–396, 2019, doi: 10.14569/ijacsa.2019.0101251.
- [30] M. Alla *et al.*, “Practices for Generator Synchronizing Systems,” 2024. [Online]. Available: <https://www.pes-psrc.org/kb/report/119.pdf>
- [31] R. Benato *et al.*, “Calajoule: An Italian research to lessen joule power losses in overhead lines by means of innovative conductors,” *Energies*, vol. 12, no. 16, 2019, doi: 10.3390/en12163107.
- [32] T. J. Wong and N. Das, “Modelling and analysis of IEC 61850 for end-to-end delay characteristics with various packet sizes in modern power substation systems,” *IET Conf. Publ.*, vol. 2014, no. CP649, 2014, doi: 10.1049/cp.2014.1073.
- [33] A. R. Hidayat, A. Jamal, A. N. N. Chamim, R. Syahputra, and J. Jackson, “Analysis of Power Transformer Insulation: A Case Study in 150 kV Bantul Substation,” *J. Electr. Technol. UMY*, vol. 3, no. 2, pp. 50–60, 2019, doi: 10.18196/jet.3254.
- [34] S. Kousar, N. A. Zafar, T. Ali, E. H. Alkhamash, and M. Hadjouni, “Formal Modeling of IoT-Based Distribution Management System for Smart Grids,” *Sustain.*, vol. 14, no. 8, 2022, doi: 10.3390/su14084499.
- [35] F. Abbasi and S. M. Hosseini, “Optimal DG allocation and sizing in presence of storage systems considering network configuration effects in distribution systems,” *IET Gener. Transm. Distrib.*, vol. 10, no. 3, pp. 617–624, 2016, doi: 10.1049/iet-gtd.2015.0367.
- [36] T. Taylor, T. Fahey, T. Royster, and D. Engler, “New recloser functionality enhances feeder automation,” *Transm. Distrib. Expo. Conf. 2008 IEEE PES Powering Towar. Futur. PIMS 2008*, pp. 1–8, 2008, doi: 10.1109/TDC.2008.4517194.
- [37] M. Hambali, E. Jamiyanti, and S. W. Jannah, “Sistem Proteksi Saluran Distribusi Jaringan Listrik Menggunakan Etap Di Pondok Pesantren Nurul

- Jadid Studi Kasus Trafo DH 760/160,” *Naafi J. Ilm. Mhs.*, vol. 1, no. 6, pp. 867–875, 2025, doi: 10.62387/naafi.v1i5.267.
- [38] Rusliadi Rusliadi, Yulianto La Elo, and Naomi Lembang, “Analisis Ketidakseimbangan Beban pada Transformator Bambang Djaja ULP Fakfak,” *Jural Ris. Rumpun Ilmu Tek.*, vol. 1, no. 1, pp. 7–9, 2022, doi: 10.55606/jurritek.v1i1.99.
- [39] Judelyn L. Patero, “Electromagnetic Induction: Unraveling Faraday’s Laws and Their Applications in Generators and Transformers,” *Int. J. Adv. Res. Sci. Commun. Technol.*, pp. 814–819, 2023, doi: 10.48175/ijarsct-12376.
- [40] I. S. O. Iec, “IEC-60076-5,” 2011.
- [41] B. Prasetyo, “Analisis Rugi Daya dan Jatuh Tegangan Sistem Distribusi PT PLN ULP Bengkalis Penyulang Banten Rc Meskom Menggunakan ETAP,” vol. 7, no. 2, pp. 96–106, 2025, [Online]. Available: <https://eprints.polbeng.ac.id/id/eprint/2986/%0Ahttps://eprints.polbeng.ac.id/id/eprint/2986/2/2.TA-3204211412-Bab I Pendahuluan.pdf>
- [42] A. V. S. Reddy, M. D. Reddy, and M. S. K. Reddy, “Network reconfiguration of distribution system for loss reduction using GWO algorithm,” *Int. J. Electr. Comput. Eng.*, vol. 7, no. 6, pp. 3226–3234, 2017, doi: 10.11591/ijece.v7i6.pp3226-3234.
- [43] M. Khoiri and M. Muslim, “Analisa Gangguan Rele Differential Busbar di GISTET 500 kV Durikosambi Jakarta Barat,” *J. Teknol. Elektro*, vol. 11, no. 2, p. 72, 2020, doi: 10.22441/jte.2020.v11i2.002.
- [44] N. Norhafazid and N. Abdullah, “Automatic Circuit Breaker (ACB) for Low Voltage Substation Distribution System,” *J. Eng. Sci.*, vol. 15, no. 2, pp. 31–52, 2019, doi: 10.21315/jes2019.15.2.3.
- [45] C. Guan *et al.*, “Design and short-circuit current breaking test verification of a 72.5 kV single-break fast vacuum circuit breaker,” *IET Gener. Transm. Distrib.*, vol. 16, no. 11, pp. 2276–2286, 2022, doi: 10.1049/gtd2.12445.
- [46] Y. S. Kim, J. H. Choi, R. S. Patil, and M. W. Park, “Improved Testing Method Using the Multi-Transformers Synthetic Circuit to Verify Capacitive Charging Current Switching Capability of High-Voltage Circuit Breakers,” *Energies*, vol. 16, no. 12, 2023, doi: 10.3390/en16124764.
- [47] S. X. Chen, Y. S. F. Eddy, H. B. Gooi, M. Q. Wang, and S. F. Lu, “A centralized reactive power compensation system for LV distribution networks,” *IEEE Trans. Power Syst.*, vol. 30, no. 1, pp. 274–284, 2015, doi: 10.1109/TPWRS.2014.2326520.
- [48] N. M. Karmiathi and I. K. A. Putra, “Technical analysis of power factor improvement using ETAP 12.6 at Regent Resort & Holiday Inn Cangu,” *Matrix J. Manaj. Teknol. dan Inform.*, vol. 12, no. 1, pp. 38–50, 2022, doi: 10.31940/matrix.v12i1.38-50.
- [49] A. Kiswantono and D. Ilmi Firmansyah, “Study Aliran Daya (Load Flow)

Pada Sistem Distribusi Tenaga Listrik Gedung Pasca Sarjana Universitas Bhayangkara Surabaya,” *Pros. Semin. Nas. Penelit. dan Pengabd. Kpd. Masy.*, vol. 1, no. 1, pp. 133–140, 2020, doi: 10.24967/psn.v1i1.816.

- [50] Vishal V Mehtre and Abhinav Dubey, “A case study for optimization of power system load flow analysis using ETAP software,” *World J. Adv. Eng. Technol. Sci.*, vol. 11, no. 2, pp. 476–492, 2024, doi: 10.30574/wjaets.2024.11.2.0121.
- [51] R. C. S. Toyib, “Analisis Perbaikan Faktor Daya Untuk Efisiensi Pembebanan Pada RSUD I.A. Moeis Samarinda,” *Mutiara J. Ilm. Multidisiplin Indones.*, vol. 1, no. 1, pp. 126–139, 2023.
- [52] S. S. Akhmad, “Analisis Perbaikan Faktor Daya,” no. September, 2021.
- [53] Z. Zulfahri, A. Arlenny, U. Situmeang, and D. Setiawan, “Aplikasi Metode Newton Raphson Untuk Menghitung Aliran Daya Menggunakan Program Matlab R2016a,” *J. Tek.*, vol. 16, no. 1, pp. 109–115, 2022, doi: 10.31849/teknik.v16i1.9965.
- [54] M. Fikri and D. Anggaini, “Metode Newton Raphson Untuk Analisis Aliran Daya Jaringan Distribusi 12,66 kV,” *J. Ilm. SUTET*, vol. 8, no. 2, pp. 114–121, 2018.
- [55] G. Bush, “LOAD FLOW ANALYSIS,” 2012.
- [56] E. Conlin, N. Dahal, S. M. Rovnyak, and J. L. Rovnyak, “Introducing a Concise Formulation of the Jacobian Matrix for Newton-Raphson Power Flow Solution in the Engineering Curriculum,” *2021 IEEE Power Energy Conf. Illinois, PECEI 2021*, pp. 1–8, 2021, doi: 10.1109/PECEI51586.2021.9435220.
- [57] F. Schafer and M. Braun, “An efficient open-source implementation to compute the jacobian matrix for the Newton-Raphson power flow algorithm,” *Proc. - 2018 IEEE PES Innov. Smart Grid Technol. Conf. Eur. ISGT-Europe 2018*, 2018, doi: 10.1109/ISGTEurope.2018.8571471.
- [58] A. Indra, A. Tanjung, and U. Situmeang, “Analisis Profil Tegangan Dan Rugi Daya Jaringan Distribusi 20 kV PT PLN (Persero) Rayon Siak Sri Indrapura Dengan Beroperasinya PLTMG Rawa Minyak,” *SainETIn (Jurnal Sain, Energi, Teknol. Ind.*, vol. 4, no. 1, pp. 25–31, 2019.
- [59] Suprianto, “Analisa Tegangan Jatuh pada Jaringan Distribusi 20 kV PT.PLN Area Rantau Prapat Rayon Aek Kota Batu,” *J. Electr. Technol.*, vol. 3, no. 2, pp. 64–72, 2018.
- [60] Ekoriskiyanto, Y. Mohammad, and E. H. Harun, “Analisis Kontingensi Pada Sistem Tenaga Listrik Sulawesi Utara - Gorontalo,” *Foristek*, vol. 9, no. 1, 2019, doi: 10.54757/fs.v9i1.69.
- [61] I. Tarmizi, Y. Basir, and D. Utari, “ANALISIS PERUBAHAN KONFIGURASI JARINGAN RADIAL KE SPINDEL OPEN – LOOP PENYULANG JERUK DAN PENYULANG KOMERING,” vol. 2, pp.

306–312, 2024.

- [62] J. S. Hsu, “654174.pdf,” 1998, *Oak Ridge National Laboratory (ORNL), Oak Ridge, Tennessee, USA*.
- [63] M. Jauhari, M. Nur, and K. Widarsono, “Digital controller for active power filter based on p-q theory under non-ideal main voltages,” *Int. J. Power Electron. Drive Syst.*, vol. 12, no. 3, pp. 1556–1565, 2021, doi: 10.11591/ijpeds.v12.i3.pp1556-1565.
- [64] A. Biglari and S. A. Miraftehi, “Steady-state analysis and voltage control of Self-Excited Induction Generator (SEIG),” *2012 11th Int. Conf. Environ. Electr. Eng. IEEEIC 2012 - Conf. Proc.*, pp. 776–781, 2012, doi: 10.1109/IEEEIC.2012.6221480.
- [65] A. M. Prasetya, S. Riyanto, L. Sartika, and S. Suriadi, “Perancangan Sensor Cos Φ Untuk Monitoring Segitiga Daya Pada Jaringan 1 Fasa,” *Elektr. Borneo*, vol. 9, no. 2, pp. 73–79, 2023, doi: 10.35334/eb.v9i2.4381.
- [66] Latifah, “Optimalisasi Pemakaian Daya Tersambung (KVA) Pada RSUD Dr . Abdul Aziz Singkawang,” vol. 7, no. 2, pp. 7–12, 2015.
- [67] D. T. Wibowo, Y. Yusniati, R. Nasution, and Z. Pelawi, “Analisis Perbaikan Faktor Daya Menggunakan Kapasitor Bank Di Masjid Agung Serdang Bedagai,” *JET (Journal Electr. Technol.)*, vol. 8, no. 1, pp. 1–6, 2023, doi: 10.30743/jet.v8i1.6828.
- [68] Rusdiansyah, C. Sarri, and Toyib, “Analisis Perbaikan Faktor Daya Untuk Efisiensi Pembebanan Pada RSUD I.A. MOEIS SAMARINDA,” *Mutiara J. Ilm. Multidisiplin Indones.*, vol. 1, no. 1, pp. 126–139, 2023, doi: 10.61404/jimi.v1i1.26.
- [69] S. A. Kurniati and Sudirman, “ANALISIS RUGI-RUGI DAYA JARINGAN DISTRIBUSI 20 kV PADA SISTEM PLN KOTA KUPANG,” *J. Media Elektro*, vol. 5(2), no. 2, pp. 57–63, 2021.
- [70] J. Prasetyo Pilat and H. Tumaliang, “Analisa Rugi-Rugi Daya Pada Saluran Distribusi 20 Kv Di Kabupaten Kepulauan Sangihe,” *J. Josua Prasetyo Pilat*, pp. 1–6, 2022.
- [71] J. T. Manalu, S. M. Panggabean, J. Napitupulu, J. Sinaga, and J. Jumari, “Analisa Rugi-Rugi Daya Pada Saluran Distribusi Tegangan Menengah 20 Kv Di Pt.Pln (Persero) Up3 Sibolga,” *J. Teknol. Energi Uda J. Tek. Elektro*, vol. 12, no. 1, p. 15, 2023, doi: 10.46930/jteu.v12i1.2843.
- [72] F. Haz *et al.*, “Analysis of Energy Loss of Distribution Network of PT . PLN (Persero) ULP Banda Aceh Research Methodology,” vol. 22, no. 1, pp. 41–45, 2025.
- [73] A. Sah, “Analisa Jatuh Tegangan Dan Rugi – Rugi Daya Dengan Penempatan Kapasitor Bank Pada Penyulang Nila Pt. Pln Area Metro,” *Epic J. Electr. Power Instrum. Control*, vol. 4, no. 2, p. 116, 2021, doi: 10.32493/epic.v4i2.14340.

- [74] Rukmini, Mochamad Abduh, and P. M. Lopulalan, “Pengereman Dinamik Motor DC Hoist pada Pengoperasian Container Crane,” *Hengkara Majaya*, vol. 3, no. 2, pp. 37–44, 2023, doi: 10.61759/hmj.v3i2.60.
- [75] I. E. C. (IEC), “IEC 60034-1,” 2022.
- [76] T. T. Gultom, Suhelmi, and P. Harahap, “Analisa Daya Listrik Motor Hoist Dan Motor Trolley Pada Container Crane Dalam Proses Bongkar Muat Di Belawan,” *RELE (Rekayasa Elektr. dan Energi) J. Tek. Elektro*, vol. 6, no. 1, 2023, doi: 10.30596/rele.v6i1.15479.
- [77] T. Tran, S. Nahavandi, and R. Reid, “Power demand and energy usage of container crane - Comparison between AC and DC drives,” *Proc. Univ. Power Eng. Conf.*, 2008, doi: 10.1109/UPEC.2008.4651655.
- [78] U.S. Department of Energy, “Determining Electric Motor Load Ranges,” 2014. [Online]. Available: <https://www.energy.gov/sites/prod/files/2014/04/f15/10097517.pdf>
- [79] A. M. Jaleel and M. K. Abd, “Reliability Evaluation of Electric Distribution Network with Distributed Generation Integrated,” *Int. J. Intell. Eng. Syst.*, vol. 14, no. 5, pp. 306–319, 2021, doi: 10.22266/ijies2021.1031.28.
- [80] G. H. Reddy, A. K. Goswami, and N. B. Dev Choudhury, “Estimation of distribution system reserve capacity and its impact on system reliability considering load growth,” *Int. J. Electr. Eng. Informatics*, vol. 9, no. 4, pp. 659–676, 2017, doi: 10.15676/ijeei.2017.9.4.2.
- [81] P. Andrianesis, A. Michiorri, G. Kariniotakis, and M. Caramanis, “Impact of Transformer and Cable Aging on Distribution Locational Marginal Costs in Active Distribution Networks,” *IET Conf. Proc.*, vol. 2021, no. 6, pp. 2237–2241, 2021, doi: 10.1049/icp.2021.1735.
- [82] PLN, “Standar Perusahaan Umum Listrik Negara Spesifikasi Desain Jaringan Tegangan menengah dan Jaringan Tegangan Rendah,” 1987.
- [83] M. A. Kashem, V. Ganapathy, and G. B. Jasmon, “Network reconfiguration for load balancing in distribution networks,” *IEE Proc. Gener. Transm. Distrib.*, vol. 146, no. 6, pp. 563–567, 1999, doi: 10.1049/ip-gtd:19990694.