

DAFTAR PUSTAKA

- [1] S. Srdic and S. Lukic, "Toward Extreme Fast Charging: Challenges and Opportunities in Directly Connecting to Medium-Voltage Line," *IEEE Electrification Magazine*, vol. 7, no. 1, pp. 22–31, Mar. 2019, doi: 10.1109/MELE.2018.2889547.
- [2] N. Adita and E. A. Setiawan, "Analysis of performance and economic value of thin film and monocrystalline photovoltaic systems in the tropical area of Jakarta," 2023. [Online]. Available: <https://ijecbe.ui.ac.id>
- [3] S. Bellocchi, M. Gambini, M. Manno, T. Stilo, and M. Vellini, "Positive interactions between electric vehicles and renewable energy sources in CO2-reduced energy scenarios: The Italian case," *Energy*, vol. 161, pp. 172–182, Oct. 2018, doi: 10.1016/j.energy.2018.07.068.
- [4] M. Aziz, Y. Marcellino, I. Agnita Rizki, S. Anwar Ikhwanuddin, and J. Welman Simatupang, "STUDI ANALISIS PERKEMBANGAN TEKNOLOGI DAN DUKUNGAN PEMERINTAH INDONESIA TERKAIT MOBIL LISTRIK."
- [5] J. P. Torreglosa, P. García-Triviño, L. M. Fernández-Ramirez, and F. Jurado, "Decentralized energy management strategy based on predictive controllers for a medium voltage direct current photovoltaic electric vehicle charging station," *Energy Convers. Manag.*, vol. 108, pp. 1–13, Jan. 2016, doi: 10.1016/j.enconman.2015.10.074.
- [6] U. Datta, A. Kalam, and J. Shi, "Smart control of BESS in PV integrated EV charging station for reducing transformer overloading and providing battery-to-Grid service," *J. Energy Storage*, vol. 28, Apr. 2020, doi: 10.1016/j.est.2020.101224.
- [7] A. Esfandyari, B. Norton, M. Conlon, and S. J. McCormack, "Performance of a campus photovoltaic electric vehicle charging station in a temperate climate," *Solar Energy*, vol. 177, pp. 762–771, Jan. 2019, doi: 10.1016/j.solener.2018.12.005.
- [8] H. Ding, Z. Hu, and Y. Song, "Value of the energy storage system in an electric bus fast charging station," *Appl. Energy*, vol. 157, pp. 630–639, Nov. 2015, doi: 10.1016/j.apenergy.2015.01.058.

- [9] E. A. Karuniawan, "Analisis Perangkat Lunak PVSYST, PVSOL dan HelioScope dalam Simulasi Fixed Tilt Photovoltaic," *Jurnal Teknologi Elektro*, vol. 12, no. 3, p. 100, Oct. 2021, doi: 10.22441/jte.2021.v12i3.001.
- [10] S. Bacha, D. Picault, B. Burger, I. Etzeberria-Otadui, and J. Martins, "Photovoltaics in *Microgrids*: An overview of *Grid* integration and energy management aspects," Mar. 01, 2015, *Institute of Electrical and Electronics Engineers Inc.* doi: 10.1109/MIE.2014.2366499.
- [11] S. Islam, N. Mithulananthan, and K. Bhummkittipich, "EV Charging Station Design with PV and Energy Storage Using Energy Balance Analysis Arthit Sode-yome."
- [12] J. D. Mondol, Y. Yohanis, M. Smyth, and B. Norton, "Long term performance analysis of a *Grid* connected photovoltaic system in Northern Ireland," *Energy Convers. Manag.*, vol. 47, no. 18–19, pp. 2925–2947, Nov. 2006, doi: 10.1016/j.enconman.2006.03.026.
- [13] M. A. Abido, "A novel multiobjective evolutionary algorithm for environmental/economic power dispatch," *Electric Power Systems Research*, vol. 65, no. 1, pp. 71–81, Apr. 2003, doi: 10.1016/S0378-7796(02)00221-3.
- [14] K. Kouka, A. Masmoudi, A. Abdelkafi, and L. Krichen, "Dynamic energy management of an electric vehicle charging station using photovoltaic power," *Sustainable Energy, Grids and Networks*, vol. 24, Dec. 2020, doi: 10.1016/j.segan.2020.100402.
- [15] H. H. Eldeeb, S. Faddel, and O. A. Mohammed, "Multi-Objective Optimization Technique for the Operation of *Grid* tied PV Powered EV Charging Station," *Electric Power Systems Research*, vol. 164, pp. 201–211, Nov. 2018, doi: 10.1016/j.epsr.2018.08.004.
- [16] S. Faddel, A. T. Al-Awami, and M. A. Abido, "Fuzzy Optimization for the Operation of Electric Vehicle Parking Lots," *Electric Power Systems Research*, vol. 145, pp. 166–174, Apr. 2017, doi: 10.1016/j.epsr.2017.01.008.
- [17] W. ur Rehman, R. Bo, H. Mehdipourpicha, and J. W. Kimball, "Sizing battery energy storage and PV system in an extreme fast charging station considering uncertainties and battery degradation," *Appl. Energy*, vol. 313, May 2022, doi: 10.1016/j.apenergy.2022.118745.

- [18] Y. Aloqaily and N. Tutkun, "Design of a 50 kW Solar PV Powered Charging Station for EVs," *International Journal of Science and Research (IJSR)*, vol. 10, no. 4, pp. 733–740, Apr. 2021, doi: 10.21275/sr21404212515.
- [19] A. K. M. Yousuf, Z. Wang, R. Paranjape, and Y. Tang, "An In-Depth Exploration of Electric Vehicle Charging Station Infrastructure: A Comprehensive Review of Challenges, Mitigation Approaches, and Optimization Strategies," *IEEE Access*, vol. 12, pp. 51570–51589, 2024, doi: 10.1109/ACCESS.2024.3385731.
- [20] S. F. Tie and C. W. Tan, "A review of energy sources and energy management system in electric vehicles," 2013. doi: 10.1016/j.rser.2012.11.077.
- [21] H. S. Das, M. M. Rahman, S. Li, and C. W. Tan, "Electric vehicles standards, charging infrastructure, and impact on *Grid* integration: A technological review," Mar. 01, 2020, *Elsevier Ltd.* doi: 10.1016/j.rser.2019.109618.
- [22] S. Rehman, A. B. Mohammed, L. Alhems, and F. Alsulaiman, "Comparative study of regular and smart *Grids* with PV for Electrification of an academic campus with EV charging," *Environmental Science and Pollution Research*, vol. 30, no. 31, pp. 77593–77604, Jul. 2023, doi: 10.1007/s11356-023-27859-5.
- [23] Z. Wu, P. K. Bhat, and B. Chen, "Optimal Configuration of Extreme Fast Charging Stations Integrated with Energy Storage System and Photovoltaic Panels in Distribution Networks," *Energies (Basel)*, vol. 16, no. 5, Mar. 2023, doi: 10.3390/en16052385.
- [24] M. O. Badawy and Y. Sozer, "Power Flow Management of a *Grid* Tied PV-Battery System for Electric Vehicles Charging," *IEEE Trans. Ind. Appl.*, vol. 53, no. 2, pp. 1347–1357, Mar. 2017, doi: 10.1109/TIA.2016.2633526.
- [25] A. J. Alrubaie, M. Salem, K. Yahya, M. Mohamed, and M. Kamarol, "A Comprehensive Review of Electric Vehicle Charging Stations with Solar Photovoltaic System Considering Market, Technical Requirements, Network Implications, and Future Challenges," May 01, 2023, *MDPI*. doi: 10.3390/su15108122.
- [26] A. Hysa, "Modeling and simulation of the photovoltaic cells for different values of physical and environmental parameters," *Emerging Science Journal*, vol. 3, no. 6, pp. 395–406, Dec. 2019, doi: 10.28991/esj-2019-01202.

- [27] O. Bamisile, C. Acen, D. Cai, Q. Huang, and I. Staffell, "The environmental factors affecting solar photovoltaic output," Feb. 01, 2025, *Elsevier Ltd.* doi: 10.1016/j.rser.2024.115073.
- [28] M. A. Hannan *et al.*, "Battery energy-storage system: A review of technologies, optimization objectives, constraints, approaches, and outstanding issues," *J. Energy Storage*, vol. 42, Oct. 2021, doi: 10.1016/j.est.2021.103023.
- [29] A. Monteiro *et al.*, "Integrating Battery Energy Storage Systems for Sustainable EV Charging Infrastructure," *World Electric Vehicle Journal*, vol. 16, no. 3, Mar. 2025, doi: 10.3390/wevj16030147.
- [30] M. Fatnani, Di. Naware, and A. Mitra, "Design of Solar PV Based EV Charging Station with Optimized Battery Energy Storage System," in *Proceedings of 2020 IEEE 1st International Conference on Smart Technologies for Power, Energy and Control, STPEC 2020*, Institute of Electrical and Electronics Engineers Inc., Sep. 2020. doi: 10.1109/STPEC49749.2020.9297719.
- [31] C. Wang, L. Tian, F. Zhang, and L. Cheng, "Optimal Sizing of Photovoltaic and Battery Energy Storage of Electric Vehicle Charging Station Based on Two-part Electricity Pricing," in *iSPEC 2020 - Proceedings: IEEE Sustainable Power and Energy Conference: Energy Transition and Energy Internet*, Institute of Electrical and Electronics Engineers Inc., Nov. 2020, pp. 1379–1384. doi: 10.1109/iSPEC50848.2020.9351007.
- [32] M. Naderi, Y. Khayat, Q. Shafiee, F. Blaabjerg, and H. Bevrani, "Dynamic modeling, stability analysis and control of interconnected *Microgrids*: A review," *Appl. Energy*, vol. 334, Mar. 2023, doi: 10.1016/j.apenergy.2023.120647.
- [33] J. P. Torreglosa, P. García-Triviño, L. M. Fernández-Ramirez, and F. Jurado, "Decentralized energy management strategy based on predictive controllers for a medium voltage direct current photovoltaic electric vehicle charging station," *Energy Convers. Manag.*, vol. 108, pp. 1–13, Jan. 2016, doi: 10.1016/j.enconman.2015.10.074.
- [34] A. A. El-Fattah Omran, A. A. El-Shafy Nafeh, and H. K. M Yousef, "Optimal Sizing of a PV-Battery Stand-Alone Fast Charging Station for Electric Vehicles Using SO," vol. 12, no. 4, 2022, doi: 10.20508/ijrer.v12i4.13487.g8620.

- [35] K. N. D. Malamaki and C. S. Demoulias, "Minimization of electrical losses in two-axis tracking pv systems," *IEEE Transactions on Power Delivery*, vol. 28, no. 4, pp. 2445–2455, 2013, doi: 10.1109/TPWRD.2013.2272405.
- [36] M. Fahad Zia, E. Elbouchikhi, and M. Benbouzid, "*MICROGRIDS ENERGY MANAGEMENT SYSTEMS: A CRITICAL REVIEW ON METHODS, SOLUTIONS, AND PROSPECTS* Energy management system ESS Energy storage system EV Electric vehicle GA Genetic algorithm GHG Greenhouse gas LC Local controller LP Linear programming MAS Multi-agent system MG *Microgrid* MGCC *Microgrid* central controller MILP Mixed integer linear programming MPC Model predictive control NN Neural network PEI Power electronic interface PSO Particle swarm optimization RER Renewable energy resource."
- [37] A. Botchkarev, "A new typology design of performance metrics to measure errors in machine learning regression algorithms," *Interdisciplinary Journal of Information, Knowledge, and Management*, vol. 14, pp. 45–76, 2019, doi: 10.28945/4184.
- [38] B. Alaçam, H. Vural, and M. Orbay, "Validating the Credibility of Photovoltaic Systems Simulation Tools with a Case Study," *Sakarya University Journal of Science*, vol. 28, no. 4, pp. 855–865, Aug. 2024, doi: 10.16984/saufenbilder.1481285.
- [39] K. Chaudhari, N. K. Kandasamy, A. Krishnan, A. Ukil, and H. B. Gooi, "Agent-based aggregated behavior modeling for electric vehicle charging load," *IEEE Trans. Industr. Inform.*, vol. 15, no. 2, pp. 856–868, Feb. 2019, doi: 10.1109/TII.2018.2823321.
- [40] A. Almaghrebi, X. Cheng, K. James, and M. Alahmad, "Analysis of PEV user charging behavior at household charging stations, Omaha case study," in *2021 IEEE Transportation Electrification Conference and Expo, ITEC 2021*, Institute of Electrical and Electronics Engineers Inc., Jun. 2021, pp. 561–566. doi: 10.1109/ITEC51675.2021.9490079.
- [41] Y. Wu, S. M. Aziz, and M. H. Haque, "Travel datasets for analysing the electric vehicle charging demand in a university campus," *Renew. Energy*, vol. 219, Dec. 2024, doi: 10.1016/j.renene.2023.119427.

- [42] A. Z. Hafez, J. Shazly, M. Eteiba, J. H. Shazly, and M. B. Eteiba, "Simulation and Estimation of a Daily Global Solar Radiation in Egypt," *Middle-East Journal of Scientific Research*, vol. 23, no. 5, pp. 880–895, 2015, doi: 10.5829/idosi.mejsr.2015.23.05.89.
- [43] D. V. S. K. Rao Kasagani and P. Manickam, "Modeling of solar photovoltaic power using a two-stage forecasting system with operation and weather parameters," *Energy Sources, Part A: Recovery, Utilization and Environmental Effects*, vol. 47, no. 2, 2025, doi: 10.1080/15567036.2022.2032880.
- [44] S. Kim, Y. J. Kim, and S. Choi, "The Development of a MATLAB/Simulink-SCADA/EMS-Integrated Framework for *Microgrid* Pre-Validation," *Energies (Basel)*, vol. 18, no. 11, Jun. 2025, doi: 10.3390/en18112739.
- [45] S. X. Chen, K. J. Tseng, and S. S. Choi, "Modeling of Lithium-Ion Battery for Energy Storage System Simulation," in *2009 Asia-Pacific Power and Energy Engineering Conference*, 2009, pp. 1–4. doi: 10.1109/APPEEC.2009.4918501.
- [46] F. Wen and Y. Wang, "Design of rooftop photovoltaic power generation system," in *Journal of Physics: Conference Series*, Institute of Physics, 2024. doi: 10.1088/1742-6596/2803/1/012042.
- [47] J. H. Park and S. H. Baek, "A SketchUp-Based Optimal Design Tool for PV Systems in Zero-Energy Buildings During the Early Design Stage," *Buildings*, vol. 15, no. 16, Aug. 2025, doi: 10.3390/buildings15162863.
- [48] M. Baqir and H. K. Channi, "Analysis and design of solar PV system using Pvsyst software," in *Materials Today: Proceedings*, Elsevier Ltd, 2021, pp. 1332–1338. doi: 10.1016/j.matpr.2021.09.029.
- [49] H. Quinard, F. Colas, J.-Y. Dieulot, and F. Coutellier, "Stochastic Modeling and Forecasting of Electric Vehicle Charging Demand Using Compound Poisson Processes," *Electricity*, vol. 7, no. 3, p. 69, Jul. 2026, doi: 10.3390/electricity7030069.
- [50] A. Shahbazi, H. M. C. Beigi, H. Abdi, and M. Shahbazitabar, "Probabilistic Optimal Allocation of Electric Vehicle Charging Stations Considering the Uncertain Loads by Using the *Monte Carlo* Simulation Method," *Journal of Operation and Automation in Power Engineering*, vol. 11, no. 4, pp. 277–284, Dec. 2023, doi: 10.22098/joape.2023.10427.1738.

- [51] P. Sadeghi-Barzani, A. Rajabi-Ghahnavieh, and H. Kazemi-Karegar, "Optimal fast charging station placing and sizing," *Appl. Energy*, vol. 125, pp. 289–299, Jul. 2014, doi: 10.1016/j.apenergy.2014.03.077.
- [52] S. Khan, A. Ahmad, F. Ahmad, M. Shafaati Shemami, M. Alam, and S. Khateeb, "A Comprehensive Review on Solar Powered Electric Vehicle Charging System," *Smart Science*, vol. 6, pp. 54–79, May 2018, doi: 10.1080/23080477.2017.1419054.
- [53] F. Blaabjerg, R. Teodorescu, M. Liserre, and A. V. Timbus, "Overview of control and *Grid* synchronization for distributed power generation systems," Oct. 2006. doi: 10.1109/TIE.2006.881997.
- [54] M. Farhadi and O. Mohammed, "Real-Time Operation and Harmonic Analysis of Isolated and Non-Isolated Hybrid DC *Microgrid*," in *Conference Record - IAS Annual Meeting (IEEE Industry Applications Society)*, May 2013, pp. 1–6. doi: 10.1109/IAS.2013.6682588.
- [55] M. E. Kabir, C. Assi, M. H. K. Tushar, and J. Yan, "Optimal Scheduling of EV Charging at a Solar Power-Based Charging Station," *IEEE Syst. J.*, vol. 14, no. 3, pp. 4221–4231, Sep. 2020, doi: 10.1109/JSYST.2020.2968270.
- [56] D. Yan, H. Yin, T. Li, and C. Ma, "A Two-Stage Scheme for Both Power Allocation and EV Charging Coordination in a *Grid*-Tied PV-Battery Charging Station," *IEEE Trans. Industr. Inform.*, vol. 17, no. 10, pp. 6994–7003, Oct. 2021, doi: 10.1109/TII.2021.3054417.
- [57] S. Li, T. A. Haskew, D. Li, and F. Hu, "Integrating photovoltaic and power converter characteristics for energy extraction study of solar PV systems," *Renew. Energy*, vol. 36, no. 12, pp. 3238–3245, Dec. 2011, doi: 10.1016/j.renene.2011.02.016.
- [58] T. Khatib, A. Mohamed, and K. Sopian, "A review of solar energy modeling techniques," Jun. 2012. doi: 10.1016/j.rser.2012.01.064.
- [59] K. Clement-Nyns, E. Haesen, and J. Driesen, "The impact of Charging plug-in hybrid electric vehicles on a residential distribution *Grid*," *IEEE Transactions on Power Systems*, vol. 25, no. 1, pp. 371–380, Feb. 2010, doi: 10.1109/TPWRS.2009.2036481.

- [60] Q. Yang, S. Sun, S. Deng, Q. Zhao, and M. Zhou, "Optimal Sizing of PEV Fast Charging Stations with Markovian Demand Characterization," *IEEE Trans. Smart Grid*, vol. 10, no. 4, pp. 4457–4466, Jul. 2019, doi: 10.1109/TSG.2018.2860783.