

DAFTAR PUSTAKA

- Accili, D., Deng, Z., & Liu, Q. (2025). Insulin resistance in type 2 diabetes melitus. *Nature Reviews Endocrinology*, 21(7), 413–426. <https://doi.org/10.1038/s41574-025-01114-y>
- Ahmed, S. G., Jaifar, S. K., & Qasim, H. H. (2022). *Comparative histological study of the small intestine of rabbit Oryctolagus cuniculus and rat Norvegicus rat*. 140(01), 1023–1031.
- Aini, M., Rahayuni, S., Mardina, V., Quranayati, & Asiah, N. (2021). Bakteri *Lactobacillus* spp dan Perannya Bagi Kehidupan. *Jurnal Jeumpa*, 8(2).
- Akinlade, O. M., Owoyele, B. V., & Soladoye, A. O. (2021). Streptozotocin-induced type 1 and 2 diabetes in rodents: A model for studying diabetic cardiac autonomic neuropathy. *African Health Sciences*, 21(2), 719–727. <https://doi.org/10.4314/ahs.v21i2.30>
- Almasaudi, S. (2021). The antibacterial activities of honey. *Saudi Journal of Biological Sciences*, 28(4), 2188–2196. <https://doi.org/10.1016/j.sjbs.2020.10.017>
- Arifan, F., Winarni, S., Wahyuningsih, W., Pudjihastuti, I., & Broto, R. W. (2019). *Total Plate Count (TPC) Analysis of Processed Ginger on Tlogowungu Village*. 167(ICoMA 2018), 377–379. <https://doi.org/10.2991/icoma-18.2019.80>
- Asaf, M. Z., Rao, B., Akram, M. U., Khawaja, S. G., Khan, S., Truong, T. M., Sekhon, P., Khan, I. J., & Abbasi, M. S. (2024). Dual contrastive learning based image-to-image translation of unstained skin tissue into virtually stained H&E images. *Scientific Reports*, 14(1), 1–17. <https://doi.org/10.1038/s41598-024-52833-7>
- Biadała, A., Szablewski, T., Lasik-Kurdyś, M., & Cegielska-Radziejewska, R. (2020). Antimicrobial activity of goat's milk fermented by single strain of kefir grain microflora. *European Food Research and Technology*, 246(6), 1231–1239. <https://doi.org/10.1007/s00217-020-03483-2>
- Blagov, A., Nedosugova, L., Kirichenko, T., Sukhorukov, V., Melnichenko, A., & Orekhov, A. (2024). Mitochondrial Dysfunction as a Factor of Energy Metabolism Disorders in Type 2 Diabetes Melitus. *Frontiers in Bioscience - Scholar*, 16(1). <https://doi.org/10.31083/J.FBS1601005>
- Bobiş, O., Dezmirean, D. S., & Moise, A. R. (2018). Honey and Diabetes: The Importance of Natural Simple Sugars in Diet for Preventing and Treating

Different Type of Diabetes. *Oxidative Medicine and Cellular Longevity*, 2018. <https://doi.org/10.1155/2018/4757893>

- Brito, A. K. da S., Mendes, A. V. da S., Timah Acha, B., Santos Oliveira, A. S. da S., Lopes Macedo, J., Suzuki Cruzio, A., Pianti, M. das G., Abreu, R. R. de, Lucarini, M., Durazzo, A., do Carmo de Carvalho e Martins, M., & Arcanjo, D. D. R. (2025). Experimental Models of Type 2 Diabetes Melitus Induced by Combining Hyperlipidemic Diet (HFD) and Streptozotocin Administration in Rats: An Integrative Review. *Biomedicines*, 13(5). <https://doi.org/10.3390/biomedicines13051158>
- Brown, K., Abbott, D. W., Uwiera, R. R. E., & Inglis, G. D. (2018). Removal of the cecum affects intestinal fermentation, enteric bacterial community structure, and acute colitis in mice. *Gut Microbes*, 9(3), 218–235. <https://doi.org/10.1080/19490976.2017.1408763>
- Brudzynski, K., Abubaker, K., St-Martin, L., & Castle, A. (2011). Re-examining the role of hydrogen peroxide in bacteriostatic and bactericidal activities of honey. *Frontiers in Microbiology*, 2(OCT), 1–9. <https://doi.org/10.3389/fmicb.2011.00213>
- Bryda, E. C. (2013). The Mighty Mouse: the impact of rodents on advances in biomedical research. *Missouri Medicine*, (June), 201–211.
- Buettner, R., Parhofer, K. G., Woenckhaus, M., Wrede, C. E., Kunz-Schughart, L. A., Schölmerich, J., & Bollheimer, L. C. (2006). Defining high-fat-diet rat models: Metabolic and molecular effects of different fat types. *Journal of Molecular Endocrinology*, 36(3), 485–501. <https://doi.org/10.1677/jme.1.01909>
- Campbell, J. H., Foster, C. M., Vishnivetskaya, T., Campbell, A. G., Yang, Z. K., Wymore, A., Palumbo, A. V., Chesler, E. J., & Podar, M. (2012). Host genetic and environmental effects on mouse intestinal microbiota. *ISME Journal*, 6(11), 2033–2044. <https://doi.org/10.1038/ismej.2012.54>
- Cardiff, R. D., Miller, C. H., & Munn, R. J. (2014). Manual hematoxylin and eosin staining of mouse tissue sections. *Cold Spring Harbor Protocols*, 2014(6), 655–658. <https://doi.org/10.1101/pdb.prot073411>
- Chen, F., Wang, H., Chen, J., Liu, Y., Wen, W., Li, Y., & Huang, X. (2020). *Lactobacillus delbrueckii* Ameliorates Intestinal Integrity and Antioxidant Ability in Weaned Piglets after a Lipopolysaccharide Challenge. *Oxidative Medicine and Cellular Longevity*, 2020. <https://doi.org/10.1155/2020/6028606>
- Chen, S., & Zhang, Y. (2023). Mechanism and application of *Lactobacillus* in type 2 diabetes-associated periodontitis. *Frontiers in Public Health*, 11(November), 1–11. <https://doi.org/10.3389/fpubh.2023.1248518>

- Chen, T., Li, H., Yin, Y., Zhang, Y., Liu, Z., & Liu, H. (2017). Interactions of Notch1 and TLR4 signaling pathways in DRG neurons of in vivo and in vitro models of diabetic neuropathy. *Scientific Reports*, 7(1), 1–12. <https://doi.org/10.1038/s41598-017-15053-w>
- Cheng, L. K., O'Grady, G., Du, P., Egbuji, J. U., Windsor, J. A., & Pullan, A. J. (2010). Gastrointestinal System. *Wiley Interdiscip Rev Syst Biol Med*, 2(1). <https://doi.org/10.1002/wsbm.19>
- Choi, S. I., Son, J. H., Kim, N., Kim, Y. S., Nam, R. H., Park, J. H., Song, C. H., Yu, J. E., Lee, D. H., Yoon, K., Min, H., Kim, Y. R., & Seok, Y. J. (2021). Changes in cecal microbiota and short-chain fatty acid during lifespan of the rat. *Journal of Neurogastroenterology and Motility*, 27(1), 134–146. <https://doi.org/10.5056/JNM20148>
- Chong, S., Lin, M., Chong, D., Jensen, S., & Lau, N. S. (2025). A systematic review on gut microbiota in type 2 diabetes melitus. *Frontiers in Endocrinology*, 15(January), 1–17. <https://doi.org/10.3389/fendo.2024.1486793>
- Christoffersen, B., Raun, K., Svendsen, O., Fledelius, C., & Golozoubova, V. (2006). Evaluation of the castrated male Sprague-Dawley rat as a model of the metabolic syndrome and type 2 diabetes. *International Journal of Obesity*, 30(8), 1288–1297. <https://doi.org/10.1038/sj.ijo.0803261>
- Cianciosi, D., Forbes-Hernández, T. Y., Afrin, S., Gasparri, M., Reboredo-Rodríguez, P., Manna, P. P., Zhang, J., Lamas, L. B., Flórez, S. M., Toyos, P. A., Quiles, J. L., Giampieri, F., & Battino, M. (2018). Phenolic compounds in honey and their associated health benefits: A review. *Molecules*, 23(9), 1–20. <https://doi.org/10.3390/molecules23092322>
- Collins, E. B. (1978). Enumeration of *Lactobacillus acidophilus* with the Agar Plate Count. *Journal of Food Protection*, 41(6), 439–442. <https://doi.org/10.4315/0362-028x-41.6.439>
- Cotter, P. D., Ross, R. P., & Hill, C. (2013). Bacteriocins-a viable alternative to antibiotics? *Nature Reviews Microbiology*, 11(2), 95–105. <https://doi.org/10.1038/nrmicro2937>
- Cunningham, A. L., Stephens, J. W., & Harris, D. A. (2021). Gut microbiota influence in type 2 diabetes melitus (T2DM). *Gut Pathogens*, 13(1), 1–13. <https://doi.org/10.1186/s13099-021-00446-0>
- Daryabor, G., Atashzar, M. R., Kabelitz, D., Meri, S., & Kalantar, K. (2020). The Effects of Type 2 Diabetes Melitus on Organ Metabolism and the Immune System. *Frontiers in Immunology*, 11(July). <https://doi.org/10.3389/fimmu.2020.01582>

- Delbaere, K., Roegiers, I., Bron, A., Durif, C., Van De Wiele, T., Blanquet-Diot, S., & Marinelli, L. (2023). The small intestine: Dining table of host-microbiota meetings. *FEMS Microbiology Reviews*, 47(3), 1–32. <https://doi.org/10.1093/femsre/fuad022>
- Dempsey, E., & Corr, S. C. (2022). Lactobacillus spp. for Gastrointestinal Health: Current and Future Perspectives. *Frontiers in Immunology*, 13(April), 1–15. <https://doi.org/10.3389/fimmu.2022.840245>
- Deraje, A., Shenoy, S., Dhanshree, B., & Adhikari, P. (2016). Asymptomatic Bacteriuria with Escherichia coli in Type 2 Diabetic Patients: An Unresolved Riddle. *British Journal of Medicine and Medical Research*, 11(3), 1–9. <https://doi.org/10.9734/bjmmr/2016/20800>
- DeSesso, J. M., & Jacobson, C. F. (2001). Anatomical and physiological parameters affecting gastrointestinal absorption in humans and rats. *Food and Chemical Toxicology*, 39(3), 209–228. [https://doi.org/10.1016/S0278-6915\(00\)00136-8](https://doi.org/10.1016/S0278-6915(00)00136-8)
- Dinoto, A., Suksomcheep, A., Ishizuka, S., Kimura, H., Hanada, S., Kamagata, Y., Asano, K., Tomita, F., & Yokota, A. (2006). Modulation of rat cecal microbiota by administration of raffinose and encapsulated Bifidobacterium breve. *Applied and Environmental Microbiology*, 72(1), 784–792. <https://doi.org/10.1128/AEM.72.1.784-792.2006>
- Du, Y. T., Rayner, C. K., Jones, K. L., Talley, N. J., & Horowitz, M. (2018). Gastrointestinal symptoms in diabetes: Prevalence, assessment, pathogenesis, and management. *Diabetes Care*, 41(3), 627–637. <https://doi.org/10.2337/dc17-1536>
- Ericsson, A. C., Gagliardi, J., Bouhan, D., Spollen, W. G., Givan, S. A., & Franklin, C. L. (2018). The influence of caging, bedding, and diet on the composition of the microbiota in different regions of the mouse gut. *Scientific Reports*, 8(1), 1–13. <https://doi.org/10.1038/s41598-018-21986-7>
- Fadhilla, R. R., Diyantoro, Indriati, D. W., & Sundari, A. S. (2020). Antibacterial potency of Indonesian Randu Honey against Staphylococcus sp. *Malaysian Journal of Medicine and Health Sciences*, 16, 67–71.
- Farag, M. A., Jomaa, S. A., Wahed, A. A. E., & Seedi, H. R. E. (2020). The Many Faces of Kefir Fermented Dairy Products: *Nutrients*, 12(2), 1–23. <https://doi.org/10.3390/nu12020346>
- Feldman & Wolfe. (2014). Histopathology Methods and Protocols. *Methods in Molecular Biology*, 1180, 283–291. <https://doi.org/10.1007/978-1-4939-1050-2>

- Fischer, A. H., Jacobson, K. A., Rose, J., & Zeller, R. (2008). Hematoxylin and eosin staining of tissue and cell sections. *Cold Spring Harbor Protocols*, 3(5), 4986–4988. <https://doi.org/10.1101/pdb.prot4986>
- Furman, B. L. (2021). Streptozotocin-Induced Diabetic Models in Mice and Rats. *Current Protocols*, 1(4), 1–21. <https://doi.org/10.1002/cpz1.78>
- Galicía-garcía, U., Benito-vicente, A., Jebari, S., & Larrea-sebal, A. (2020). Review: Molecular Sciences Pathophysiology of Type 2 Diabetes Melitus. *International Journal of Molecular Sciences*, 1–34.
- Ghasemi, A., & Jeddi, S. (2023). Streptozotocin As a Tool for Induction of Rat Models of Diabetes: a Practical Guide. *EXCLI Journal*, 22, 274–294. <https://doi.org/10.17179/excli2022-5720>
- Ghoshal, U. C., Shukla, R., & Ghoshal, U. (2017). *Small Intestinal Bacterial Overgrowth and Irritable Bowel Syndrome : A Bridge between Functional Organic Dichotomy*. 11(2), 196–208.
- González-Orozco, B. D., García-Cano, I., Escobar-Zepeda, A., Jiménez-Flores, R., & Álvarez, V. B. (2023). Metagenomic analysis and antibacterial activity of kefir microorganisms. *Journal of Food Science*, 88(7), 2933–2949. <https://doi.org/10.1111/1750-3841.16614>
- Gromova, L. V, Fetissov, S. O., & Gruzdkov, A. A. (2021). Mechanisms of Glucose Absorption in the Small Intestine in Appetite Regulation. *Nutrient*, 13(2474), 1–18.
- Gu, S., Chen, D., Zhang, J. N., Lv, X., Wang, K., Duan, L. P., Nie, Y., & Wu, X. L. (2013). Bacterial Community Mapping of the Mouse Gastrointestinal Tract. *PLoS ONE*, 8(10). <https://doi.org/10.1371/journal.pone.0074957>
- Gurung, M., Li, Z., You, H., Rodrigues, R., Jump, D. B., Morgun, A., & Shulzhenko, N. (2020). Role of gut microbiota in type 2 diabetes pathophysiology. *EBioMedicine*, 51, 1–9. <https://doi.org/10.1016/j.ebiom.2019.11.051>
- Hakim, B. N. A., Xuan, N. J., & Oslan, S. N. H. (2023). A Comprehensive Review of Bioactive Compounds from Lactic Acid Bacteria: Potential Functions as Functional Food in Dietetics and the Food Industry. *Foods*, 12(15). <https://doi.org/10.3390/foods12152850>
- Hardiansyah, A. (2020). IDENTIFIKASI NILAI GIZI DAN POTENSI MANFAAT KEFIR SUSU KAMBING KALIGESING. *Journal of Nutrition College*, 9. <https://doi.org/10.14710/pilars.v.i.Y>
- Hardiansyah, A., Bakhrul Ilmi, I. M., Marjan, A. Q., Octaria, Y. C., Saputri, K. A., Khodijah, & Darmuin. (2024). Effect of Kapok Flower Honey (Ceiba

- pentandra) Addition on Antioxidant Activity, Total Flavonoid, Total Phenolic, and Lactose Levels in Goat's Milk Kefir. *Malaysian Journal of Medicine and Health Sciences*, 20(7), 85–90. <https://doi.org/10.47836/mjmhs.20.s9.14>
- Hardiansyah, A., & Kusuma, H. H. (2022). Optimalisasi Kualitas Organoleptik Dan Aktivitas Antioksidan Kefir Susu Kambing Dengan Penambahan Madu Lokal Bunga Randu. *Journal of Nutrition College*, 11(4), 278–284. <https://doi.org/10.14710/jnc.v11i4.34506>
- He, Q., Su, G., Liu, K., Zhang, F., Jiang, Y., Gao, J., Liu, L., Jiang, Z., Jin, M., & Xie, H. (2017). Sex-specific reference intervals of hematologic and biochemical analytes in Sprague-Dawley rats using the nonparametric rank percentile method. *PLoS ONE*, 12(12), 1–18. <https://doi.org/10.1371/journal.pone.0189837>
- Horie, M., Miura, T., Hirakata, S., Hosoyama, A., Sugino, S., Umeno, A., Murotomi, K., Yoshida, Y., & Koike, T. (2017). Comparative analysis of the intestinal flora in type 2 diabetes and nondiabetic mice. *Experimental Animals*, 66(4), 405–416. <https://doi.org/10.1538/expanim.17-0021>
- Hryn, V. H., Kostylenko, Y. P., Yushchenko, Y. P., Ryabushko, M. M., & Lavrenko, D. O. (2018). Comparative histological structure of the gastrointestinal mucosa in human and white rat: a bibliographic analysis. *Wiadomosci Lekarskie (Warsaw, Poland : 1960)*, 71(7), 1398–1403.
- Ilmi, I. M. B., Hardiansyah, A., Marjan, A. Q., Octaria, Y. C., Saputra, M. M., & Susilowati, F. (2024). Analysis of Total Lactic Acid Bacteria (LAB) and Organoleptic Quality of Goat Milk Kefir With the Addition of Kapok Honey (Ceiba pentandra L.). *Malaysian Journal of Medicine and Health Sciences*, 20(8), 139–144. <https://doi.org/10.47836/mjmhs.20.s9.22>
- Ilmi, I. M. B., Hardiansyah, A., Luailiya, N., Putri A. Marjan, A. Q., Dina S, & Nur Hayati. (2024). Pengaruh Pemberian Kefir Madu terhadap Profil Lipid Tikus Galur Sprague Dawley Sindroma Metabolik. *Amerta Nutrition*, 8(3SP), 218–227. <https://doi.org/10.20473/amnt.v8i3SP.2024.21>
- International Diabetes Federation. (2021). IDF Diabetes Atlas. In *Diabetes Research and Clinical Practice* (10th ed.). International Diabetes Federation. <https://doi.org/10.1016/j.diabres.2013.10.013>
- Izquierdo-González, J. J., Amil-Ruiz, F., Zazzu, S., Sánchez-Lucas, R., Fuentes-Almagro, C. A., & Rodríguez-Ortega, M. J. (2019). Proteomic analysis of goat milk kefir: Profiling the fermentation-time dependent protein digestion and identification of potential peptides with biological activity. *Food Chemistry*, 295, 456–465. <https://doi.org/10.1016/j.foodchem.2019.05.178>
- Jatana, S., Abbadi, A., West, G. A., Ponti, A. K., Braga-Neto, M. B., Smith, J. L., Marino-Melendez, A., Willard, B., Nagy, L. E., & Motte, C. de la. (2024).

- Hyperglycemic environments directly compromise intestinal epithelial barrier function in an organoid model and hyaluronan (~35 kDa) protects via a layilin dependent mechanism. *Matrix Biology*, 133, 116–133. <https://doi.org/10.1016/j.matbio.2024.08.007>
- Jia, S., Mi, H., Su, Y., Liu, Y., Ming, Z., & Lin, J. (2025). Changes of intestinal microbiome and its relationship with painful diabetic neuropathy in rats. *BMC Microbiology*, 25(1). <https://doi.org/10.1186/s12866-025-04015-2>
- Jiang, H., Cai, M., Shen, B., Wang, Q., Zhang, T., & Zhou, X. (2022). Synbiotics and Gut Microbiota: New Perspectives in the Treatment of Type 2 Diabetes Melitus. *Foods*, 11. <https://doi.org/10.3390/foods11162438>
- Jin, W.-Y., Guo, J.-X., Zhang, M., Teng, L.-Z., Chao, Y., Sansonetti, P. J., & Gao, Y.-Z. (2023). Absolute quantification of the microbiota spatial distribution in the murine large intestine. *The Innovation Life*, 1(2), 100030. <https://doi.org/10.59717/j.xinn-life.2023.100030>
- Ju, T., Bourrie, B. C. T., Forgie, A. J., Pepin, D. M., Tollenaar, S., Sergi, C. M., & Willing, B. P. (2023). The Gut Commensal Escherichia coli Aggravates High-Fat-Diet-Induced Obesity and Insulin Resistance in Mice. *Applied and Environmental Microbiology*, 89(3), 1–16. <https://doi.org/10.1128/aem.01628-22>
- Kemenkes. (2013). *Riset Kesehatan Dasar (Riskesdas) 2013*. [https://repository.badankebijakan.kemkes.go.id/id/eprint/4428/1/LAPORAN NASIONAL RISKESDAS TAHUN 2013 DALAM BENTUK ANGKA.pdf](https://repository.badankebijakan.kemkes.go.id/id/eprint/4428/1/LAPORAN_NASIONAL_RISKESDAS_TAHUN_2013_DALAM_BENTUK_ANGKA.pdf)
- Kemenkes. (2018). *Riset Kesehatan Dasar (Riskesdas) 2018*. [https://repository.badankebijakan.kemkes.go.id/id/eprint/3514/1/Laporan Riskesdas 2018 Nasional.pdf](https://repository.badankebijakan.kemkes.go.id/id/eprint/3514/1/Laporan_Riskesdas_2018_Nasional.pdf)
- Kementerian Kesehatan Republik Indonesia. (2023). *Survei Kesehatan Indonesia 2023*. <https://www.badankebijakan.kemkes.go.id/ski-2023-dalam-angka/>
- Kinteki, G. A., Rizqiati, H., & Hintono, A. (2018). Effect on the fermentation duration of goat milk kefir toward hedonic quality, total lactic acid bacteria, total khamir, and pH. *Jurnal Teknologi Pangan*, 3(1), 42–50. <https://doi.org/10.14710/jtp.v3i1.20685>
- Krause, M., & De Vito, G. (2023). Type 1 and Type 2 Diabetes Melitus: Commonalities, Differences and the Importance of Exercise and Nutrition. *Nutrients*, 15(19), 2–5. <https://doi.org/10.3390/nu15194279>
- Kusumah, N. A. F., Widjiati, W., Puspitasari, Y., Tyasningsih, W., Wardhana, D., Permatasari, D. A., & Luqman, E. M. (2023). Comparison of Total Number of Bacteria in Raw Milk Friesian Holstein Cow Based on Milking Techniques

- Using Total Plate Count (TPC) Test. *International Journal Of Scientific Advances*, 4(1), 37–40. <https://doi.org/10.51542/ijscia.v4i1.9>
- Kwitek, A. E. (2019). Rat Models of Metabolic Syndrome. *Methods in Molecular Biology*, 2018, 269–285. https://doi.org/10.1007/978-1-4939-9581-3_13
- La Torre, C., Caputo, P., Cione, E., & Fazio, A. (2024). Comparing Nutritional Values and Bioactivity of Kefir from Different Types of Animal Milk. *Molecules*, 29(11). <https://doi.org/10.3390/molecules29112710>
- Laurence, D. R. (1964). CHAPTER 1 - First Clinical Trials of Potential Drugs. In D. R. LAURENCE & A. L. BACHARACH (Eds.), *Evaluation of Drug Activities* (pp. 3–22). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-1-4832-2845-7.50007-4>
- Lee, S. M., Kim, N., Park, J. H., Nam, R. H., Yoon, K., & Lee, D. H. (2018). Comparative Analysis of Ileal and Cecal Microbiota in Aged Rats. *Journal of Cancer Prevention*, 23(2), 70–76. <https://doi.org/10.15430/jcp.2018.23.2.70>
- Li, H. Y., Zhou, D. D., Gan, R. Y., Huang, S. Y., Zhao, C. N., Shang, A., Xu, X. Y., & Li, H. Bin. (2021). Effects and Mechanisms of Probiotics, Prebiotics, Synbiotics, and Postbiotics on Metabolic Diseases Targeting Gut Microbiota: A Narrative Review. *Nutrients*, 13(9). <https://doi.org/https://doi.org/10.3390/nu13093211>
- Madacki-Todorović, K., Eminović, I., Mehmedinović, N. I., & Ibršimović, M. (2018). Insulin Acts as Stimulatory Agent in Diabetes-Related Escherichia Coli Pathogenesis. *International Journal of Diabetes and Clinical Research*, 5(4), 1–6. <https://doi.org/10.23937/2377-3634/1410098>
- Mandal, M. D., & Mandal, S. (2011). Honey: Its medicinal property and antibacterial activity. *Asian Pacific Journal of Tropical Biomedicine*, 1(2), 154–160. [https://doi.org/10.1016/S2221-1691\(11\)60016-6](https://doi.org/10.1016/S2221-1691(11)60016-6)
- Marić, A., Jovanov, P., Sakač, M., Novaković, A., Hadnađev, M., Pezo, L., Mandić, A., Milićević, N., Đurović, A., & Gadžurić, S. (2021). A comprehensive study of parameters correlated with honey health benefits. *RSC Advances*, 11(20), 12434–12441. <https://doi.org/10.1039/d0ra10887a>
- Marteau, P., Pochart, P., Doré, J., Béra-Maillet, C., Bernalier, A., & Corthier, G. (2001). Comparative Study of Bacterial Groups within the Human Cecal and Fecal Microbiota. *Applied and Environmental Microbiology*, 67(10), 4939–4942. <https://doi.org/10.1128/AEM.67.10.4939-4942.2001>
- Maskarinec, G., Raquinio, P., Kristal, B. S., Setiawan, V. W., Wilkens, L. R., Franke, A. A., Lim, U., Marchand, L. Le, Randolph, T. W., Lampe, J. W., & Hullar, M. A. J. (2021). The gut microbiome and type 2 diabetes status in the Multiethnic

- Cohort. *PLoS ONE*, 16(6 June), 1–15. <https://doi.org/10.1371/journal.pone.0250855>
- Matei, D., Ghișe, A., Huțu, I., Cireșan, A., & Dumitrescu, E. (2025). The laboratory rat physiological parameters. *Romanian Journal of Veterinary Sciences*, 58(2), 319–328. <https://doi.org/10.59463/rjvs.2025.2.18>
- Meerveld, B. G.-V., Johnson, A. C., & Grundy, D. (2017). Gastrointestinal Physiology and Function. *Handbook of Experimental Pharmacology*. https://doi.org/https://doi.org/10.1007/164_2016_118
- Miguel, M. G., Antunes, M. D., & Faleiro, M. L. (2017). Honey as a complementary medicine. *Integrative Medicine Insights*, 12, 1–15. <https://doi.org/10.1177/1178633717702869>
- Min, C., Fu, T., Tan, W., Wang, T., Du, Y., & Huang, X. (2023). Two weeks of high glucose intake is enough to induce intestinal mucosal damage and disturb the balance of the gut microbiota of rats. *Biomedical Reports*, 18(1). <https://doi.org/10.3892/br.2022.1591>
- Mukherjee, P., Roy, S., Ghosh, D., & Nandi, S. K. (2022). Role of animal models in biomedical research: a review. *Laboratory Animal Research*, 38(1), 1–17. <https://doi.org/10.1186/s42826-022-00128-1>
- Navaei-Alipour, N., Mastali, M., Ferns, G. A., Saberi-Karimian, M., & Ghayour-Mobarhan, M. (2021). The effects of honey on pro- and anti-inflammatory cytokines: A narrative review. *Phytotherapy Research*, 35(7), 3690–3701. <https://doi.org/10.1002/ptr.7066>
- Nikolaidis, C. G., Gyriki, D., Stavropoulou, E., Karlafti, E., Didangelos, T., Tsigalou, C., & Thanopoulou, A. (2025). Targeting the TLR4 axis with microbiota-oriented interventions and innovations in diabetes therapy: a narrative review. *Frontiers in Immunology*, 16(December), 1–14. <https://doi.org/10.3389/fimmu.2025.1701504>
- Nolan, V. C., Harrison, J., & Cox, J. A. G. (2019). Dissecting the antimicrobial composition of honey. *Antibiotics*, 8(4), 1–16. <https://doi.org/10.3390/antibiotics8040251>
- Nurliyani, Harmayani, E., & Sunarti. (2015). Antidiabetic Potential of Kefir Combination from Goat Milk and Soy Milk in Rats Induced with Streptozotocin-Nicotinamide. *Korean Journal for Food Science of Animal Resources*, 35(6), 847–858. <https://doi.org/10.5851/kosfa.2015.35.6.847>
- Nurliyani, N., Harmayani, E., & Sunarti, S. (2022). Synbiotic goat milk kefir improves health status in rats fed a high-fat and high-fructose diet. *Veterinary World*, 15(1), 173–181. <https://doi.org/10.14202/vetworld.2022.173-181>

- Nuryadi, Astuti, T. D., Utami, E. S., & Budiantara, M. (2017). Buku Ajar Dasar-dasar Statistik Penelitian. In *Sibuku Media*.
- Obanda, D. N., Keenan, M. J., Page, R., Raggio, A. M., Taylor, C. M., Marx, B. D., Stout, R. W., Guice, J., Luo, M., Welsh, D. A., Coulon, D., & Husseneder, C. (2021). Gut Microbiota Composition and Predicted Microbial Metabolic Pathways of Obesity Prone and Obesity Resistant Outbred Sprague-Dawley CD Rats May Account for Differences in Their Phenotype. *Frontiers in Nutrition*, 8(December), 1–17. <https://doi.org/10.3389/fnut.2021.746515>
- Ogwu, M. C., & Izah, S. C. (2025). Honey as a Natural Antimicrobial. *Antibiotics*, 14(3). <https://doi.org/10.3390/antibiotics14030255>
- Okdahl, T., Wegeberg, A. M., Jensen, A. B. H., Jensen, S. T., Andersen, H. R. P., Størling, J., Brock, B., & Brock, C. (2023). Systemic Cytokine Expression in Diabetes Is Associated with Prolonged Gastrointestinal Transit Times and Cardinal Gastroparesis Symptoms. *Biomedicines*, 11(4). <https://doi.org/10.3390/biomedicines11041027>
- Olsson, L. M., Boulund, F., Nilsson, S., Khan, M. T., Gummesson, A., Fagerberg, L., Engstrand, L., Perkins, R., Uhlén, M., Bergström, G., Tremaroli, V., & Bäckhed, F. (2022). Dynamics of the normal gut microbiota: A longitudinal one-year population study in Sweden. *Cell Host and Microbe*, 30(5), 726–739.e3. <https://doi.org/10.1016/j.chom.2022.03.002>
- Pan, H., Guo, R., Zhu, J., Wang, Q., Ju, Y., Xie, Y., Zheng, Y., Wang, Z., Li, T., Liu, Z., Lu, L., Li, F., Tong, B., Xiao, L., Xu, X., Li, R., Yuan, Z., Yang, H., Wang, J., ... Liu, L. (2018). A gene catalogue of the Sprague-Dawley rat gut metagenome. *GigaScience*, 7(5), 1–8. <https://doi.org/10.1093/gigascience/giy055>
- Paulino, B. C., de Souza Aquino, J., Leite de Souza, E., Alencar de Sousa Gomes, J., Paulo Lins, P., Alcoforado Sena de Lima, T., Maria dos Santos Alves, E., & do Nascimento, E. (2019). Goat Milk Whey Improves Nutritional Status, Fecal Microbial Composition and Intestinal Morphology in Female Rats Fed a Westernized Diet and Their Offspring. *Journal of Food and Nutrition Research*, 7(4), 291–302. <https://doi.org/10.12691/jfnr-7-4-6>
- Peluzio, M. do C. G., Dias, M. de M. e., Martinez, J. A., & Milagro, F. I. (2021). Kefir and Intestinal Microbiota Modulation: Implications in Human Health. *Frontiers in Nutrition*, 8(February), 1–15. <https://doi.org/10.3389/fnut.2021.638740>
- Perkeni. (2021). *Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021*. www.ginasthma.org.
- Pratiwi, R. Y., Elya, B., Setiawan, H., Solawati, A., & Rosmalena. (2021). Alterations in Body Weight, Blood Glucose Levels, and Lipid Profiles in High-

Fat Diet-Low Dose Streptozotocin-Induced Diabetic Rats. *Pharmacognosy Journal*, 13(6), 1562–1567. <https://doi.org/10.5530/pj.2021.13.199>

- Purwanta, M. L. A., Dewi, N. P. A. P. A., & Saraswati, M. ratna. (n.d.). Probiotics for type 2 diabetes melitus : an anti-diabetic intervention to see beyond the gut Medical Student , Medical Faculty of Udayana University Endocrinology and Metabolism Division , Department of Internal Medicine , Faculty of Medicine Udayana Uni. *Indonesia Journal of Biomedical Science*, 11(2), 11–18. Retrieved <http://ijbs-udayana.org/> and www.ojs.unud.ac.id
- Rana, S. V., Malik, A., Bhadada, S. K., Sachdeva, N., Morya, R. K., & Sharma, G. (2017). Malabsorption, Orocecal Transit Time and Small Intestinal Bacterial Overgrowth in Type 2 Diabetic Patients: A Connection. *Indian Journal of Clinical Biochemistry*, 32(1), 84–89. <https://doi.org/10.1007/s12291-016-0569-6>
- Ranneh, Y., Akim, A. M., Hamid, H. A., Khazaai, H., Fadel, A., Zakaria, Z. A., Albujja, M., & Bakar, M. F. A. (2021). Honey and its nutritional and anti-inflammatory value. *BMC Complementary Medicine and Therapies*, 21(1), 1–17. <https://doi.org/10.1186/s12906-020-03170-5>
- Reed, K. K., & Wickham, R. (2009). Review of the Gastrointestinal Tract: From Macro to Micro. *Seminars in Oncology Nursing*, 25(1), 3–14. <https://doi.org/10.1016/j.soncn.2008.10.002>
- Reed, M. J., Meszaros, K., Entes, L. J., Claypool, M. D., Pinkett, J. G., Gadbois, T. M., & Reaven, G. M. (2000). A new rat model of type 2 diabetes: The fat-fed, streptozotocin-treated rat. *Metabolism: Clinical and Experimental*, 49(11), 1390–1394. <https://doi.org/10.1053/meta.2000.17721>
- Riedl, R. A., Burnett, C. M. L., Pearson, N. A., Reho, J. J., Mokadem, M., Edwards, R. A., Kindel, T. L., Kirby, J. R., & Grobe, J. L. (2021). Gut Microbiota Represent a Major Thermogenic Biomass. *Function*, 2(3), 1–8. <https://doi.org/10.1093/function/zqab019>
- Rizki, Z., Fitriana, F., & Jumadewi, A. (2022). Identifikasi jumlah angka kuman pada dispenser metode TPC (Total Plate Count). *Jurnal SAGO Gizi Dan Kesehatan*, 4(1), 38. <https://doi.org/10.30867/gikes.v4i1.1052>
- Rodríguez-Correa, E., González-Pérez, I., Clavel-Pérez, P. I., Contreras-Vargas, Y., & Carvajal, K. (2020). Biochemical and nutritional overview of diet-induced metabolic syndrome models in rats: what is the best choice? *Nutrition and Diabetes*, 10(1). <https://doi.org/10.1038/s41387-020-0127-4>
- Rusdhi, A., Siswoyo, P., Adelia, T., Studi Peternakan, P., & Sains dan Teknologi, F. (2023). Test The Chemical Qality of Kefir From Goat's Milk and Cow's Milk With Different Fermentation Times. *Jurnal Of Pharmaceutical And Scences*, 6(4), 1626–1634.

- Sadewi, S. M., Nurhasanah, N., Sudibyo, S., Windayani, N., Kiswandono, A. A., & Satria, H. (2024). Antioxidant and Antibacterial Activities of Curd and Whey Kefir Produced from Etawa Goat Milk. *Journal of Multidisciplinary Applied Natural Science*, 4(1), 139–145. <https://doi.org/10.47352/jmans.2774-3047.200>
- Safitri, Y. D., Widodo, W. T., & Azizah, Y. D. N. (2023). Analysis Of Bacterial Contamination By Total Plate Number (ALT) Method In Smoked Fish At One Of The Market Traders. *Medicra (Journal of Medical Laboratory Science/Technology)*, 6(2). <https://doi.org/10.21070/medicra.v6i2.1723>
- Salsabila, D. M., Maryusman, T., Fatmawati, I., Studi, P., Gizi, I., Kesehatan, I., Pembangunan, U., Veteran, N. ", Jakarta, ", Fatmawati, J. R., Labu, P., & Selatan, J. (2020). BIOTEKNOLOGI & BIOSAINS INDONESIA PENGARUH SINBIOTIK KEFIR TEPUNG PISANG BATU (Musa balbisiana) TERHADAP KADAR GLUKOSA DARAH TIKUS SINDROM METABOLIK. *Jurnal Bioteknologi & Biosains Indonesia*, 7(1), 18–27. <http://ejurnal.bppt.go.id/index.php/JBBI>
- Santucci, N. R., & Velez, A. (2024). Physiology of lower gastrointestinal tract. *Alimentary Pharmacology and Therapeutics*, 60(S1), S1–S19. <https://doi.org/10.1111/apt.17900>
- Sari, D. M. A., Maryusman, T., & Herlina, S. (2021). Pengaruh Sinbiotik Kefir Tepung Pisang Batu (Musa balbisiana) terhadap Kadar Kolesterol Total dan Kadar Trigliserida Tikus Model Sindrom Metabolik. *Nutri-Sains: Jurnal Gizi, Pangan Dan Aplikasinya*, 4(1), 1–14. <https://doi.org/10.21580/ns.2020.4.1.4335>
- Sattaru, K., Thipani Madhu, M., Kumar Singh, J., Kandi, V., Gupta, A., CA, J., Balaji, O., Sridhar, N., & Talla, V. (2025). A Comprehensive Review of the Effects of Diabetes Melitus on the Gastrointestinal System. *Cureus*, 17(1), 1–11. <https://doi.org/10.7759/cureus.77845>
- Scarpa, E. S., Antonelli, A., Balercia, G., Sabatelli, S., Maggi, F., Caprioli, G., Giacchetti, G., & Micucci, M. (2024). Antioxidant, Anti-Inflammatory, Anti-Diabetic, and Pro-Osteogenic Activities of Polyphenols for the Treatment of Two Different Chronic Diseases: Type 2 Diabetes Melitus and Osteoporosis. *Biomolecules*, 14(7), 1–30. <https://doi.org/10.3390/biom14070836>
- Schell, K. R., Fernandes, K. E., Shanahan, E., Wilson, I., Blair, S. E., Carter, D. A., & Cokcetin, N. N. (2022). The Potential of Honey as a Prebiotic Food to Re-engineer the Gut Microbiome Toward a Healthy State. *Frontiers in Nutrition*, 9(July), 1–10. <https://doi.org/10.3389/fnut.2022.957932>
- Shishegar, A., Tahmasian, M., Ashjaei, A., Mirzaei-Dizgah, I., & Samizadeh, E. (2024). Comparative analysis of Side-to-End and End-to-End intestinal

- anastomosis techniques: insights from a rat model study. *BMC Surgery*, 24(1). <https://doi.org/10.1186/s12893-024-02622-w>
- Silva, B., Biluca, F. C., Gonzaga, L. V., Fett, R., Dalmarco, E. M., Caon, T., & Costa, A. C. O. (2021). In vitro anti-inflammatory properties of honey flavonoids: A review. *Food Research International*, 141(December 2020), 110086. <https://doi.org/10.1016/j.foodres.2020.110086>
- Singh, R., Gholipourmalekabadi, M., & Shafikhani, S. H. (2024). Animal models for type 1 and type 2 diabetes: advantages and limitations. *Frontiers in Endocrinology*, 15(February), 1–17. <https://doi.org/10.3389/fendo.2024.1359685>
- Slouha, E., Rezazadah, A., Farahbod, K., Gerts, A., Clunes, L. A., & Kollias, T. F. (2023). Type-2 Diabetes Melitus and the Gut Microbiota: Systematic Review. *Cureus*, 15(11). <https://doi.org/10.7759/cureus.49740>
- Small, L., Brandon, A. E., Turner, N., & Cooney, G. J. (2018). Modeling insulin resistance in rodents by alterations in diet: What have high-fat and high-calorie diets revealed? *American Journal of Physiology - Endocrinology and Metabolism*, 314(3), E251–E265. <https://doi.org/10.1152/ajpendo.00337.2017>
- Srinivasan, K., Viswanad, B., Asrat, L., Kaul, C. L., & Ramarao, P. (2005). Combination of high-fat diet-fed and low-dose streptozotocin-treated rat: A model for type 2 diabetes and pharmacological screening. *Pharmacological Research*, 52(4), 313–320. <https://doi.org/10.1016/j.phrs.2005.05.004>
- Suharman, Izzati, N. K., & Himelda, T. A. N. (2023). Analisis Cemaran Mikroba dalam Produk Minuman Sari Kedelai dengan Metode Total Plate Count (TPC). *Journal of Innovative Food Technology and Agricultural Product*, 01(01), 9–13. <https://doi.org/10.31316/jitap.vi.5748>
- Sulmiyati, S., Said, N. S., Fahrodi, D. U., Malaka, R., & Fatma, F. (2018). Perbandingan Kualitas Fisiokimia Kefir Susu Kambing dengan Kefir Susu Sapi (COMPARISON OF PHYSIOCHEMICAL QUALITY OF GOAT MILK KEFIR WITH COW MILK KEFIR). *Jurnal Veteriner*, 19(2), 263. <https://doi.org/10.19087/jveteriner.2018.19.2.263>
- Tahara, T., & Yamamoto, T. (1988). Morphological changes of the villous microvascular architecture and intestinal growth in rats with streptozotocin-induced diabetes. *Virchows Archiv A Pathological Anatomy and Histopathology*, 413(2), 151–158. <https://doi.org/10.1007/BF00749677>
- Thaiss, C. A., Levy, M., Grosheva, I., Zheng, D., Soffer, E., Blacher, E., Braverman, S., Tengeler, A. C., Barak, O., Elazar, M., Ben-Zeev, R., Lehavi-Regev, D., Katz, M. N., Pevsner-Fischer, M., Gertler, A., Halpern, Z., Harmelin, A., Aamar, S., Serradas, P., ... Elinav, E. (2018). Hyperglycemia drives intestinal

- barrier dysfunction and risk for enteric infection. *Science*, 359(6382), 1376–1383. <https://doi.org/10.1126/science.aar3318>
- Tochio, T., Kitaura, Y., Nakamura, S., Sugawa, C., Takahashi, M., Endo, A., & Shimomura, Y. (2016). An Alteration in the Cecal Microbiota Composition by Feeding of 1-Kestose Results in a Marked Increase in the Cecal Butyrate Content in Rats. *PLoS ONE*, 11(11), 1–11. <https://doi.org/10.1371/journal.pone.0166850>
- Ustadi, Radiati, L. E., & Thohari, I. (2017). Komponen Bioaktif Pada Madu Karet (*Hevea brasiliensis*) Madu Kaliandra (*Calliandra calothyrsus*) Dan Madu Randu (*Ceiba pentandra*). *Jurnal Ilmu Dan Teknologi Hasil Ternak*, 12(2), 97–102.
- Verveha, B. M. (2021). Histological examination of the small intestine in rats in experimental modeling of acute generalized peritonitis against the background of streptozotocin-induced diabetes melitus. *Bulletin of Medical and Biological Research*, 6282(2), 11–15. <https://doi.org/10.11603/bmbr.2706-6290.2021.2.12163>
- Vieira, C. P., Rosario, A. I. L. S., Lelis, C. A., Rekowsky, B. S. S., Carvalho, A. P. A., Rosário, D. K. A., Elias, T. A., Costa, M. P., Foguel, D., & Conte-Junior, C. A. (2021). Bioactive Compounds from Kefir and Their Potential Benefits on Health: A Systematic Review and Meta-Analysis. *Oxidative Medicine and Cellular Longevity*, 2021. <https://doi.org/10.1155/2021/9081738>
- Volk, N., & Lacy, B. (2017). Anatomy and Physiology of the Small Bowel. *Gastrointestinal Endoscopy Clinics of North America*, 27(1), 1–13. <https://doi.org/10.1016/j.giec.2016.08.001>
- Wang, G., Si, Q., Yang, S., Jiao, T., Zhu, H., Tian, P., Wang, L., Li, X., Gong, L., Zhao, J., Zhang, H., & Chen, W. (2020). Lactic acid bacteria reduce diabetes symptoms in mice by alleviating gut microbiota dysbiosis and inflammation in different manners. *Food and Function*, 11(7), 5898–5914. <https://doi.org/10.1039/c9fo02761k>
- Wang, H., Sun, X., Song, X., & Guo, M. (2021). Effects of kefir grains from different origins on proteolysis and volatile profile of goat milk kefir. *Food Chemistry*, 339(May 2020), 128099. <https://doi.org/10.1016/j.foodchem.2020.128099>
- Wang, Y., Tian, L., Fabi, J. P., & de Vos, P. (2025). The potential of prebiotics, probiotics, and synbiotics for ameliorating intestinal barrier dysfunction and modulating inflammatory responses as dietary supplements in diabetes melitus management. *Food Bioscience*, 72(August). <https://doi.org/10.1016/j.fbio.2025.107539>

- Weinberg Sibony, R., Segev, O., Dor, S., & Raz, I. (2024). Overview of oxidative stress and inflammation in diabetes. *Journal of Diabetes*, 16(10). <https://doi.org/10.1111/1753-0407.70014>
- Wicha, K., Brzozowska, M., Wardal, W., Furlepa, N., Rzenno, R., Wojciechowska, K., Matuszewska, M., Sidz, N., Tomaszewska, M., & Jedlikowska, W. (2025). Is There a Connection Between Intestinal Barrier Disruption , Dysbiosis , and the Development of Type 2 Diabetes Melitus ? - a literature review 1 . Katarzyna Wicha [KW] 1st Military Clinical Hospital with Polyclinic of Independent Public Health Care U. *Health and Sport*. <https://doi.org/https://doi.org/10.12775/jehs.2025.79.58355>
- Wick, M. R. (2019). The hematoxylin and eosin stain in anatomic pathology—An often-neglected focus of quality assurance in the laboratory. *Seminars in Diagnostic Pathology*, 36(5), 303–311. <https://doi.org/10.1053/j.semdp.2019.06.003>
- Woldeamlak, B., Yirdaw, K., & Biadgo, B. (2019). Role of Gut Microbiota in Type 2 Diabetes Melitus and Its Complications: Novel Insights and Potential Intervention Strategies. *The Korean Journal of Gastroenterology = Taehan Sohwagi Hakhoe Chi*, 74(6), 314–320. <https://doi.org/10.4166/kjg.2019.74.6.314>
- Wu, J., Yang, K., Fan, H., Wei, M., & Xiong, Q. (2023). Targeting the gut microbiota and its metabolites for type 2 diabetes melitus. *Frontiers in Endocrinology*, 14(May), 1–12. <https://doi.org/10.3389/fendo.2023.1114424>
- Yilmaz, B., Elibol, E., Shangpliang, H. N. J., Ozogul, F., & Tamang, J. P. (2022). Microbial Communities in Home-Made and Commercial Kefir and Their Hypoglycemic Properties. *Fermentation*, 8(11), 1–10. <https://doi.org/10.3390/fermentation8110590>
- Yilmaz-Ersan, L., Ozcan, T., Akpinar-Bayizit, A., & Sahin, S. (2016). The Antioxidative Capacity of Kefir Produced from Goat Milk. *International Journal of Chemical Engineering and Applications*, 7(1), 22–26. <https://doi.org/10.7763/ijcea.2016.v7.535>
- Yoelianto, Y. A., Wulan Fitriani Safari, & Achamadi. (2025). Nilai Total Plate Count (TPC) pada Jajanan Pasar di Pasar Pondok Gede Kota Bekasi. *Jurnal Analis Kesehatan Kendari*, 7(2), 51–56. <https://doi.org/10.46356/jakk.v7i2.346>
- Yu, Y., Ding, Y., Wang, S., & Jiang, L. (2025). Gut Microbiota Dysbiosis and Its Impact on Type 2 Diabetes: From Pathogenesis to Therapeutic Strategies. *Metabolites*, 15(6), 1–30. <https://doi.org/10.3390/metabo15060397>
- Yunita, M., Hendrawan, Y., Yulianingsih, R., Keteknikan, J., Fakultas, P. —, & Kunci, K. (2015). Analisis Kuantitatif Mikrobiologi Pada Makanan Penerbangan (Aerofood ACS) Garuda Indonesia Berdasarkan TPC (Total

Plate Count) Dengan Metode Pour Plate. *Jurnal Keteknik Pertanian Tropis Dan Biosistem*, 3(3), 237–248.

- Zhang, S., Lu, Z., Tian, C., Zhang, Q., Liu, L., Meng, G., Yao, Z., Wu, H., Xia, Y., Bao, X., Gu, Y., Sun, S., Wang, X., Zhou, M., Jia, Q., Sun, Z., Song, K., & Niu, K. (2020). Associations between honey consumption and prehypertension in adults aged 40 years and older. *Clinical and Experimental Hypertension*, 42(5), 420–427. <https://doi.org/10.1080/10641963.2019.1693584>
- Zhao, M., Liao, D., & Zhao, J. (2017). Diabetes-induced mechanophysiological changes in the small intestine and colon. *World Journal of Diabetes*, 8(6), 249–269. <https://doi.org/10.4239/wjd.v8.i6.249>
- Zhong, H. J., Yuan, Y., Xie, W. R., Chen, M. H., & He, X. X. (2016). Type 2 diabetes melitus is associated with more serious small intestinal mucosal injuries. *PLoS ONE*, 11(9), 1–11. <https://doi.org/10.1371/journal.pone.0162354>
- Zhu, C., Yao, J., Zhu, M., Zhu, C., Yuan, L., Li, Z., Cai, D., Chen, S., Hu, P., & Liu, H. Y. (2022). A meta-analysis of Lactobacillus-based probiotics for growth performance and intestinal morphology in piglets. *Frontiers in Veterinary Science*, 9. <https://doi.org/10.3389/fvets.2022.1045965>
- Zulkifli, M. F., Radzi, M. N. F. M., Saludes, J. P., Dalisay, D. S., & Ismail, W. I. W. (2022). Potential of Natural Honey in Controlling Obesity and its Related Complications. *Journal of Evidence-Based Integrative Medicine*, 27, 1–20. <https://doi.org/10.1177/2515690X221103304>