

DAFTAR PUSTAKA

- [1] S. Saleh, T. Saeidi, N. Timmons, and F. Razzaz, "A comprehensive review of recent methods for compactness and performance enhancement in 5G and 6G wearable antennas," *Alex. Eng. J.*, vol. 95, pp. 132–163, May 2024, doi: 10.1016/j.aej.2024.03.097.
- [2] Y. Y. Ghadi *et al.*, "Integration of wearable technology and artificial intelligence in digital health for remote patient care," *J. Cloud Comput.*, vol. 14, no. 1, p. 39, Jul. 2025, doi: 10.1186/s13677-025-00759-4.
- [3] J. J. Ferreira, C. I. Fernandes, H. G. Rammal, and P. M. Veiga, "Wearable technology and consumer interaction: A systematic review and research agenda," *Comput. Hum. Behav.*, vol. 118, p. 106710, May 2021, doi: 10.1016/j.chb.2021.106710.
- [4] A. M. Rahmani, W. Szu-Han, K. Yu-Hsuan, and M. Haghparast, "The Internet of Things for Applications in Wearable Technology," *IEEE Access*, vol. 10, pp. 123579–123594, 2022, doi: 10.1109/ACCESS.2022.3224487.
- [5] U. Ali, S. Ullah, B. Kamal, L. Matekovits, and A. Altaf, "Design, Analysis and Applications of Wearable Antennas: A Review," *IEEE Access*, vol. 11, pp. 14458–14486, 2023, doi: 10.1109/ACCESS.2023.3243292.
- [6] M. M. H. Mahfuz *et al.*, "Wearable Textile Patch Antenna: Challenges and Future Directions," *IEEE Access*, vol. 10, pp. 38406–38427, 2022, doi: 10.1109/ACCESS.2022.3161564.
- [7] D. Sharma, R. N. Tiwari, D. K. Singh, and L. Matekovits, "A pocket-integrated miniature, dual-band, and high gain textile MIMO antenna for 5G and WiFi wearable applications," *Sci. Rep.*, vol. 15, no. 1, p. 5061, Feb. 2025, doi: 10.1038/s41598-025-86605-8.
- [8] Md. S. Rana, T. A. Fahim, B. Ghosh, and Md. M. Rahman, "Microstrip patch antenna design and simulation for S-band wireless applications operating at 3.5 GHz," *Bull. Electr. Eng. Inform.*, vol. 12, no. 6, pp. 3428–3437, Dec. 2023, doi: 10.11591/eei.v12i6.5626.
- [9] S. Jayant, G. Srivastava, and S. Kumar, "Quad-Port UWB MIMO Footwear Antenna for Wearable Applications," *IEEE Trans. Antennas Propag.*, vol. 70, no. 9, pp. 7905–7913, Sep. 2022, doi: 10.1109/TAP.2022.3177481.
- [10] M. K. Fattoum, S. M. Joujou, S. M. Ibrahim, and H. El-Halabi, "Compact 5G Broadband Antenna for Sub-6 GHz Wireless Applications," *IEEE Access*, vol. 13, pp. 79444–79450, 2025, doi: 10.1109/ACCESS.2025.3566448.
- [11] E. Ateeyah, "Design and Optimization of a Wearable Microstrip Patch Antenna for 28 GHz 5G Applications," 2025.
- [12] M. A. S. M. AL-Haddad, N. Jamel, and A. N. Nordin, "Flexible Antenna: A Review of Design, Materials, Fabrication, and Applications," *J. Phys. Conf. Ser.*, vol. 1878, no. 1, p. 012068, May 2021, doi: 10.1088/1742-6596/1878/1/012068.

- [13] A. Badisa, B. T. P. Madhav, K. Srilatha, M. C. Rao, and S. Das, "A CIRCULARLY POLARIZED QUAD-BAND WEARABLE TEXTILE ANTENNA INTEGRATED WITH TRIPLE BAND AMC REFLECTOR FOR WBAN APPLICATIONS," *Prog. Electromagn. Res. C*, vol. 121, pp. 1–18, 2022, doi: 10.2528/PIERC22022503.
- [14] T. H. Dam, M. T. Le, Q. C. Nguyen, and T. T. Nguyen, "Dual-Band Metamaterial-Based EBG Antenna for Wearable Wireless Devices," *Int. J. RF Microw. Comput.-Aided Eng.*, vol. 2023, pp. 1–11, Jun. 2023, doi: 10.1155/2023/2232674.
- [15] T. Saeidi, S. Saleh, N. Timmons, C. McDaid, and S. Karamzadeh, "Low Profile High Gain Multiband Flexible MIMO Leaky Wave Antenna for Wearable 5G Applications," in *2025 6th International Conference on Bio-engineering for Smart Technologies (BioSMART)*, Paris, France: IEEE, May 2025, pp. 1–4. doi: 10.1109/BioSMART66413.2025.11046118.
- [16] P. Pradeep, M. M. Basha, S. Gundala, and J. Syed, "Development of Wearable Textile MIMO Antenna for Sub-6 GHz Band New Radio 5G Applications," *Micromachines*, vol. 15, no. 5, p. 651, May 2024, doi: 10.3390/mi15050651.
- [17] Y. Ahn *et al.*, "Towards Intelligent Millimeter and Terahertz Communication for 6G: Computer Vision-aided Beamforming," Sep. 07, 2022, *arXiv*: arXiv:2209.02258. doi: 10.48550/arXiv.2209.02258.
- [18] M. M. Amri, N. M. Tran, and K. W. Choi, "Reconfigurable Intelligent Surface-Aided Wireless Communications: Adaptive Beamforming and Experimental Validations," *IEEE Access*, vol. 9, pp. 147442–147457, 2021, doi: 10.1109/ACCESS.2021.3124319.
- [19] E. Ateeyah, "Design and Optimization of a Wearable Microstrip Patch Antenna for 28 GHz 5G Applications," *Int. J. Electr. Eng. Sustain. IJEES*, vol. 3, no. 1, pp. 95–102, Mar. 2025, doi: 10.65998/ijeess.v3i1.112.
- [20] A. Bellary, K. Kandasamy, and P. H. Rao, "Analysis of Wave Propagation Models With Radio Network Planning Using Dual Polarized MIMO Antenna for 5G Base Station Applications," *IEEE Access*, vol. 10, pp. 29183–29193, 2022, doi: 10.1109/ACCESS.2022.3158948.
- [21] A. D. Tadesse, O. P. Acharya, and S. Sahu, "A Compact Planar Four-port MIMO Antenna for 28/38 GHz Millimeter-wave 5G Applications," *Adv. Electromagn.*, vol. 11, no. 3, pp. 16–25, Aug. 2022, doi: 10.7716/aem.v11i3.1947.
- [22] M. L. Hakim *et al.*, "Triple-Band Square Split-Ring Resonator Metamaterial Absorber Design with High Effective Medium Ratio for 5G Sub-6 GHz Applications," *Nanomaterials*, vol. 13, no. 2, p. 222, Jan. 2023, doi: 10.3390/nano13020222.
- [23] A. Varshney, D. N. Gençoglan, and A. J. A. Al-Gburi, "Design process of a miniaturized reconfigurable antenna for 5G Sub-6 GHz and diverse

- applications,” *J. Electron. Sci. Technol.*, p. 100337, Oct. 2025, doi: 10.1016/j.jnlest.2025.100337.
- [24] D. M. John, S. Vincent, S. Pathan, K. D. Shinde, B. S. Supreetha, and T. Ali, “Eight-element flexible MIMO antenna based on characteristics mode theory with enhanced channel capacity for sub 6 GHz 5G communications,” *Results Eng.*, vol. 25, p. 104208, Mar. 2025, doi: 10.1016/j.rineng.2025.104208.
- [25] Md. N. Hossain, A. A. Islam, Md. A. Rahim, Md. I. Hossain, and Md. A. Rahman, “Design and Performance Analysis of Defected Ground Slotted Patch Antenna for Sub-6 GHz 5G Applications,” *J. Eng. Adv.*, pp. 130–140, Dec. 2023, doi: 10.38032/jea.2023.04.004.
- [26] J. Xu and Y. Wang, “A Defected Ground Structure Design for Reducing Coupling in Dual-Band MIMO Antennas,” *Prog. Electromagn. Res. C*, vol. 158, 2025.
- [27] S. K. Noor *et al.*, “A Patch Antenna with Enhanced Gain and Bandwidth for Sub-6 GHz and Sub-7 GHz 5G Wireless Applications,” *Electronics*, vol. 12, no. 12, p. 2555, Jun. 2023, doi: 10.3390/electronics12122555.
- [28] D. W. Astuti, M. Muslim, D. Rusdiyanto, S. Alam, and Y. Wahyu, “Bandwidth Enhancement of Bow-tie Microstrip Patch Antenna Using Defected Ground Structure for 5G,” *J. Commun.*, pp. 995–1002, 2022, doi: 10.12720/jcm.17.12.995-1002.
- [29] A. Bansal and R. Gupta, “A review on microstrip patch antenna and feeding techniques,” *Int. J. Inf. Technol.*, vol. 12, no. 1, pp. 149–154, Mar. 2020, doi: 10.1007/s41870-018-0121-4.
- [30] Md. Sohel Rana, S. Hossain, S. Biswas Rana, and Md. Mostafizur Rahman, “Microstrip patch antennas for various applications: a review,” *Indones. J. Electr. Eng. Comput. Sci.*, vol. 29, no. 3, p. 1511, Mar. 2023, doi: 10.11591/ijeecs.v29.i3.pp1511-1519.
- [31] S. Santhanam, G. Thangavel, and M. C, “Comprehensive Analysis of Radar Systems Antennas—Far Field Pattern Design,” presented at the International Conference on Next Generation Communication & Information Processing (INCIP), IEEE, Jan. 2025, pp. 973–978. doi: 10.1109/INCIP64058.2025.11020060.
- [32] C. A. Balanis, *Antenna Theory: Analysis and Design*, 4th Edition. Hoboken, N.J: Wiley-Interscience, 2016.
- [33] Md. S. Rana *et al.*, “At 28 GHz microstrip patch antenna for wireless applications: a review,” *TELKOMNIKA Telecommun. Comput. Electron. Control*, vol. 22, no. 2, p. 251, Apr. 2024, doi: 10.12928/telkomnika.v22i2.25114.
- [34] U. Ali, A. Basir, M. Zada, S. Ullah, B. Kamal, and H. Yoo, “Performance Improvement of a Dual-Band Textile Antenna for On-Body Through Artificial Magnetic Conductor,” *IEEE Access*, vol. 11, pp. 72316–72331, 2023, doi: 10.1109/ACCESS.2023.3294412.

- [35] P. Sharma, R. N. Tiwari, P. Singh, P. Kumar, and B. K. Kanaujia, "MIMO Antennas: Design Approaches, Techniques and Applications," *Sensors*, vol. 22, no. 20, p. 7813, Oct. 2022, doi: 10.3390/s22207813.
- [36] Md. M. Hasan *et al.*, "Gain and isolation enhancement of a wideband MIMO antenna using metasurface for 5G sub-6 GHz communication systems," *Sci. Rep.*, vol. 12, no. 1, p. 9433, Jun. 2022, doi: 10.1038/s41598-022-13522-5.
- [37] H. H. Tran and N. Nguyen-Trong, "Performance Enhancement of MIMO Patch Antenna Using Parasitic Elements," *IEEE Access*, vol. 9, pp. 30011–30016, 2021, doi: 10.1109/ACCESS.2021.3058340.
- [38] M. A. Jamshed, T. W. C. Brown, and F. Hélot, "Dual Antenna Coupling Manipulation for Low SAR Smartphone Terminals in Talk Position," *IEEE Trans. Antennas Propag.*, vol. 70, no. 6, pp. 4299–4306, Jun. 2022, doi: 10.1109/TAP.2022.3141218.
- [39] D.-J. Yun, H. Kang, I.-J. Hwang, and Y.-D. Kim, "Direct S_{21} Calculation Using Infinitesimal Dipole Modeling," *IEEE Access*, vol. 11, pp. 118907–118915, 2023, doi: 10.1109/ACCESS.2023.3327080.
- [40] B. A. F. Esmail, S. Koziel, and S. Szczepanski, "Overview of Planar Antenna Loading Metamaterials for Gain Performance Enhancement: The Two Decades of Progress," *IEEE Access*, vol. 10, pp. 27381–27403, 2022, doi: 10.1109/ACCESS.2022.3157634.
- [41] S. Singh, G. Sethi, and J. Singh Khinda, "Improvement in Depth-of-Return-Loss and Augmentation of Gain-bandwidth with Defected Ground Structure For Low Cost Single Element mm-Wave Antenna," *Int. J. Comput. Digit. Syst.*, vol. 15, no. 1, pp. 101–113, Jul. 2024, doi: 10.12785/ijcds/160108.
- [42] M. Srinubabu and N. V. Rajasekhar, "Enhancing Diversity and Isolation Performance for a Four-Port MIMO Antenna in FR-1 5G Frequency Bands," *IETE J. Res.*, vol. 70, no. 8, pp. 6711–6726, Aug. 2024, doi: 10.1080/03772063.2024.2324025.
- [43] R. Karthick, "Design of multiband antenna for full screen smartphone using ANSYS HFSS," *J. Appl. Data Sci.*, vol. 6, no. 2, pp. 1169–1181, May 2025, doi: 10.47738/jads.v6i2.718.
- [44] D. Lin, "Application of Mathematical Modeling Based on MATLAB in Experimental Data Analysis," *Procedia Comput. Sci.*, vol. 247, pp. 86–92, 2024, doi: 10.1016/j.procs.2024.10.011.
- [45] G. K. Soni, D. Yadav, A. Kumar, P. Jain, and M. V. Yadav, "Design and optimization of flexible DGS-based microstrip antenna for wearable devices in the Sub-6 GHz range using the nelder-mead simplex algorithm," *Results Eng.*, vol. 24, p. 103470, Dec. 2024, doi: 10.1016/j.rineng.2024.103470.