

DAFTAR PUSTAKA

- [1] B. Mosepele, R. Samikannu, and L. Amuhaya, "A structural review on reduced switch count and hybrid multilevel inverters," *Front. Energy Res.*, vol. 12, no. July, 2024, doi: 10.3389/fenrg.2024.1396149.
- [2] H. Vahedi, M. Sharifzadeh, and K. Al-Haddad, "Modified Seven-Level Pack U-Cell Inverter for Photovoltaic Applications," *IEEE J. Emerg. Sel. Top. Power Electron.*, vol. 6, no. 3, pp. 1508–1516, 2018, doi: 10.1109/JESTPE.2018.2821663.
- [3] H. Iqbal and A. Sarwat, "Design and Implementation of Hybrid GA-PSO-Based Harmonic Mitigation Technique for Modified Packed U-Cell Inverters," *Energies*, vol. 18, no. 1, pp. 1–24, 2025, doi: 10.3390/en18010124.
- [4] M. M. A. Alakkad, Z. Rasin, M. Rasheed, W. A. Halim, and R. Omar, "Real-time switching thirteen-level modified CHB-multilevel inverter using artificial neural network technique based on selective harmonic elimination," vol. 20, no. 3, pp. 1642–1652, 2020, doi: 10.11591/ijeecs.v20.i3.pp1642-1652.
- [5] M. Tech, "EFFECT OF MOTH FLAME OPTIMISATION ON TOTAL HARMONIC," pp. 1205–1210, 2021.
- [6] A. Pourdadashnia, M. Farhadi-Kangarlu, and M. Sadoughi, "Staircase Selective Harmonic Elimination in Multilevel Inverters to Achieve Wide Output Voltage Range," *2021 12th Power Electron. Drive Syst. Technol. Conf. PEDSTC 2021*, 2021, doi: 10.1109/PEDSTC52094.2021.9405826.
- [7] G. Li, Z. Wu, D. Cao, and J. Li, "Random PWM Selective Harmonic Elimination Method with Master-Slave Mode for Seven-Level MPUC Inverter," *CPSS Trans. Power Electron. Appl.*, vol. 8, no. 1, pp. 87–96, 2023, doi: 10.24295/CPSSSTPEA.2023.00009.
- [8] A. Hiendro, I. Yusuf, Junaidi, F. Trias Pontia Wigyariato, and Y. M. Simanjuntak, "Optimization of SHEPWM cascaded multilevel inverter switching patterns," *Int. J. Power Electron. Drive Syst.*, vol. 11, no. 3, pp. 1570–1578, 2020, doi: 10.11591/ijpeds.v11.i3.pp1570-1578.
- [9] I. H. Shanono, N. R. H. Abdullah, H. Daniyal, and A. Muhammad, "Optimizing performance of a reduced switch multi-level inverter with moth-flame algorithm and SHE-PWM," *J. Eng.*, vol. 2023, no. 11, pp. 1–27, 2023, doi: 10.1049/tje2.12281.
- [10] A. R. Lopez *et al.*, "Total Harmonic Distortion Reduction in Multilevel Inverters through the Utilization of the Moth-Flame Optimization Algorithm," *Appl. Sci.*, vol. 13, no. 21, pp. 1–25, 2023, doi: 10.3390/app132112060.
- [11] M. R. Patil and P. D. D. Dighe, "Single Phase Inverter Techniques a Review," pp. 1009–1012, 2016.
- [12] R. L. Rajagukguk, D. D. Bangun, D. A. Manurung, D. Kurniawan, and J. A. Purba, "Kajian Inverter Pure Sine Wave Terhadap Beban Pada Pembangkit Listrik Tenaga Surya Kapasitas 100 Wp," *SINERGI POLMED J. Ilm. Tek. Mesin*, vol. 4, no. 2, pp. 70–78, 2023, doi: 10.51510/sinergipolmed.v4i2.1065.
- [13] W. A. Halim, S. Ganeson, M. Azri, and T. N. A. T. Azam, "Review of

Tiara Evidia Wati, 2026

ANALISIS DAN SIMULASI INVERTER MULTILEVEL CHB 13-LEVEL MENGGUNAKAN METODE SELECTIVE HARMONIC ELIMINATION PWM BERBASIS OPTIMASI MOTH-FLAME OPTIMIZATION

UPN Veteran Jakarta, Fakultas Teknik, S1 Teknik Elektro

[www.upnvj.ac.id-www.library.upnvj.ac.id-www.repository.upnvj.ac.id]

- Multilevel Inverter Topologies and Its Applications,” vol. 8, no. 7, pp. 51–56, 1843.
- [14] T. A. Taha *et al.*, “Recent Advancements in Multilevel Inverters: Topologies, Modulation Techniques, and Emerging Applications,” *Symmetry (Basel)*., vol. 17, no. 7, pp. 1–52, 2025, doi: 10.3390/sym17071010.
 - [15] A. A. Shojaei, B. Najafi, and H. Vahedi, “Standalone operation of modified seven-level packed U-Cell (MPUC) single-phase inverter,” *Electron.*, vol. 8, no. 3, 2019, doi: 10.3390/electronics8030268.
 - [16] S. Choudhury, M. Bajaj, T. Dash, S. Kamel, and F. Jurado, “Multilevel inverter: A survey on classical and advanced topologies, control schemes, applications to power system and future prospects,” *Energies*, vol. 14, no. 18, 2021, doi: 10.3390/en14185773.
 - [17] C. Dinakaran and T. Padmavathi, “Seven Level Symmetric Cascaded H-Bridge Multilevel Inverter for Solar Photovoltaic System,” *EAI Endorsed Trans. Energy Web*, vol. 9, no. 5, pp. 1–10, 2022, doi: 10.4108/ew.v9i5.3045.
 - [18] M. Y. Lada, M. A. M. Radzi, J. Jasni, H. Hizam, A. Jidin, and S. H. Mohamad, “Evaluation of CHB MLI based shunt APF using low pass filter and self-tuning filter,” *Indones. J. Electr. Eng. Comput. Sci.*, vol. 31, no. 3, pp. 1274–1285, 2023, doi: 10.11591/ijeecs.v31.i3.pp1274-1285.
 - [19] A. Ebrahimi, H. S. Fathi, and H. Gholamrezaei, “Novel Switching pattern for single-stage current source inverter for grid-connected photovoltaics,” *IET Power Electron.*, vol. 7, no. 10, pp. 2447–2454, 2014, doi: 10.1049/iet-pel.2013.0290.
 - [20] R. A. Rana, S. A. Patel, A. Muthusamy, C. Lee, and H. Kim, *Review of Multilevel Voltage Source Inverter Topologies and Analysis of Harmonics Distortions in FC-MLI*. 2019.
 - [21] W. A. Halim, N. A. Rahim, and M. Azri, “Selective harmonic elimination for a single-phase 13-level TCHB based cascaded multilevel inverter using FPGA,” *J. Power Electron.*, vol. 14, no. 3, pp. 488–498, 2014, doi: 10.6113/JPE.2014.14.3.488.
 - [22] I. Sa, *Ieee sa -*, vol. 2022. 2022.
 - [23] F. L. Hanan, “Perancangan Inverter Satu Fasa 11 Level Dengan Topologi Cascade H-Bridge Untuk Mengurangi Harmonik Arus Dengan Matlab Simulink,” 2021.
 - [24] S. Choudhury, S. Nayak, T. P. Dash, and P. K. Rout, “A comparative analysis of five level diode clamped and cascaded H-bridge multilevel inverter for harmonics reduction,” *Int. Conf. Technol. Smart City Energy Secur. Power Smart Solut. Smart Cities, ICSESP 2018 - Proc.*, vol. 2018-Janua, pp. 1–6, 2018, doi: 10.1109/ICSESP.2018.8376690.
 - [25] A. V. Oppenheim, R. W. Schaffer, and J. R. Buck, “Discrete-time digital signal processing,” 1999.
 - [26] C. J. & T. J., “Cooley65.pdf,” 1965. [Online]. Available: <https://www.cs.jhu.edu/~misha/ReadingSeminar/Papers/Cooley65.pdf>
 - [27] Z. Boussada, O. Elbeji, and M. Benhamed, “Different topologies and control techniques of multi level inverter: A literature survey,” *Int. Conf. Green Energy Convers. Syst. GECS 2017*, pp. 3–7, 2017, doi: 10.1109/GECS.2017.8066187.
 - [28] G. Patrianaya, M. Wirsuyana, I. Bagus, G. Manuaba, and R. S. Hartati,

- “Literature Review Metode Reduksi Harmonisa Berbasis Kecerdasan Buatan pada Multilevel Inverter,” vol. 21, no. 1, 2022.
- [29] S. Automatisés, G. K. Devineni, and A. Ganesh, “Problem Formulations , Solving Strategies , Implementation Methods & Applications of Selective Harmonic Elimination for Multilevel Converters,” vol. 53, no. 6, pp. 939–952, 2020.
 - [30] M. Engineering and S. Peter, “International Journal of Advanced Engineering Technology STUDY ON MICROSTRUCTURE AND MECHANICAL BEHAVIOR OF PARTICULATE REINFORCED ALUMINUM MATRIX COMPOSITES (PRAMCS),” no. June, pp. 1–3, 2016.
 - [31] A. Suryadi, “Dampak Harmonisa Terhadap Peningkatan Temperatur,” vol. 8, no. 2, pp. 421–432, 2017.
 - [32] B. Alamri, A. Sallama, and M. Darwish, “Optimum SHE for Cascaded H-Bridge Multilevel Inverters Using : NR-GA-PSO , Comparative Study,” pp. 1–10.
 - [33] S. K. Sahoo *et al.*, *Moth Flame Optimization : Theory , Modifications , Hybridizations , and Applications*, no. August. Springer Netherlands, 2022. doi: 10.1007/s11831-022-09801-z.
 - [34] S. Mirjalili, “Moth-Flame Optimization Algorithm: A Novel Nature-inspired Heuristic Paradigm,” *KNOWLEDGE-BASED Syst.*, no. July, 2015, doi: 10.1016/j.knosys.2015.07.006.
 - [35] C. P. Nagarajappa and A. A. Deshpande, “Multilevel inverter: harmonic analysis with and without filters for RL load using SPWM techniques,” *Indones. J. Electr. Eng. Comput. Sci.*, vol. 34, no. 2, pp. 756–767, 2024, doi: 10.11591/ijeecs.v34.i2.pp756-767.
 - [36] A. Khoshkbar-Sadigh, V. Dargahi, K. Lakhera, and K. Corzine, “Analytical Design of LC Filter Inductance for Two-Level Inverters Based on Maximum Ripple Current,” *IECON Proc. (Industrial Electron. Conf.)*, vol. 2019-Octob, pp. 1621–1626, 2019, doi: 10.1109/IECON.2019.8926919.
 - [37] Y. J. Tawfeeq and J. A. Al-Sudani, “Digital Rock Samples Porosity Analysis by OTSU Thresholding Technique Using MATLAB,” *Iraqi J. Chem. Pet. Eng.*, vol. 21, no. 3, pp. 57–66, 2020, doi: 10.31699/ijcpe.2020.3.8.
 - [38] D. Lin, “Application of Mathematical Modeling Based on MATLAB in Experimental Data Analysis,” *Procedia Comput. Sci.*, vol. 247, no. C, pp. 86–92, 2024, doi: 10.1016/j.procs.2024.10.011.
 - [39] C. Dhanamjayulu and T. Girijaprasanna, “Experimental Implementation of Cascaded H-Bridge Multilevel Inverter with an Improved Reliability for Solar PV Applications,” *Int. Trans. Electr. Energy Syst.*, vol. 2023, 2023, doi: 10.1155/2023/8794874.
 - [40] L. Prasanna and T. R. Jyothsna, “Cascaded Asymmetric Inverters,” pp. 36–53, 2024, doi: 10.15598/aeec.v22i1.5641.
 - [41] H. Attia, “Evaluation of selective harmonic elimination pulse width modulation technique for unipolar single-phase H-bridge inverter: Comparative study,” *Int. J. Power Electron. Drive Syst.*, vol. 9, no. 3, pp. 1157–1165, 2018, doi: 10.11591/ijpeds.v9.i3.pp1157-1165.
 - [42] A. Pourdashnia, M. Sadoughi, M. Farhadi-Kangarlu, and B. Tousi, “Selective harmonic elimination in a cascaded H-bridge multilevel inverter

- fed by high-frequency isolated DC-DC converter,” *2021 IEEE Kansas Power Energy Conf. KPEC 2021*, 2021, doi: 10.1109/KPEC51835.2021.9446223.
- [43] I. Sajid *et al.*, “Runge–Kutta optimization-based selective harmonic elimination in an H-bridge multilevel inverter,” *IET Power Electron.*, vol. 16, no. 11, pp. 1849–1865, 2023, doi: 10.1049/pel2.12507.