

DAFTAR PUSTAKA

- [1] S. Ali, N. Zareen, A. R. Abbasi, I. Ahmed, and F. Ahmed, “Short Circuit Current Analysis of Additional Load on Common Auxiliaries Bus of Nuclear Power Plants using ETAP,” *2nd Int. Conf. Emerg. Technol. Electron. Comput. Commun. ICETECC 2025*, vol. 85, pp. 1–5, 2025, doi: 10.1109/ICETECC65365.2025.11070290.
- [2] M. Mahdavi, M. Javadi, F. Wang, and J. P. S. Catalao, “An Accurate Evaluation of Consumption Pattern in Reconfiguration of Electrical Energy Distribution Systems,” *Conf. Rec. - IAS Annu. Meet. (IEEE Ind. Appl. Soc., vol. 2021-Octob*, pp. 1–7, 2021, doi: 10.1109/IAS48185.2021.9677155.
- [3] S. Gatrik, “Kementerian Energi Dan Sumber Daya Mineral Republik Indonesia Direktorat Federal Ketenagalistrikan,” vol. 2025, no. 14, pp. 1–37, 2022, [Online]. Available: www.djk.esdm.go.id
- [4] L. H. Macedo, J. M. Home-Ortiz, R. Vargas, J. R. S. Mantovani, R. Romero, and J. P. S. Catalão, “Short-circuit constrained distribution network reconfiguration considering closed-loop operation,” *Sustain. Energy, Grids Networks*, vol. 32, p. 100937, 2022, doi: 10.1016/j.segan.2022.100937.
- [5] M. Musaruddin *et al.*, “Optimizing network reconfiguration to reduce power loss and improve the voltage profile in the distribution system: A practical case study,” *e-Prime - Adv. Electr. Eng. Electron. Energy*, vol. 8, no. May, p. 100599, 2024, doi: 10.1016/j.prime.2024.100599.
- [6] F. Akın, M. Çıkan, O. Arikan, and B. Kekezoğlu, “Optimizing Distribution Network Reconfiguration for Power Loss and Fault Current Management,” *Mühendislik Bilim. ve Araştırmaları Derg.*, vol. 6, no. 2, pp. 188–197, 2024, doi: 10.46387/bjesr.1501986.
- [7] A. Zeggai and F. Benhamida, “Power flow and Short circuit of 220 kV Substation using ETAP,” *Proc. Alger. Large Electr. Netw. Conf. CAGRE 2019*, pp. 158–163, 2019, doi: 10.1109/CAGRE.2019.8713172.
- [8] A. Arizaldi, S. Salahuddin, M. Muhammad, V. Jain, G. P. Pandey, and M. J. Watane, “Short Circuit Analysis on Distribution Network 20 kV Using Etap

- Software,” *J. Renew. Energy, Electr. Comput. Eng.*, vol. 1, no. 2, pp. 49–57, 2021, doi: 10.29103/jreece.v1i2.5232.
- [9] A. Z. Latt, “Short Circuit Analysis of 33/11/0.4 kV Distribution System Using ETAP,” vol. VIII, no. V, pp. 79–85, 2019.
 - [10] S. H. Lim and S. T. Lim, “Analysis on Coordination of Over-Current Relay Using Voltage Component in a Power Distribution System with a SFCL,” *IEEE Trans. Appl. Supercond.*, vol. 29, no. 5, Aug. 2019, doi: 10.1109/TASC.2019.2904668.
 - [11] I. Safirah and A. Imran, “ANALISIS KOORDINASI SETTING PROTEKSI OCR PADA KUBIKEL INCOMING DENGAN OUTGOING 20 kV DI GARDU INDUK LANNA MENGGUNAKAN SOFTWARE ETAP ARTICLE HISTORY,” 2025.
 - [12] B. K. Johnson and R. H. Lasseter, “Industrial power distribution system featuring UPS properties,” *PESC Rec. - IEEE Annu. Power Electron. Spec. Conf.*, pp. 759–765, 1993, doi: 10.1109/pesc.1993.472009.
 - [13] C. B. Cooper, *IEEE Std 141-1993: IEEE Recommended Practice for Electric Power Distribution for Industrial Plants*, vol. 2, no. 2. 1988. doi: 10.1049/pe:19880018.
 - [14] M. EL-Shimy, N. Mostafa, A. N. Afandi, A. M. Sharaf, and M. A. Attia, “Impact of load models on the static and dynamic performances of grid-connected wind power plants: A comparative analysis,” *Math. Comput. Simul.*, vol. 149, pp. 91–108, 2018, doi: 10.1016/j.matcom.2018.02.003.
 - [15] N. Gaeini, A. Moradi Amani, M. Jalili, and X. Yu, “Cooperative secondary frequency control of distributed generation: The role of data communication network topology,” *Int. J. Electr. Power Energy Syst.*, vol. 92, pp. 221–229, 2017, doi: 10.1016/j.ijepes.2017.05.012.
 - [16] IEEE Antennas and Propagation Group, “Definitions of Terms for Antennas,” *IEEE Trans. Antennas Propag.*, vol. AP-17, no. 3, pp. 262–269, 1969.
 - [17] G. Lou, W. Gu, J. Wang, W. Sheng, and L. Sun, “Optimal Design for Distributed Secondary Voltage Control in Islanded Microgrids: Communication Topology and Controller,” *IEEE Trans. Power Syst.*, vol.

- 34, no. 2, pp. 968–981, 2019, doi: 10.1109/TPWRS.2018.2870058.
- [18] H. F. Yono, N. Thamrin, and V. Yusiana, “Studi Aliran Daya pada PT. PLN (Persero) UIWS2JB UP3 Jambi ULP Kotabaru Penyulang Palem dengan Menggunakan Software Electric Transient and Analysis Program (ETAP),” *J. Electr. Power Control Autom.*, vol. 7, no. 1, p. 13, 2024, doi: 10.33087/jepca.v7i1.112.
- [19] Umar Faruq, Akmal ridho, Maurisio Vrayulis, and Ezra julio, “Analisa Aliran Daya pada Sistem Tenaga Listrik menggunakan ETAP 12.6,” *SainETIn (Jurnal Sain, Energi, Teknol. Ind.*, vol. 6(1), no. 1, pp. 16–22, 2021, doi: 10.31849/sainetin.v6i1.7031.
- [20] A. Supriyadi, “ANALISA ALIRAN DAYA PADA SISTEM TENAGA LISTRIK MENGGUNAKAN SOFTWARE ETAP 12.6,” *Forum Teknol.*, vol. 06, no. 3, 2018.
- [21] O. Saul B.P., “Penentuan Arus Gangguan Hubung Singkat Sistem Khatulistiwa Pada Pt.Pln (Persero) Up3B Kalimantan Barat,” *J. Tek. Elektro Univ. Tanjungpura*, vol. 2, no. 1, pp. 1–11, 2021, [Online]. Available: <https://jurnal.untan.ac.id/index.php/jteuntan/article/view/48392%0Ahttps://jurnal.untan.ac.id/index.php/jteuntan/article/viewFile/48392/75676590103>
- [22] G. Parise, M. Massimiano, and M. Halpin, “Short Circuit Analysis on a Simple Power System Network :,” no. m, pp. 30–34, 1995.
- [23] C. Huang, B. Zhang, Y. Ma, F. Zhou, and J. He, “Analysis of Short-Circuit Current Characteristics and Its Distribution of Artificial Grounding Faults on DC Transmission Lines,” *IEEE Trans. Power Deliv.*, vol. 33, no. 1, pp. 520–528, 2018, doi: 10.1109/TPWRD.2017.2732483.
- [24] A. da S. Santos, L. T. Faria, M. L. M. Lopes, A. D. P. Lotufo, and C. R. Minussi, “Efficient Methodology for Detection and Classification of Short-Circuit Faults in Distribution Systems with Distributed Generation,” *Sensors*, vol. 22, no. 23, 2022, doi: 10.3390/s22239418.
- [25] Z. Liang, X. Lin, Y. Kang, B. Gao, and H. Lei, “Short Circuit Current Characteristics Analysis and Improved Current Limiting Strategy for Three-phase Three-leg Inverter under Asymmetric Short Circuit Fault,” *IEEE Trans. Power Electron.*, vol. 33, no. 8, pp. 7214–7228, 2018, doi:

10.1109/TPEL.2017.2759161.

- [26] X. Wang, J. Gao, X. Wei, Z. Zeng, Y. Wei, and M. Kheshti, "Single Line to Ground Fault Detection in a Non-Effectively Grounded Distribution Network," *IEEE Trans. Power Deliv.*, vol. 33, no. 6, pp. 3173–3186, 2018, doi: 10.1109/TPWRD.2018.2873017.
- [27] G. Xu *et al.*, "Rotor Loss and Thermal Analysis of Synchronous Condenser Under Single-Phase Short-Circuit Fault in the Transmission Line," *IEEE Trans. Energy Convers.*, vol. 37, no. 1, pp. 274–285, 2022, doi: 10.1109/TEC.2021.3109608.
- [28] J. M. Guerrero, G. Navarro, K. Mahtani, and C. A. Platero, "Double Line-to-Ground Faults Detection Method in DC-AC Converters," *IEEE Trans. Ind. Appl.*, vol. 59, no. 1, pp. 332–344, 2023, doi: 10.1109/TIA.2022.3212348.
- [29] R. Wamkeue, I. Kamwa, and M. Chacha, "Line-to-line short-circuit-based finite-element performance and parameter predictions of large hydrogenerators," *IEEE Trans. Energy Convers.*, vol. 18, no. 3, pp. 370–378, 2003, doi: 10.1109/TEC.2003.815672.
- [30] I. I. A. S. P. S. E. Committee, *IEEE Std 399-1997: IEEE Recommended Practice for Industrial and Commercial Power Systems Analysis: Approved May 31, 1990, IEEE Standards Board: Approved October 26, 1990, American National Standards Institute*. 1990.
- [31] P. M. Maljković Z, Cettolo M, "The Impact of the Induction Motor on Short-Circuit Current," *IEEE Ind. Appl. Mag.*, no. August, 2001.
- [32] P. P. (Persero), "Pedoman dan Petunjuk Sistem Proteksi Transmisi dan Gardu Induk Jawa Bali," *PT PLN*, no. 2, p. 513, 2013.
- [33] Rudra Prakash Maheswari, "Time-Overcurrent Relay Coordination A Review.pdf," 2005.