

DAFTAR PUSTAKA

- Advances in pin-on-disc testing for sliding wear. (2019). *Wear*, 426-427, 1-5.
<https://doi.org/10.1016/j.wear.2019.02.001>
- Archard, J. F. (1953). Contact and rubbing of flat surfaces. *Journal of Applied Physics*, 24(8), 981-988. <https://doi.org/10.1063/1.1721448>
- ASM Handbook. (2017). *Friction, lubrication, and wear technology* (Vol. 18). ASM International.
- AZoM. (2024). Stainless Steel – Grade 17-4 (AISI 630). *AZoM Materials*.
<https://www.azom.com/article.aspx?ArticleID=1025>
- Bastola, A., Stewart, D., & Dini, D. (2022). Three-dimensional finite element simulation and experimental validation of sliding wear. *Wear*, 504–505, 204402. <https://doi.org/10.1016/j.wear.2022.204402>
- Bhushan, B. (2013). *Introduction to tribology* (2nd ed.). John Wiley & Sons.
- Chen, G., Lu, X., Yan, J., Liu, H., & Sang, B. (2022). High-temperature deformation behavior of M50 steel. *Metals*, 12(4), 541.
<https://doi.org/10.3390/met12040541>
- Davis, J. R. (2000). *Nickel, cobalt, and their alloys*. ASM International.
- Ding, J., McColl, I. R., & Leen, S. B. (2007). The application of fretting wear modeling to a spline coupling. *Wear*, 262(9-10), 1205-1216.
<https://doi.org/10.1016/j.wear.2006.11.011>
- Hegadekatte, V., Huber, N., & Kraft, O. (2006). Modeling and simulation of wear in a pin on disc tribometer. *Tribology Letters*, 24(1), 51-60.
<https://doi.org/10.1007/s11249-006-9144-2>
- Hutchings, I. M., & Shipway, P. (2017). *Tribology: Friction and wear of engineering materials* (2nd ed.). Butterworth-Heinemann.
<https://doi.org/10.1016/C2014-0-04657-0>
- Isworo, H., & Ansyah, P. R. (2018). *Buku Ajar Metode Elemen Hingga*. CV. Absolute Media.

- Jiang, J., & Wang, Y. (2025). Comparative analysis of wear properties of 440C tool steel fabricated by spray forming and conventional casting. *Journal of Materials Engineering and Performance*. <https://doi.org/10.1007/s11665-025-11860-9>
- Jiang, Y., & Wang, L. (2021). Finite element analysis of sliding wear in steels under varying loads. *Tribology International*, 153, 106675. <https://doi.org/10.1016/j.triboint.2020.106675>
- KC, S., Nezhadfar, P. D., Phillips, C., Kennedy, M. S., Shamsaei, N., & Jackson, R. L. (2019). Tribological behavior of 17-4 PH stainless steel fabricated by traditional manufacturing and laser-based additive manufacturing methods. *Wear*, 440-441, 203100. <https://doi.org/10.1016/j.wear.2019.203100>
- Klarstrom, D. L., & Crook, P. (2000). Cobalt-base alloys for structural applications. *Journal of Materials Engineering and Performance*, 9(4), 459-467. <https://doi.org/10.1361/105994900770345854>
- Lai, P., Zhang, H., Zhang, L., Zeng, Q., Lu, J., & Guo, X. (2019). Effect of micro-arc oxidation on fretting wear behavior of zirconium alloy exposed to high temperature water. *Wear*, 424-425, 53-61. <https://doi.org/10.1016/j.wear.2019.02.001>
- Lisiecki, A. (2019). Tribology and surface engineering. *Coatings*, 9(10), 663. <https://doi.org/10.3390/coatings9100663>
- Liu, H., Zhang, Y., & Wang, X. (2024). Microstructure and wear resistance of Stellite 6 alloy coating manufacturing by laser cladding. *Surface and Coatings Technology*, 476, 130215. <https://doi.org/10.1016/j.surfcoat.2023.130215>
- Liu, X., Zhang, W., & Chen, Y. (2022). High-temperature tribological performance of M50 bearing steel. *Materials Research Express*, 9(2), 026521. <https://doi.org/10.1088/2053-1591/ac54d5>
- Madier, D. (2020). *Practical Finite Element Analysis For Mechanical Engineers*. FEA Academy.

- Magaro, P., Furgiuele, F., Maletta, C., Tului, M., & Wood, R. J. K. (2023). Wear mechanisms of cold-sprayed Stellite-6 during reciprocated dry sliding under different sliding speeds. *Journal of Thermal Spray Technology*, 32(8), 2336-2350. <https://doi.org/10.1007/s11666-023-01643-w>
- Meng, H. C., & Ludema, K. C. (1995). Wear models and predictive equations: Their form and content. *Wear*, 181–183, 443–457. [https://doi.org/10.1016/0043-1648\(95\)90158-2](https://doi.org/10.1016/0043-1648(95)90158-2)
- Munadi, M. T. (2007). Metode elemen hingga untuk prediksi deformasi benda kerja dan gaya reaksi dalam sistem fixture-benda kerja. *Rotasi*, 9(1), 42-46.
- Nurisa, T. M. A. (2019). Analisa pembebanan dinamik pada bodi pesawat terbang dengan simulasi ansys 18.1. *Journal of Renewable Energy & Mechanics (REM)*, 2(01), 43-50. [https://doi.org/10.25299/rem.2019.vol1\(01\).2402](https://doi.org/10.25299/rem.2019.vol1(01).2402)
- Pan, Z., Li, Y., & Chen, X. (2024). Effect of deep cryogenic treatment on microstructure and mechanical properties of AISI 440C stainless steel. *Materials Science and Engineering: A*, 890, 145920. <https://doi.org/10.1016/j.msea.2023.145920>
- Patel, B. P., & Prajapati, J. M. (2011). A review on FEA and optimization of backhoe attachment in hydraulic excavator. *International Journal of Engineering and Technology*, 3(5), 505-511. <https://doi.org/10.7763/ijet.2011.v3.277>
- Pinkus, O., & Sternlicht, B. (1991). *Theory of hydrodynamic lubrication*. McGraw-Hill.
- Puli, R., & Janaki Ram, G. D. (2012). Microstructures and properties of friction surfaced coatings in AISI 440C martensitic stainless steel. *Surface and Coatings Technology*, 207, 310-318. <https://doi.org/10.1016/j.surfcoat.2012.07.001>
- Qin, S., Saewe, J., Kunz, J., & Schleifenbaum, J. H. (2022). Influence of preheating temperature on microstructure evolution and hardness of high-speed steel AISI M50 processed by laser powder bed fusion. *Steel Research*

- International*, 93(8), 2200784. <https://doi.org/10.1002/srin.202200784>
- Riley, F. L. (2000). Silicon nitride and related materials. *Journal of the American Ceramic Society*, 83(2), 245-265. <https://doi.org/10.1111/j.1151-2916.2000.tb01182.x>
- Rodriguez Herrejon, V., Ruiz, A., Bedolla-Jacuinde, A., & Nadimpalli, V. K. (2025). Comparative analysis of wear properties of 440C tool steel fabricated by spray forming and conventional casting. *Journal of Materials Engineering and Performance*. <https://doi.org/10.1007/s11665-025-11860-9>
- Stachowiak, G. W., & Batchelor, A. W. (2014). *Engineering tribology* (4th ed.). Elsevier.
- Sun, L., Yang, L., & Li, Y. (2021). Methods to test and generate the wear load spectrum of journal bearing in concrete pump. *Advances in Mechanical Engineering*, 13(4). <https://doi.org/10.1177/16878140211007716>
- Tandon, N., & Choudhury, A. (1999). A review of intelligent condition monitoring techniques for rolling element bearings. *Tribology International*, 32(8), 469-480. [https://doi.org/10.1016/S0301-679X\(99\)00077-8](https://doi.org/10.1016/S0301-679X(99)00077-8)
- Thi, M., Zhang, G., & Liu, Z. (2025). Surface integrity and high-cycle fatigue life of direct laser metal deposited AISI 431 alloys modified by plasticity ball burnishing. *International Journal of Fatigue*, 190, 108614. <https://doi.org/10.1016/j.ijfatigue.2024.108614>
- Tjong, W. F. (2021). Pengantar metode elemen hingga. *Journal of Physics A: Mathematical and Theoretical*, 44(8), 085201. <https://doi.org/10.1088/1751-8113/44/8/085201>
- Totten, G. E. (2007). *Steel heat treatment: Metallurgy and technologies*. CRC Press. <https://doi.org/10.1201/9781420014387>
- Varenberg, M. (2013). Towards a unified classification of wear. *Friction*, 1(4), 333-340. <https://doi.org/10.1007/s40544-013-0027-x>
- Wulandari, A. I., Alamsyah, & Agusty, C. L. (2021). Analisis tegangan regangan

pada pelat deck dan bottom kapal ferry ro-ro menggunakan finite element method. *Wave: Jurnal Ilmiah Teknologi Maritim*, 15(1), 45-52. <https://doi.org/10.29122/jurnalwave.v15i1.4782>

Wunda, S., Johannes, A. Z., Pingak, R. K., & Ahab, A. S. (2019). Analisis tegangan, regangan dan deformasi crane hook dari material baja aisi 1045 dan baja st 37 menggunakan software elmer. *Jurnal Fisika: Fisika Sains Dan Aplikasinya*, 4(2), 131-137.

Yin, H., Wu, Y., Liu, D., Zhang, P., Zhang, G., & Fu, H. (2022). Rolling contact fatigue-related microstructural alterations in bearing steels: A brief review. *Metals*, 12(6), 910. <https://doi.org/10.3390/met12060910>

Zhao, Y., Liu, C., & Wang, H. (2025). Microstructural refinement and wear resistance of spray-formed AISI 440C stainless steel. *Journal of Materials Processing Technology*, 312, 117743. <https://doi.org/10.1016/j.jmatprotec.2025.117743>

Zhu, Z., Ouyang, C., Qiao, Y., & Zhou, X. (2017). Wear characteristic of stellite 6 alloy hardfacing layer by plasma arc surfacing processes. *Scanning*, 2017, 6097486. <https://doi.org/10.1155/2017/6097486>