

## DAFTAR PUSTAKA

- Abdulghani, HM, Alrowais, NA, Bin-Saad, NS, Al-Subaie, NM, Haji, AM, Alhaqwi, AI 2012, 'Sleep disorder among medical students: relationship to their academic performance', *Med Teach*, p. 37-41, diakses 8 Agustus 2017  
<https://www.ncbi.nlm.nih.gov/pubmed/22409189>
- Abbaspour, Z, Rostami, M, Najjar, SH 2006, 'The effect of exercise on primary dysmenorrhea', *Journal Of Research Health Sciences*, vol. 6, no. 1, p. 26-31, diakses 8 Agustus 2017  
<http://jrhs.umsha.ac.ir/index.php/JRHS/article/view/482/pdf16>
- Al-Kindi, R & Al-Bulushi, A 2011, 'Prevalence and impact of dysmenorrhea among Omani High School Students', *Sultan Qaboos University Medical Journal*, vol. 11, no. 4, p. 485-491, diakses 5 September 2017  
<https://www.ncbi.nlm.nih.gov/pubmed/22087397>
- American Collage of Obstetricians and Gynecologists 2015, 'Dysmenorrhea: Painful Periods FAQ', diakses 2 Agustus 2017  
<https://www.acog.org/-/media/For-Patients/faq046.pdf?dmc=1&ts=20180325T1022071348>
- American Diabetes Association 2015, 'Standards of medical care in diabetes 2015', *Diabetes Care*, vol. 38, diakses 25 Agustus 2017  
<http://care.diabetesjournals.org/content/suppl/2014/12/23/38.Supplement1.DC1/JanuarySupplementCombinedFinal.6-99.pdf>
- Atta, K, Jawed, S, Zia, S 2016, 'Correlating primary dysmenorrhea with its stressors: a cross sectional study investigating the most likely factors of primary dysmenorrhea and its effects on quality of life and general well being', *JUMDC*, vol. 7, Issue 4, p. 1-9, diakses 20 Desember 2017  
<http://jumdc.tuf.edu.pk/articles/volume-7-4/43-50.pdf>
- Azevedo, E, Manzano, GM, Silva, A, Martins, R, Andersen, MI, Tufik, S 2011, 'The effects of total and REM sleep deprivation on laser-evoked potential threshold and pain perception', *Pain*, vol. 153, p. 2052-2058, diakses 2 Oktober 2017 <https://www.ncbi.nlm.nih.gov/pubmed/21624774>
- Bavil, DA, Dolatian, M, Mahmoodi, Z, Baghban, AA 2016, 'Comparison of lifestyles of young women with and without primary dysmenorrhea', *Pub Med*, vol. 8, no. 3, p. 2107-2114, diakses 1 Agustus 2017  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4844476/pdf/epj-08-2107.pdf>
- Bouchard, C, Blair, SN, Haskell, WL 2012, *Physical Activity and Health 2nd Edition*, Human Kinetics, Illioniss

- Brown, FC, Buboltz, WC, Soper, B 2006, 'Development and evaluation of the sleep treatment and education program for students', *Journal of American College Health*, vol. 54, hlm. 231-237, diakses 1 Agustus 2017  
<https://www.ncbi.nlm.nih.gov/pubmed/16450848>
- Bull, FC, Maslin, TS, Amstrong, T 2009, 'Global physical activity questionnaire (GPAQ) nine country reliability and validity study', *Journal of Physical Activity and Health*, vol. 6, p. 790-804, diakses 1 Agustus 2017  
<https://www.ncbi.nlm.nih.gov/pubmed/20101923>
- Buysse, DJ, Reynolds, CF, Monk, TH, Berman, SR, Kupfer, DJ 1989, 'The pittsburgh sleep quality index: a new instrument for psychiatric practice and research', *Psychiatry Research*, vol. 28, no. 2, p. 193-213, diakses 29 Juli 2017 <https://www.ncbi.nlm.nih.gov/pubmed/2748771>
- Calis, KA 2017, 'Dysmenorrhea: practice essentials, background, pathophysiology', *Medscape*, p. 1-18, diakses 10 Agustus 2017  
<https://emedicine.medscape.com/article/253812-overview#a6>
- Caspersen, CJ, Powell, KE, Christenson, GM 1985, 'Physical activity, exercise, and physical fitness: definitions and distinctions for health-related research', *Public Health Reports*, vol. 100, no. 2, p. 126-130, diakses 11 Agustus 2017  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1424733/pdf/pubhealthrep00100-0016.pdf>
- Chantler, I, Mitchel, D, Fuller, A 2009, 'Actigraphy quantifies reduced voluntary physical activity in women with primary dysmenorrhea', *Journal of Pain*, vol. 10, p. 38-46, diakses 2 Februari 2018  
<https://www.ncbi.nlm.nih.gov/pubmed/18722817>
- Chauhan, M & Kala, J 2012, 'Relation between dysmenorrhea and body mass index in adolescents with rural versus urban variation', *The Journal of Obstetrics and Gynecology of India*, vol. 62, no. 4, p. 442-445, diakses 1 Agustus 2017  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3500946/pdf/132242012Article171.pdf>
- Cleland, CL, Hunter, RF, Kee, F, Cupples ME, Sallis, JF, Tully, MA 2014, 'Validity of the global physical activity questionnaire (GPAQ) in assessing levels and change in moderate-vigorous physical activity and sedentary behaviour', *BMC Public Health*, vol. 14, p. 1-11, diakses 30 Juli 2017  
<https://www.ncbi.nlm.nih.gov/pubmed/25492375>
- Cunningham, FG, Leveno, KJ, Bloom, SL, Spong, CY, Dashe, JS, Hoffman, BL, Casey, BM, Sheffield, JS 2014, *Williams Obstetrics 24th Edition*, McGraw-Hill Education

- Dahlan, MS 2015, *Statistik Untuk Kedokteran dan Kesehatan Deskriptif, Bivariat dan Multivariat Dilengkapi Aplikasi Dengan Menggunakan SPSS Edisi 6*, Salemba Medika, Jakarta
- Dawood, MY 2006, ‘Primary dysmenorrhea advances in pathogenesis and management’, *Obstetrics and Gynecology*, vol. 108, no. 2, p. 428-441, diakses 20 Juli 2017 <https://www.ncbi.nlm.nih.gov/pubmed/16880317>
- Dhimas, S 2016, *Tingkat Aktivitas Fisik Operator Layanan Internet Mahasiswa Universitas Negeri Yogyakarta*, Skripsi Fakultas Ilmu Keolahragaan Universitas Negeri Yogyakarta, Yogyakarta, diakses 20 Juli 2017 [http://eprints.uny.ac.id/39188/1/TINGKAT%20AKTIVITAS%20FISIK%20OPERATOR%20LAYANAN%20INTERNET%20MAHASISWA%20UNY\\_SURYA%20DHIMAS%20ADHITYA\\_NIM%2012601241084.pdf](http://eprints.uny.ac.id/39188/1/TINGKAT%20AKTIVITAS%20FISIK%20OPERATOR%20LAYANAN%20INTERNET%20MAHASISWA%20UNY_SURYA%20DHIMAS%20ADHITYA_NIM%2012601241084.pdf)
- Diana, R, Yuliana, I, Yasmin, G, Hardinsyah 2013, ‘Faktor risiko kegemukan pada wanita dewasa Indonesia’, *Jurnal Gizi dan Pangan*, vol. 8, no. 1, p. 1-8, diakses 7 Agustus 2017 <http://journal.ipb.ac.id/index.php/jgizipangan/article/view/7226>
- Dugdill, L, Crone, D, Murphy, R 2009, *Physical Activity and Health Promotion: Evidence-based Approaches to Practice*, Wiley-Blackwell, diakses 31 Juli 2017 [https://books.google.co.id/books?id=RSS5AsWuS9cC&printsec=frontcover&hl=id&source=gbs\\_atb#v=onepage&q=&f=false](https://books.google.co.id/books?id=RSS5AsWuS9cC&printsec=frontcover&hl=id&source=gbs_atb#v=onepage&q=&f=false)
- Ehrenthal, D, Hoffman, M, Hillard PA 2006, *Menstrual disorders*, ACP Press, USA
- Febriana, K, Andayani, N, Purnawati S 2015, ‘Hubungan tingkat aktivitas fisik dengan dysmenorrhea primer pada siswi SMP K Harapan Denpasar’, diakses 20 Juli 2017 <http://erepo.unud.ac.id/5184/1/5cea34bbddbb733ec56e59162d7ec466.pdf>
- French, L 2005, ‘Dysmenorrhea’, *American Academy of Family Physicians*, vol. 71, no. 2, p. 285, diakses 30 Juli 2017 <https://www.ncbi.nlm.nih.gov/pubmed/15686299>
- Haack, M, Scott-Sutherland, J, Santangelo, G, Simpson, NS, Sethna, N, Mullington, JM 2012, ‘Pain sensitivity and modulation in primary insomnia’, *European Journal of Pain*, vol. 16, p. 522-533, diakses 3 Februari 2018 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3627385/pdf/nihms452932.pdf>
- Habibi, N, Huang, MSL, Gan, WY, Zulida, R, Safavi, SM 2015, ‘Prevalence of primary dysmenorrhea and factors associated with its intensity among undergraduate students: a cross sectional study’, *American Society for Pain Management Nursing*, vol. 16, p. 855-861, diakses 2 Agustus 2017 <https://www.sciencedirect.com/science/article/pii/S1524904215001022>

Hall, JE 2016, *Guyton & Hall Textbook of Medical Physiology 13th Edition*, Elsevier

Hamrik, Z, Sigmundova, D, Kalman, M, Pavelka, J, Sigmund, E 2014, ‘Physical activity and sedentary behavior in Czech adults: results from the GPAQ study’, *European Journal of Sport Science*, vol. 14, p. 193-198, diakses 11 Oktober 2017  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3935222/pdf/tejs14193.pdf>

Heneweer, H, Vanhees, L, Picavet, HSJ 2009, ‘Physical activity and low back pain: A U-shaped relation?’, *Pain*, vol. 143, p. 21-25, diakses 28 Juli 2017  
<https://www.ncbi.nlm.nih.gov/pubmed/19217208>

Harel, Z 2002, ‘A contemporary approach to dysmenorrhea in adolescents’, *Paeditr Drugs*, vol. 4, no. 12, p.797-805, diakses 1 Agustus 2017  
<https://www.ncbi.nlm.nih.gov/pubmed/12431132>

Harrington, SA 2013, ‘Relationships of objectively measured physical activity and sleep with BMI and academic outcomes in 8-year-old children’, *Applied Nursing Research: ANR*, vol. 26, no. 2, p. 63-70, diakses 22 Juli 2017  
<https://www.ncbi.nlm.nih.gov/pubmed/23583266>

Hidayat, AA 2008, *Pengantar Konsep Dasar Keperawatan*, Salemba Medika, Jakarta

Hillard, PJA 2006, ‘Dysmenorrhea’, *Pediatrics in Review*, vol. 27, no. 2, p. 64-71, diakses 2 Agustus 2017  
<http://pedsinreview.aappublications.org/content/pedsinreview/27/2/64.full.pdf>

Hirshkowitz, M, Whiton, K, Albert, SM, Alessi, C, Bruni, O, DonCarlos, L, Hazen, N, Herman, J, Katz, ES, Kheirandish-Gozal, L, Neubauer, DN, O’Donnell, AE, Ohayon, M, Peever, J, Rawding, R, Sachdeva, RC, Setters, B, Vitiello, MV, Ware, JC, Hillard, PJA 2015, ‘National sleep foundation’s sleep time duration recommendations: methodology and results summary’, *Sleep Health Journal of the National Sleep Foundation*, vol. 1, p. 40-43, diakses 1 Februari 2018  
[http://www.sleephealthjournal.org/article/S2352-7218\(15\)00015-7/pdf](http://www.sleephealthjournal.org/article/S2352-7218(15)00015-7/pdf)

Howley, ET 2001, ‘Types of activity: resistance, aerobic and leisure versus occupational physical activity’, *Medicine and Science in Sport & Exercise*, vol. 33, no. 6, p. 364-369, diakses 7 Agustus 2017  
<https://www.ncbi.nlm.nih.gov/pubmed/11427761>

International Association for The Study of Pain 2007, ‘Dysmenorrhea: Contemporary Perspectives’, vol. XV, Issue 8, *Pain Clinical Updates*, diakses 25 Juli 2017

- [https://s3.amazonaws.com/rdcmsiasp/files/production/public/Content/ContentFolders/Publications2/PainClinicalUpdates/Archives/PCU078\\_1390262758258\\_9.pdf](https://s3.amazonaws.com/rdcmsiasp/files/production/public/Content/ContentFolders/Publications2/PainClinicalUpdates/Archives/PCU078_1390262758258_9.pdf)
- Janssen, EB, Rijkers, AC, Hoppenbrouwers, K, Meuleman, C, D'Hooghe, TM 2013, 'Prevalence of endometriosis diagnosed by laparoscopy in adolescents with dysmenorrhea or chronic pelvic pain: a systemic review', *Human Reproductive Update*, vol. 19, no. 5, p. 570-82, diakses 11 Agustus 2017  
<https://www.ncbi.nlm.nih.gov/pubmed/23727940>
- Kabirian, M, Abedian, Z, Mazlom, SR, Mahram, B, Jalalian, M 2011, 'Self-management in primary dysmenorrhea: toward evidence-based education', *Life Science Journal*, vol. 8, no. 2, p. 13-18, diakses 10 Agustus 2017  
[https://www.researchgate.net/publication/285928997SelfmanagementinPrimary\\_Dysmenorrhea\\_Toward\\_Evidence-based\\_Education](https://www.researchgate.net/publication/285928997SelfmanagementinPrimary_Dysmenorrhea_Toward_Evidence-based_Education)
- Kannan, P, Claydon, LS, Miller, D, Chapple, CM 2015, 'Vigorous exercises in the management of primary dysmenorrhea: a feasibility study', vol. 37, no. 15, p. 1334-1339, diakses 1 Februari 2018  
<https://www.ncbi.nlm.nih.gov/pubmed/25243766>
- Kazama, M, Maruyama, K, Nakamura, K 2015, 'Prevalence of dysmenorrhea and its correlating lifestyle factors in Japanese female junior high school students', *Tohoku J. Exp. Med.*, vol. 236, p. 107-113, diakses 29 Juli 2017  
[https://www.jstage.jst.go.jp/article/tjem/236/2/236\\_107/\\_pdf-char/en](https://www.jstage.jst.go.jp/article/tjem/236/2/236_107/_pdf-char/en)
- Khasanah, K, Hidayati, W 2012, 'Kualitas Tidur Lansia Balai Rehabilitasi Sosial "MANDIRI" Semarang', *Jurnal Nursing Studies*, vol. 1, no. 1, p. 22, diakses 12 Oktober 2017  
<https://ejournal3.undip.ac.id/index.php/jnursing/article/view/449/448>
- Kural, M, Noor, NN, Pandit, D, Joshi, T, Patil, A 2015, 'Menstrual characteristics and prevalence of dysmenorrhea in college going girls', *J Family Med Prim Care India: Medknow Publications & Media Pvt Ltd*, vol. 4, no. 3, p. 31, diakses 2 Agustus 2017  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4535108/>
- Kurpad, AV, Swaminathan, S, Bhat, S 2004, 'The Effects of Childhood Physical Activity on Prevention of Adult Diseases', *Indian Pediatrics*, vol. 41, p. 37-62, diakses 30 Juli 2017  
[https://www.researchgate.net/profile/Sumathi\\_Swaminathan/publication/882859\\_IAP\\_National\\_Task\\_Force\\_for\\_Childhood\\_Prevention\\_of\\_Adult\\_Diseases/TheEffectofChildhoodPhysicalActivityonPreventionofAdultDiseases/links/0912f5137d0f24346c000000.pdf](https://www.researchgate.net/profile/Sumathi_Swaminathan/publication/882859_IAP_National_Task_Force_for_Childhood_Prevention_of_Adult_Diseases/TheEffectofChildhoodPhysicalActivityonPreventionofAdultDiseases/links/0912f5137d0f24346c000000.pdf)
- Lacovides, S, Avidon, I, Bentley, A, Baker, FC 2009, 'Diclofenac potassium restores objective and subjective measures of sleep quality in women with primary dysmenorrhea', *PubMed*, vol. 32, no. 8, p. 26, diakses 1 Oktober

- 2017 <https://www.ncbi.nlm.nih.gov/pubmed/19725253>
- Laili, N 2012, *Perbedaan tingkat nyeri haid sebelum dan sesudah senam dismenore pada remaja putri di SMAN 2 Jember*, Skripsi Program Studi Ilmu Keperawatan Universitas Jember, diakses 2 Februari 2018  
<http://repository.unej.ac.id/bitstream/handle/123456789/10822/Nurul%20Laili.pdf?sequence=1>
- Larroy, C 2002, ‘Comparing visual-analog and numeric scales for assessing menstrual pain’, *Behavioral Medicine*, vol. 27, p. 179–181, diakses 5 Juli 2017 <https://www.ncbi.nlm.nih.gov/pubmed/12165972>
- Latthe, P, Latthe, M, Say, L, Gürmezoglu, M, Khan, KS 2006, ‘WHO systematic review of prevalence of chronic pelvic pain: a neglected reproductive health morbidity’, *BMC Public Health Birmingham UK*, 6:177, p. 1-7, diakses 1 Agustus 2017  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1550236/pdf/1471-2458-6-177.pdf>
- Lautenbacher, S, Kundermann, B, Krieg, J 2006, ‘Sleep deprivation and pain perception’, *Sleep Medicine Reviews*, vol. 10, p. 357-369, diakses 1 Januari 2018 <https://www.ncbi.nlm.nih.gov/pubmed/16386930>
- Loto, OM, Adewumi, TA, Adewuya, AO 2008, ‘Prevalence and correlates of dysmenorrhea among Nigerian’, *Australian and New Zealand Journal of Obstetrics and Gynaecology*, vol. 48, p. 442-444, diakses 28 Juli 2017  
<https://www.ncbi.nlm.nih.gov/pubmed/18837854>
- Lumsden, MA 2005, ‘Dysmenorrhoea’, *Women’s Health Medicine*, vol. 2, p. 40-43, diakses 2 Februari 2018  
<https://www.sciencedirect.com/science/article/pii/S1744187006000266>
- Mahvash, N, Eidy, A, Mehdi, K, Zahra, MT, Mani, M, Shahla H 2012, ‘The effect of physical activity on primary dysmenorrhea of female university students’, *World Applied Sciences Jurnal*, vol. 17, no. 10, p. 1246-1252, diakses 22 Desember 2017  
<https://pdfs.semanticscholar.org/4fcc/112b2a236c5275f76a762aa2f3633c9530a6.pdf>
- Mardjono, M 2008, *Kesadaran dan Fungsi Luhur. Neurologi Klinis Dasar*, Dian Rakyat, Jakarta
- McCance, K & Huether, S 2006, *Pathophysiology: The Biologic Basis for Disease in Adults and Children 5<sup>th</sup> Edition*, Elsevier Mosby
- McIlwain, HH & Bruce, DF 2007, *Diet for a Pain-Free Life: A Revolutionary Plan to Lose Weight, Stop Pain, Sleep Better and Feel Great in 21 Days*, Marlowe & Company

- Miles, L 2007, 'Physical activity and health', *Nutrition Bulletin*, vol. 32, p. 314-363, diakses 5 Februari 2018  
<https://onlinelibrary.wiley.com/doi/epdf/10.1111/j.1467-3010.2007.00668.x>
- Montoya, JS, Cabezza, AH, Rojas, OM, Navarette, RC, Keever, MA 2012, 'Menstrual disorders in adolescents', *Boletin medico del Hospital Infantil de Mexico*, vol. 69, no. 1, p. 60-72, diakses 29 Juli 2017  
<https://www.sciencedirect.com/science/article/pii/S1524904215001022>
- Nagata, C, Hirokawa, K, Shimizu, N, Shimizu, H 2005, 'Associations of menstrual pain with intakes of soy, fat and dietary fiber in Japanese women', *European Journal of Clinical Nutrition*, vol. 59, no. 1, p. 88-92, diakses 30 Juli 2017  
<https://www.ncbi.nlm.nih.gov/pubmed/15340367>
- National Sleep Foundation 2018, *How Much Sleep Do We Really Need?*, diakses 5 Januari 2018  
<https://sleepfoundation.org/how-sleep-works/how-much-sleep-do-we-really-need>
- Notoatmodjo, S 2010, *Metodologi Penelitian Kesehatan*, PT Rineka Cipta, Jakarta
- Okoro, RN, Malgwi, H, Okoro, GO 2013, 'Evaluation of factors that increase the severity of dysmenorrhea among university female students in Maiduguri, North eastern Nigeria', *Internet Journal of Allied Health Sciences and Practice*, vol. 11, no. 4, p. 1-10, diakses 10 Agustus 2017  
<https://nsuworks.nova.edu/ijahsp/vol11/iss4/7/>
- Orlandi, AC, Ventura, C, Gallinaro, AL, Costa, RA, Lage, LV 2012, 'Improvement in pain, fatigue, and subjective sleep quality through sleep hygiene tips in patients with fibromyalgia', *Rev Bras Reumatol*, vol. 52, p. 666-678, diakses 1 Januari 2018 <http://www.scielo.br/pdf/rbr/v52n5/env52n5a03.pdf>
- Ostrzenski, A 2002, 'Dysmenorrhea', *Gynecology Integrating Conventional, Complementary and Natural Alternative Therapies*, Philadelphia, PA: Lippincott Williams & Wilkins, p. 10, diakses 25 Juli 2017  
<https://www.sciencedirect.com/science/article/pii/S1524904215001022#bib18>
- Pakaya, D 2013 *Hubungan faktor risiko dengan kejadian dismenore primer pada siswi kelas VIII SMPN 6 Gorontalo Tahun 2013*, Skripsi Fakultas Ilmu-ilmu Kesehatan dan Keolahragaan Universitas Negeri Gorontalo, diakses 1 Januari 2018 [kim.ung.ac.id/index.php/KIMFIKK/article/download/2844/2820](http://kim.ung.ac.id/index.php/KIMFIKK/article/download/2844/2820)
- Pitangui, AC, Gomes, MR, Lima, AS, Schwingel, PA, Albuquerque, AP, de Araujo, RC 2013, 'Menstrual disturbances: prevalence, characteristics, and effects on the activities of daily living among adolescent girls from Brazil', *Journal of Pediatric and Adolescent Gynecology*, vol. 26, no. 3, p. 148-152, diakses 25 Juli 2017 <https://www.ncbi.nlm.nih.gov/pubmed/23507005>

- Potter, PA & Perry, AG 2009, *Buku Ajar Fundamental Keperawatan Konsep, Proses dan Praktik edisi 4*, EGC, Jakarta
- Prawirohardjo, S 2008, *Ilmu Kandungan Edisi 3*, Yayasan Bina Pustaka, Jakarta
- Proctor, ML & Farquhar, CM 2007, 'Dysmenorrhea', *British Medical Journal*, vol. 3, p. 813-838, diakses 2 Agustus 2017  
<https://www.ncbi.nlm.nih.gov/pubmed/19454059>
- Proverawati, A & Misaroh, S 2009, *Menarche Menstruasi Pertama Penuh Makna*, Nuha Medika, Yogyakarta
- Reece, RA, Barbieri, RL 2010, *Obstetrics and Gynecology: The Essentials of Clinical Care*, Thieme Medical Publisher
- Roehrs, TA, Harris, E, Randall, S, Roth T 2012, 'Pain sensitivity and recovery from mild chronic sleep loss', *Sleep*, vol. 35, p. 1667-1672, diakses 20 Juli 2017  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3490359/pdf/aasm.35.12.1667.pdf>
- Saadah, S 2014, *Hubungan Aktivitas Fisik dengan Dismenore Pada Mahasiswa Program Studi Ilmu Keolahragaan*, Skripsi Fakultas Pendidikan dan Kesehatan Universitas Pendidikan Indonesia, Bandung, diakses 20 Juli 2017  
<http://repository.upi.edu/6594/2/SIKOR0900071Abstract.pdf>
- Safitri, R, Rahman, N, Hasanah 2015, 'Hubungan asupan kalsium dan aktivitas fisik dengan kejadian dismenore pada siswi kelas XI di SMAN 2 Palu', *Jurnal Kesehatan Tadulako*, vol. 1, no. 1, p. 58-69, diakses 30 Juli 2017  
<http://jurnal.untad.ac.id/jurnal/index.php/HealthyTadulako/article/view/5734/4500>
- Sakinah 2016, *Faktor-Faktor Yang Berhubungan Dengan Kejadian Dismenorea Primer Pada Remaja*, Skripsi Departemen Gizi Masyarakat Fakultas Ekologi Manusia Institut Pertanian Bogor, diakses 21 Juli 2017  
<http://repository.ipb.ac.id/jspui/bitstream/123456789/86954/1/I16sak.pdf>
- Sekartini, R 2011, *Kumpulan Tips Pediatrik*, Badan Penerbit Ikatan Dokter Anak Indonesia, Jakarta
- Septa, A 2016, *Hubungan Kualitas Tidur dengan Tekanan Darah Pada Mahasiswa Fakultas Kedokteran Universitas Pembangunan Nasional "Veteran" Jakarta Angkatan 2015*, Skripsi Fakultas Kedokteran Universitas Pembangunan Nasional "Veteran" Jakarta, Jakarta
- Sherwood, L 2016, *Human Physiology From Cell to Systems 9th Edition*, Cengage Learning, Canada

Silverthorn, DU 2013, *Human Physiology An Integrated Approach 6th Edition*, Pearson

Singh, A & Purohit, B 2011, 'Evaluation of global physical activity questionnaire (GPAQ) among healthy and obese health professionals in Central India', *Baltic Journal of Health and Physical Activity*, vol. 3. p. 34-43, diakses 20 Juli 2017  
<http://www.rafapana.org/attachments/article/38/GPAQ-2011-obesity.pdf>

Smeltzer, SC & Bare, BG 2002, *Buku Ajar Keperawatan Medikal Bedah: Brunner & Suddarth 8th Edition*, EGC, Jakarta

Smith, M 2007, 'The effects of sleep deprivation on pain inhibition and spontaneous pain in women', *Sleep (New York, N.Y.)*, vol. 30, p. 494–505, diakses 2 Agustus 2017 <https://www.ncbi.nlm.nih.gov/pubmed/17520794>

Sophia, F, Muda, S, Jenadi 2013, 'Faktor-faktor yang berhubungan dengan dismenore pada siswi smk negeri 10 medan tahun 2013', *Jurnal Gizi, Kesehatan Reproduksi, dan Epidemiologi*, vol. 2, no. 5, p. 1-10, diakses 1 Desember 2017  
<https://jurnal.usu.ac.id/index.php/gkre/article/view/4060/1894>

Swarjana, IK 2006, *Statistik Kesehatan*, Penerbit Andi, Yogyakarta

The Society of Obstetricians and Gynecologists of Canada 2005, 'Primary dysmenorrhea consensus guideline', *Journal of Obstetrics and Gynaecology Canada*, vol. 30, no. 3, p. 1-48, diakses 1 Agustus 2017  
<https://sogc.org/wp-content/uploads/2013/01/169E-CPG-December2005.pdf>

Titilayo, A, Agunbiade, OM, Banjo, O, Lawani, A 2009, 'Menstrual discomfort and its influence on daily academic activities and psychosocial relationship among undergraduate female students in nigeria', *Tanzania Journal of Health Research*, p. 181-188, diakses 10 Agustus 2017  
<https://www.ncbi.nlm.nih.gov/pubmed/20734697>

Unsal, A, Ayrancı, U, Tozun, M, Arslan, G, Calik, E 2010, 'Prevalence of dysmenorrhea and its effect on quality of life among a group of female university students', *Upsala journal of medical sciences*, vol. 115, no. 2, p. 138-145, diakses 2 Agustus 2017  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2853792/pdf/UPS-0300-9734-115-138.pdf>

World Health Organization 2016, 'Global physical activity questionnaire analysis guide', diakses 10 Agustus 2017  
<http://www.who.int/ncds/surveillance/steps/resources/GPAQAnalysisGuide.pdf>

World Health Organization 2018, ‘Global recommendations on physical activity for health’, WHO Press, diakses 10 Januari 2018  
<http://www.who.int/dietphysicalactivity/factsheetrecommendations/en/>

Widjanarko, B 2006, *Dismenore Tinjauan Terapi Pada Dismenore Primer*, Majalah Kedokteran Damianus, vol. 5, no. 16

Williams, L & Wilkins, L 2014, *ASCM's Guidelines for Exercise Testing and Prescription 9th Edition*, ASCM's Publisher, Philadelphia USA

Woosley, JA & Lichstein, KL 2014, ‘Dysmenorrhea, the menstrual cycle and sleep’, *Behavioral Medicine.*, vol. 40, no. 1, p. 14-21, diakses 3 Agustus 2018  
<https://www.ncbi.nlm.nih.gov/pubmed/24512361>

Yudhanti, MD 2014, *Hubungan Kualitas Tidur dengan Kejadian Dismenore Primer pada Mahasiswa Fakultas Kedokteran Universitas Sebelas Maret*, Skripsi Fakultas Kedokteran Universitas Sebelas Maret, Surakarta, diakses 25 Juli 2017 <https://eprints.uns.ac.id/16537/>

Yudiyanta, NK & Novitasari, RW 2015, ‘Assesment Nyeri’, CDK-226 ,vol. 42, no. 3, p. 1-21, diakses 1 Desember 2017  
<http://kalbemed.com/Portals/6/19226Teknik-Assessment%20Nyeri.pdf>

