

DAFTAR PUSTAKA

- Alit Kamayoga, I. D. G. *et al.* 2017 ‘Intervensi Dumbbell Lunges Dan Core Stability Exercise Lebih Baik Daripada Intervensi Elastic Band Dan Core Stability Exercise Terhadap Peningkatan Keseimbangan Dinamis Pada Pemain Skateboard Dengan Kondisi Chronic Ankle Instability’, *Sport and Fitness Journal*, 5(3), pp. 85–92. doi: 10.24843/spj.2017.v05.i03.p12.
- Arifin, Safrin ; Yani, S. 2019 *Atlas Anatomi Otot Manusia untuk Fisioterapi*. 2nd edn. Edited by A. Suslia.
- Atar, Ö. 2018 ‘COMPARISON OF STATIC AND DYNAMIC BALANCE PARAMETERS OF ATHLETES IN TENNIS AND’, 4(I), pp. 46–53. doi: 10.5281/zenodo.1136340.
- Babaei-Ghazani, A. *et al.* 2017 ‘Reliability and validity of the Persian translation of Berg Balance Scale in Parkinson disease’, *Aging Clinical and Experimental Research*. Springer International Publishing, 29(5), pp. 857–862. doi: 10.1007/s40520-016-0682-7.
- Benavent-Caballer, V. *et al.* 2015 ‘Factors associated with the 6-minute walk test in nursing home residents and community-dwelling older adults’, *Journal of Physical Therapy Science*, 27(11), pp. 3571–3578. doi: 10.1589/jpts.27.3571.
- Bennett, H. *et al.* 2016 ‘Validity of Submaximal Step Tests to Estimate Maximal Oxygen Uptake in Healthy Adults’, *Sports Medicine*. Springer International Publishing, 46(5), pp. 737–750. doi: 10.1007/s40279-015-0445-1.
- Bohannon, R. W., Wolfson, L. I. and White, W. B. 2017 ‘Functional reach of older adults: normative reference values based on new and published data’, *Physiotherapy (United Kingdom)*. The Chartered Society of Physiotherapy, 103(4), pp. 387–391. doi: 10.1016/j.physio.2017.03.006.
- Carrasco-Poyatos, M., Ramos-Campo, D. J. and Rubio-Arias, J. A. 2019 ‘Pilates versus resistance training on trunk strength and balance adaptations in older women: A randomized controlled trial’, *PeerJ*, 2019(11), pp. 1–21. doi: 10.7717/peerj.7948.
- Collin, P.G., Oskouian, R.J., Loukas,M., D’Antoni, A. V., & Tubbs, R. . 2017 ‘Five Common Clinical Presentations in the elderly: An anatomical review. Clinical Anatomy’, pp. 168–174. doi: <https://doi.org/10.1002/ca.22771>.

- Dashti, P., Shabani, M. and Moazami, M. 2015 'Comparison of the effects of two selected exercises of Theraband and Pilates on the balance and strength of lower limb in elderly women', *Iranian Journal of Obstetrics, Gynecology and Infertility*, 18(153), pp. 1–9.
- Downs, S. 2015 'The Berg Balance Scale', *Journal of Physiotherapy*. Korea Institute of Oriental Medicine, 61(1), p. 46. doi: 10.1016/j.jphys.2014.10.002.
- Ellenbecker, T. 2003 *The Science and Clinical Application of Elastic Resistance*.
- Gautschi, O. P. et al. 2016 'Validity and reliability of a measurement of objective functional impairment in lumbar degenerative disc disease: The Timed Up and Go (TUG) test', *Neurosurgery*, 79(2), pp. 270–278. doi: 10.1227/NEU.0000000000001195.
- Godin, B. and Hoessle, N. 2017 'for Fall Risk', 33(2), pp. 113–117. doi: 10.1097/TGR.0000000000000145.
- Gras, L. Z. et al. 2017 'Convergent Validity of the Sharpened Romberg', *Physical and Occupational Therapy in Geriatrics*. Taylor & Francis, 35(2), pp. 99–108. doi: 10.1080/02703181.2017.1307897.
- Halvarsson, A., Franzén, E. and Ståhle, A. 2014 'Balance training with multi-task exercises improves fall-related self-efficacy, gait, balance performance and physical function in older adults with osteoporosis: a randomized controlled trial', *Clinical Rehabilitation*, 29(4), pp. 365–375. doi: 10.1177/0269215514544983.
- Harato, K. et al. 2017 'Factors affecting one-leg standing time in patients with end-stage knee osteoarthritis and the age-related recovery process following total knee arthroplasty', *Journal of Orthopaedic Surgery and Research*. Journal of Orthopaedic Surgery and Research, 12(1), pp. 1–6. doi: 10.1186/s13018-017-0522-2.
- Heitzman, J. E. 2018 'Effect of Individual Height and Testing Methods on Outcome of the Forward Functional Reach Test', (61).
- Huang, M. H. et al. 2017 'Journal of Geriatric Oncology Prevalence of self-reported falls , balance or walking problems in older cancer survivors from Surveillance , Epidemiology and End Results — Medicare Health Outcomes Survey', *Journal of Geriatric Oncology*. Elsevier Ltd, pp. 8–14. doi: 10.1016/j.jgo.2017.05.008.
- Jayanti, N. putu ayu 2008 'Pengaruh Senam Kegel Dan Pijat Perineum Terhadap Kekuatan Otot Dasar Panggul Lansia', pp. 27–33.

- Kelly, G. A. and Lazarus, J. 2015 ‘Perceptions of successful aging: Intergenerational voices value well-being’, *International Journal of Aging and Human Development*, 80(3), pp. 233–247. doi: 10.1177/0091415015591678.
- Kiik, S. M., Sahar, J. and Permatasari, H. 2018 ‘Peningkatan Kualitas Hidup Lanjut Usia (Lansia) Di Kota Depok Dengan Latihan Keseimbangan’, *Jurnal Keperawatan Indonesia*, 21(2), pp. 109–116. doi: 10.7454/jki.v21i2.584.
- Kisner, C. 2017 *Terapi Latihan Dasar dan Teknik*. edisi 6. Edited by Nur Aisyah. EGC.
- Kusumawardani, D. and Andanawarih, P. 2018 ‘Peran Posyandu Lansia Terhadap Kesehatan Lansia Di Perumahan Bina Griya Indah Kota Pekalongan’, *Jurnal SIKLUS volume 7 Nomor 1 Januari 2018*, 7(1), pp. 273–277.
- Kwak, C., Kim, Y. L. and Lee, S. M. 2016 ‘Effects of elastic-band resistance exercise on balance , mobility and gait function , flexibility and fall efficacy in elderly people’, pp. 3189–3196.
- Lamhammad, F. H. 2015 ‘Manfaat Brain Gym terhadap Penurunan Tingkat Depresi pada Usia Lanjut Benefits of Brain Gym to Decrease Depression Level in Elderly’, 4(November), pp. 47–52.
- Landstrake, M. 2012 ‘Resistance Band & Tubing Instruction Manual’, *The Hygenic Coorporation*, pp. 1–40. doi: 10.1071/MF10269.
- Lee, D. K. et al. 2015 ‘Relationships among the Y balance test, Berg Balance Scale, and lower limb strength in middle-aged and older females’, *Brazilian Journal of Physical Therapy*, 19(3), pp. 227–234. doi: 10.1590/bjpt-rbf.2014.0096.
- Lee, J. W., Kim, S. B. and Kim, S. W. 2018 ‘Effects of elastic band exercises on physical ability and muscular topography of elderly females’, *Journal of Physical Therapy Science*, 30(2), pp. 248–251. doi: 10.1589/jpts.30.248.
- Mañana-Rodríguez, J. 2015 ‘A critical review of SCImago Journal & Country Rank’, *Research Evaluation*, 24(4), pp. 343–354. doi: 10.1093/reseval/rvu008.
- Manangkot, M. V., Sukawana, I. W. and Witarsa, I. M. S. 2016 ‘Pengaruh Senam Lansia Terhadap Keseimbangan Tubuh’, *Community of Publishing in Nursing*, (April), pp. 24–27.

- Markovic, G. *et al.* 2015 ‘Effects of feedback-based balance and core resistance training vs. Pilates training on balance and muscle function in older women: A randomized-controlled trial’, *Archives of Gerontology and Geriatrics*. Elsevier Ireland Ltd, 61(2), pp. 117–123. doi: 10.1016/j.archger.2015.05.009.
- Mesquita, L. S. D. A. *et al.* 2015 ‘Effects of two exercise protocols on postural balance of elderly women: A randomized controlled trial’, *BMC Geriatrics*. ???, 15(1), pp. 1–9. doi: 10.1186/s12877-015-0059-3.
- Moore, M. and Barker, K. 2017 ‘The validity and reliability of the four square step test in different adult populations: A systematic review’, *Systematic Reviews*. Systematic Reviews, 6(1), pp. 1–9. doi: 10.1186/s13643-017-0577-5.
- Motalebi, S. A. *et al.* 2018 ‘Effect of low-cost resistance training on lower-limb strength and balance in institutionalized seniors’, *Experimental Aging Research*. Routledge, 44(1), pp. 48–61. doi: 10.1080/0361073X.2017.1398810.
- Nelson-Wong, E. *et al.* 2012 ‘Increased fall risk is associated with elevated co-contraction about the ankle during static balance challenges in older adults’, *European Journal of Applied Physiology*, 112(4), pp. 1379–1389. doi: 10.1007/s00421-011-2094-x.
- Nugraheni, S. W. 2013 ‘Kata Kunci: Kebugaran jasmani, lanjut usia, panti wredha Dharma Bhakti’, *Ilmiah Rekam Medis dan Informatika Kesehatan*, 3(1), pp. 22–32.
- Ortega, F. B. *et al.* 2015 ‘Systematic Review and Proposal of a Field-Based Physical Fitness-Test Battery in Preschool Children: The PREFIT Battery’, *Sports Medicine*, 45(4), pp. 533–555. doi: 10.1007/s40279-014-0281-8.
- Ouchi, Y. *et al.* 2017 ‘Redefining the elderly as aged 75 years and older: Proposal from the Joint Committee of Japan Gerontological Society and the Japan Geriatrics Society’, *Geriatrics and Gerontology International*, 17(7), pp. 1045–1047. doi: 10.1111/ggi.13118.
- Ouyang, P. and Sun, W. 2018 ‘The association between depressive symptoms and fall accidents among middle-aged and elderly people in China’, *Environmental Health and Preventive Medicine*. Environmental Health and Preventive Medicine, 23(1), pp. 1–8. doi: 10.1186/s12199-018-0735-y.
- Pierleoni, P. *et al.* 2016 ‘A Wearable Fall Detector for Elderly People Based on

- AHRS and Barometric Sensor', *IEEE Sensors Journal*, 16(17), pp. 6733–6744. doi: 10.1109/JSEN.2016.2585667.
- Ribeiro, K. M. O. B. de F. *et al.* 2017 ‘Effects of balance Vestibular Rehabilitation Therapy in elderly with Benign Paroxysmal Positional Vertigo: a randomized controlled trial’, *Disability and Rehabilitation*, 39(12), pp. 1198–1206. doi: 10.1080/09638288.2016.1190870.
- Risangdiptya, G. and Ambarwati, E. 2016 ‘Perbedaan Antara Keseimbangan Tubuh Sebelum Dan Sesudah Senam Pilates Pada Wanita Usia Muda’, *Jurnal Kedokteran Diponegoro*, 5(4), pp. 911–916.
- Roldan-Valadez, E. *et al.* 2019 ‘Current concepts on bibliometrics: a brief review about impact factor, Eigenfactor score, CiteScore, SCImago Journal Rank, Source-Normalised Impact per Paper, H-index, and alternative metrics’, *Irish Journal of Medical Science*. Irish Journal of Medical Science (1971 -), 188(3), pp. 939–951. doi: 10.1007/s11845-018-1936-5.
- Sgrò, F. *et al.* 2015 ‘Assessment of balance abilities in elderly people by means of a clinical test and a low-cost force plate’, *Kinesiology*, 47(1), pp. 33–43.
- Sharma Ex-Head, A. 2017 ‘Indian Journal of Physiotherapy and Occupational Therapy Editor-in-Chief’, 11(3). Available at: www.ijpot.com.
- Sibley, K. M. *et al.* 2015 ‘Using the systems framework for postural control to analyze the components of balance evaluated in standardized balance measures: A scoping review’, *Archives of Physical Medicine and Rehabilitation*. American Congress of Rehabilitation Medicine, 96(1), pp. 122-132.e29. doi: 10.1016/j.apmr.2014.06.021.
- Sprint, G., Cook, D. J. and Weeks, D. L. 2015 ‘Toward Automating Clinical Assessments: A Survey of the Timed Up and Go’, *IEEE Reviews in Biomedical Engineering*, 8, pp. 64–77. doi: 10.1109/RBME.2015.2390646.
- Uchida, M. C. *et al.* 2016 ‘Thera-band® elastic band tension: Reference values for physical activity’, *Journal of Physical Therapy Science*, 28(4), pp. 1266–1271. doi: 10.1589/jpts.28.1266.
- Vafaeenab, M. R. *et al.* 2019 ‘Original Article The Effect of Lower Limb Resistance Exercise with Elastic Band on Balance , Walking Speed , and Muscle Strength in Elderly Women’, 5(1), pp. 58–64.
- WHO 2010 *Elderly population.*