

## DAFTAR PUSTAKA

- Aging and health, *World Health Organization*, 2018. Di akses 29 Desember 2019.  
<https://www.who.int/news-room/fact-sheets/detail/ageing-and-health>.
- Departemen kesehatan, Republik Indonesia 2019. Indonesia Masuki Periode Aging Population, diakses 29 Desember 2019.  
<https://www.depkes.go.id/article/view/19070500004/Indonesia-masuki-periode- aging-population.html>.
- Indonesia, Undang-undang 1998, Undang-undang Republik Indonesia nomor 13 tahun 1998 tentang kesejahteraan lanjut usia,Jakarta.
- Faulkner, J. A. et al. 2007 „Age-related changes in the structure and function of skeletal muscles“, *Clinical and Experimental Pharmacology and Physiology*, 34(11), pp. 1091–1096. doi: 10.1111/j.1440-1681.2007.04752.x.
- Kim, S. D. 2019 „Association between sitting time and orthopedic conditions in Korean older adults“, *Geriatric Nursing*. Elsevier Inc., 000, pp. 0–4. doi: 10.1016/j.gerinurse.2019.06.007.
- Riebe, D. et al. 2009 „The relationship between obesity, physical activity, and physical function in older adults“, *Journal of Aging and Health*, 21(8), pp. 1159–1178. doi: 10.1177/0898264309350076.
- Wullems, J. A. et al. 2016 „A review of the assessment and prevalence of sedentarism in older adults, its physiology/health impact and non-exercise mobility counter- measures“, *Biogerontology*, 17(3), pp. 547–565. doi: 10.1007/s10522-016-9640-1.
- De Carvalho, D., Grondin, D. and Callaghan, J. 2017 „The impact of office chair features on lumbar lordosis, intervertebral joint and sacral tilt angles: a radiographic assessment“, *Ergonomics*. Taylor & Francis, 60(10), pp. 1393–1404. doi: 10.1080/00140139.2016.1265670.
- DiPietro, L. 2001 „Physical Activity in Aging: Changes in Patterns and Their Relationship to Health and Function“, *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 56(Supplement 2), pp. 13–22. doi: 10.1093/gerona/56.suppl\_2.13.
- Kemenkes 2019 „Indonesia masuki periode aging population“, *Indonesia Masuki Periode Aging Population*, pp. 9–11.
- Kim, Y. and Lee, E. 2019 „The association between elderly people’s sedentary

- behaviors and their health-related quality of life: Focusing on comparing the young-old and the old-old", *Health and Quality of Life Outcomes*. Health and Quality of Life Outcomes, 17(1), pp. 1–9. doi: 10.1186/s12955-019-1191-0.
- Tremblay, M. S. et al. 2017 „Sedentary Behavior Research Network (SBRN) - Terminology Consensus Project process and outcome“, *International Journal of Behavioral Nutrition and Physical Activity*. International Journal of Behavioral Nutrition and Physical Activity, 14(1), pp. 1–17. doi: 10.1186/s12966-017-0525-8.
- Martuscello Jason, 2012. , Gravity: Your Back“s Best Friend'. di akses 27 januari 2020 23.52  
<http://www.nigionline.org/articles/2012March.html>
- Fitness Focus 2008, 12(5), p. 5643.
- Janssen, B. et al. 2014 „EQ-5D-Y User Guide“, (August).
- Kemenkes 2019 „Indonesia masuki periode aging population“, *Indonesia Masuki Periode Aging Population*, pp. 9–11.
- Macdonald, R. 1992 *Therapeutic Exercise: Foundations and Techniques*. 2nd Edn, *British Journal of Sports Medicine*. doi:10.1136/bjsm.26.1.69.
- Diehl, M. and Wahl, H. W. 2015 „Annual review of gerontology and geriatrics, Vol. 35, 2015: Subjective aging: New developments and future directions“, in *Annual review of gerontology and geriatrics*, Vol.
- Duray, M. and Genç, A. 2017 „The relationship between physical fitness and falling risk and fear of falling in community-dwelling elderly people with different physical activity levels“, *Turkish Journal of Medical Sciences*, 47(2), pp. 455–462. doi: 10.3906/sag-1511-101.
- Ferreira, S. et al. 2018 „Physical Activity and Functional Fitness in Elderly Living in Nursing Homes or Using Day Care Centers: an Exploratory Study“, *Egitania sciencia*, (January), pp. 81–96.
- Kasović, M., Štefan, L. and Zvonař, M. 2020 „Domain-specific and total sedentary behavior associated with gait velocity in older adults: The mediating role of physical fitness“, *International Journal of Environmental Research and Public Health*, 17(2). doi: 10.3390/ijerph17020593.
- Marmeleira, J., Ferreira, S. and Raimundo, A. 2017 „Physical activity and physical fitness of nursing home residents with cognitive impairment: A pilot study“, *Experimental Gerontology*. Elsevier, 100(February), pp. 63–69. doi: 10.1016/j.exger.2017.10.025.

- Sardinha, L. B. et al. 2015 „Breaking-up sedentary time is associated with physical function in older adults“, *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, 70(1), pp. 119–124. doi: 10.1093/gerona/glu193.
- Silva, F. M. et al. 2019 „The sedentary time and physical activity levels on physical fitness in the elderly: A comparative cross sectional study“, *International Journal of Environmental Research and Public Health*, 16(19), pp. 1–11. doi: 10.3390/ijerph16193697.
- Tremblay, M. S. et al. 2017 „Sedentary Behavior Research Network (SBRN) - Terminology Consensus Project process and outcome“, *International Journal of Behavioral Nutrition and Physical Activity*. International Journal of Behavioral Nutrition and Physical Activity, 14(1), pp. 1–17. doi: 10.1186/s12966-017-0525-8.
- Ylinen, J. et al. 2009 „Effect of stretching on hamstring muscle compliance“, *Journal of Rehabilitation Medicine*, 41(1), pp. 80–84. doi: 10.2340/16501977-0283.
- Stathokostas, L. et al. 2012 „Flexibility training and functional ability in older adults: A systematic review“, *Journal of Aging Research*, 2012. doi: 10.1155/2012/306818.