

## DAFTAR PUSTAKA

- Abassi, M., Bleakley, C., & Whiteley, R. 2019. Athletes at late stage rehabilitation have persisting deficits in plantar- and dorsiflexion, and inversion (but not eversion) after ankle sprain. *Physical Therapy in Sport*, 38, 30–35. <https://doi.org/10.1016/j.ptsp.2019.04.015>
- Alawna, M. A., Unver, B. H., & Yuksel, E. O. 2019. The reliability of a smartphone goniometer application compared with a traditional goniometer for measuring ankle joint range of motion. *Journal of the American Podiatric Medical Association*, 109(1), 22–29. <https://doi.org/10.7547/16-128>
- Ambardini, B. S. N. dan R. L. 2016. Tingkat Pengetahuan Atlet Tentang Cedera Ankle Dan. *Jurnal Medikora*, 15(1), 23–38.
- Burger, M., Dreyer, D., Fisher, R. L., Foot, D., O'Connor, D. H., Galante, M., & Zalganokir, S. 2018. The effectiveness of proprioceptive and neuromuscular training compared to bracing in reducing the recurrence rate of ankle sprains in athletes: A systematic review and meta-analysis. *Journal of Back and Musculoskeletal Rehabilitation*, 31(2), 221–229. <https://doi.org/10.3233/BMR-170804>
- Drewes, L. K., McKeon, P. O., Casey Kerrigan, D., & Hertel, J. 2009. Dorsiflexion deficit during jogging with chronic ankle instability. *Journal of Science and Medicine in Sport*, 12(6), 685–687. <https://doi.org/10.1016/j.jsams.2008.07.003>
- Gur, G., Turgut, E., Dilek, B., Baltaci, G., Bek, N., & Yakut, Y. 2017. Validity and Reliability of Visual Analog Scale Foot and Ankle: The Turkish Version. *Journal of Foot and Ankle Surgery*, 56(6), 1213–1217. <https://doi.org/10.1053/j.jfas.2017.06.001>
- Hyouk, H. I., & Hyun, K. J. 2012. The effect of forward head on ankle joint range of motion and static balance. *Journal of Physical Therapy Science*, 24(9), 925–927. <https://doi.org/10.1589/jpts.24.925>
- Lazarou, L., Kofotolis, N., Pafis, G., & Kellis, E. 2018. Effects of two proprioceptive training programs on ankle range of motion, pain, functional and balance performance in individuals with ankle sprain. *Journal of Back and Musculoskeletal Rehabilitation*, 31(3), 437–446. <https://doi.org/10.3233/BMR-170836>
- Lyu, B. J., Lee, C. L., Chang, W. D., & Chang, N. J. 2020. Effects of vibration rolling with and without dynamic muscle contraction on ankle range of

motion, proprioception, muscle strength and agility in young adults: A crossover study. *International Journal of Environmental Research and Public Health*, 17(1). <https://doi.org/10.3390/ijerph17010354>

Martin, B. 2008. Ankle Sprain Complications : MRI Evaluation. *Clinics in Podiatric Medicine and Surgery*, 203–247.

Pinto, M. D., Wilson, C. J., Kay, A. D., Cochrane, J., & Blazevich, A. J. 2019. The effect of isokinetic dynamometer deceleration phase on maximum ankle joint range of motion and plantar flexor mechanical properties tested at different angular velocities. *Journal of Biomechanics*, 92(May), 169–174. <https://doi.org/10.1016/j.jbiomech.2019.05.036>

Plaza-Manzano, G., Vergara-Vila, M., Val-Otero, S., Rivera-Prieto, C., Pecos-Martin, D., Gallego-Izquierdo, T., Ferragut-Garcías, A., & Romero-Franco, N. 2016. Manual therapy in joint and nerve structures combined with exercises in the treatment of recurrent ankle sprains: A randomized, controlled trial. *Manual Therapy*, 26, 141–149. <https://doi.org/10.1016/j.math.2016.08.006>

Riva, D., Bianchi, R., Rocca, F., & Mamo, C. 2016. Proprioceptive Training and Injury Prevention in a Professional Men's Basketball Team: A Six-Year Prospective Study. *Journal of Strength and Conditioning Research*, 30(2), 461–475. <https://doi.org/10.1519/JSC.0000000000001097>

Rivera, M. J., Winkelmann, Z. K., Powden, C. J., & Games, K. E. 2017. *nl in e F irs e F*. 52(11), 0–2. <https://doi.org/10.1155/2015/842804.4>.

Sung Shin Kim, hyung Jin Lee, young youL you. (2015). *Effects of ankle strengthening exercises combined with motor imagery training on the timed up and go test score a.*

Wanderley, D., Lemos, A., Moretti, E., Barros, M. M. M. B., Valença, M. M., & de Oliveira, D. A. 2019. Efficacy of proprioceptive neuromuscular facilitation compared to other stretching modalities in range of motion gain in young healthy adults: A systematic review. *Physiotherapy Theory and Practice*, 35(2), 109–129. <https://doi.org/10.1080/09593985.2018.1440677>

