

## DAFTAR PUSTAKA

- Al-Khudairy, L, Hartley, L, Clar, C, Flowers, N, Hooper, L, Rees, K 2014, 'Omega 6 fatty acids for the primary prevention of cardiovascular disease', *Cochrane Database of Systematic Reviews*, September 2014, pp 1-59.
- Aldinger, F dan Schulze, TG 2016, 'Environmental factors, life events, and trauma in the course of bipolar disorder', *Psychiatry and Clinical Neurosciences*, Agustus 2016, vol.71, pp 6–17.
- Alenina, N dan Klempin, F 2014, 'The role of serotonin in adult hippocampal neurogenesis', *Behavioural Brain Research*, Elsevier B.V., Juli 2014, pp 1–9.
- American Psychiatric Association 2013, *DSM-5. Diagnostic and Statistical Manual of Mental Disorders the Fifth Edition*, American Psychiatric Association, Arlington.
- American Psychological Association 2012, 'Guidelines for Psychological Practice With Lesbian, Gay, and Bisexual Clients', *American Psychological Association*, Januari 2012, vol.67, no.1, pp 10–42.
- Amin, MA dan Juniati, D 2017, 'Klasifikasi kelompok umur manusia berdasarkan analisis dimensi fraktal box counting dari citra wajah dengan deteksi tepi canny', *Jurnal Ilmiah Matematika*, vol.2, no.6, hlm. 33-42.
- Amminger, GP, et al 2015, 'Psychotic disorders by the Vienna omega-3 study', *Nature Communications*, Agustus 2015, pp 6–12.
- Anderson, IM, Haddad, PM, Scott, J 2013, 'Bipolar disorder', *BMJ Group's Psychiatry*, Januari 2013, vol.346.
- Angkasa, D, dkk 2019, 'Validation of a semi-quantitative food frequency questionnaire for estimating dietary omega-3 fatty acids intake among urban Indonesian pregnant women', *Mal J Nutr*, vol.25, no.2, hlm 321–335.
- Anglin, RES, et al 2013, 'Vitamin D deficiency and depression in adults: systematic review and meta-analysis', *The British Journal of Psychiatry*, pp 100–107.
- Appelhans, BM, et al 2012, 'Activity in women with obesity and depression', *Journal of the Academy of Nutrition and Dietetics*, Februari 2012, vol.112, pp 693–698.

- Artaria, MD 2017, 'Dasar biologis variasi jenis kelamin, gender, dan orientasi seksual', *BioKultur*, Juni 2017, vol.5, no.2, hlm. 157-165.
- Asghari, BL, Zeynali, F, Sahari, MA 2013, 'Effects of boiling, deep-frying, and microwave treatment on the proximate composition of rainbow trout fillets : changes in fatty acids, total protein, and minerals', *Journal of Applied Ichthyology*, pp 1–7.
- Ashok, AH, et al 2017, 'The dopamine hypothesis of bipolar affective disorder : the state of the art and implications for treatment', *Nature Publishing Group*. July 2016, vol.22, pp 666–679.
- Ayano, Getinet 2016, 'Bipolar disorder : a concise overview of etiology, epidemiology diagnosis and management: review of literatures', *Symbiosis Group*, December 2016, pp 1–8.
- Balanzá-Martinez, V, et al 2012, 'Therapeutic use of omega-3 fatty acids in bipolar disorder', *Expert Rev. Neurother.*, Juli 2012, vol.11, no.7, pp 1029–1048.
- Bartolomeis, AD, et al 2014, 'The emerging role of dopamine-glutamate interaction and of the postsynaptic density in bipolar disorder pathophysiology: Implications for treatment'. *Journal of Psychopharmacology*, November 2014, vol.28, no.6, pp 505 –526.
- Batlle, JD, et al 2012, 'Association between  $\Omega$  3 and  $\Omega$  6 fatty acid intakes and serum inflammatory markers in COPD', *The Journal of Nutritional Biochemistry*. Elsevier Inc., vol.23, no.7, pp 817–821.
- Bentsen, Håvard 2017, 'Dietary polyunsaturated fatty acids, brain function and mental health', *Microbial Ecology in Health and Disease*. Taylor & Francis, vol. 28.
- Berger, ME, et al 2017, 'Omega-6 to omega-3 polyunsaturated fatty acid ratio and subsequent mood disorders in young people with at-risk mental states: a 7-year longitudinal study', *Transl Psychiatry*, April 2017, vol.7, pp 1–6.
- Berk, M, et al 2011, 'Pathways underlying neuroprogression in bipolar disorder: Focus on inflammation, oxidative stress and neurotrophic factors', *Neuroscience and Biobehavioral Reviews*. Elsevier Ltd, vol.35, no.3, pp 804–817.
- Beydoun, MA, et al 2015, 'Associations of the ratios of n-3 to n-6 dietary fatty acids with longitudinal changes in depressive symptoms among us women', *American Journal of Epidemiology*, vol.181, no.9, pp 691–705.

Beyer, JL, dan Weisler RH 2015, ‘Suicide behaviors in bipolar disorder a review and update for the clinician bipolar depression suicide lithium antidepressants risk factors’, *Psychiatric Clinics of NA*. Elsevier Inc., vol.39, no.1, pp 111-123.

Bipolar Care Indonesia n.d, diakses 22 Juni 2020,  
<https://www.bipolarcareindonesia.org/p/about.html>

Blasbalg, TL, et al 2011, ‘Changes in consumption of omega-3 and omega-6 fatty acids in the United States during the 20th century’, *American Journal of Clinical Nutrition*. vol.93, pp 950–962.

Bobo, William V 2017, ‘The diagnosis and management of Bipolar I and II disorders’, *Mayo Foundation for Medical Education and Research*, pp 1–20.

Calder, Phillip C 2017, ‘Omega-3 fatty acids and inflammatory processes: From molecules to man’, *Biochemical Society Transactions*, vol.45, no.5, pp 1105–1115.

Capuron, L, et al 2011, ‘Relationship between adiposity , emotional status and eating behaviour in obese women: role of inflammation’, *Cambridge University Press*, vol.41, pp 1517–1528.

Chaula, D, et al 2019, ‘Fatty acid profiles and lipid oxidation status of sun dried , deep fried, and smoked sardine (*rastrineobola argentea*) from lake victoria’, *Journal of Aquatic Food Product Technology*, pp 1–12.

Cholewski, M, Tomczykowa, M, and Tomczyk, M 2018, 'A comprehensive review of chemistry, sources and bioavailability of omega-3 fatty acids', *Nutrients*. vol.10.

Christmas, DM, Potokar, JP, and Davies, SJC 2011, ‘A biological pathway linking inflammation and depression: Activation of indoleamine 2,3-dioxygenase’, *Neuropsychiatric Disease and Treatment*, vol.7, no.1, pp 431–439.

Chun, HW, et al 2020, ‘Resolvin D5, a lipid mediator, inhibits production of interleukin-6 and CCL5 via the ERK-NF- $\kappa$ B signaling pathway in lipopolysaccharide stimulated THP-1 cells’, *Journal of Microbiology and Biotechnology*, vol.30, no.1, pp 85–92.

Clemente, AS, et al 2015, ‘Bipolar disorder prevalence : a systematic review and meta-analysis of the literature’, *Revista Brasileira de Psiquiatria*, vol. 37, pp 155–161.

Daruy-Filho, R, et al 2011, ‘Childhood maltreatment and clinical outcomes of bipolar disorder’, *Acta Psychiatrica Scandinavica*, vol.124, pp 427–434.

- Davison, KM, and Kaplan, BJ 2012, 'Food intake and blood cholesterol levels of community-based adults with mood disorders', *BMC Psychiatry*, vol.12.
- Deacon, G, et al 2015, 'Critical Reviews in Food Science and Nutrition Omega 3 Polyunsaturated Fatty Acids and the Treatment of Depression', *Critical Reviews in Food Science and Nutrition*, pp. 37–41.
- Diana, Fivi Melva 2012, 'Omega 3', *Jurnal Kesehatan Masyarakat*, vol.6, no.2, pp 113–117.
- Diflorio, A, and Jones, IAN 2010, 'Is sex important? Gender differences in bipolar disorder', *International Review of Psychiatry*, October 2010, vol.22, no.5, pp 437–452
- Dinicolantonio, JJ, and O'Keefe, JH 2018, 'Importance of maintaining a low omega-6/omega-3 ratio for reducing inflammation', *Open Heart*, vol.5, no.2, pp 3–6.
- Djuric, Zora 2012, 'The Mediterranean diet: Effects on proteins that mediate fatty acid metabolism in the colon', *Nutr Rev.* vol.69, no.12, pp 730–744.
- Donovan, AO, et al 2013, 'Suicidal ideation is associated with elevated inflammation in patients with major depressive disorder', *Depression And Anxiety*. October 2012, vol.30, pp 307–314.
- Du, T, et al 2014, 'Physical and sexual abuse and early-onset bipolar disorder in youths receiving outpatient services: frequent, but not specific', *J Abnorm Child Psychol.*, Agustus 2014.
- Evans, SJ, et al 2014, 'Dietary intake and plasma metabolomic analysis of polyunsaturated fatty acids in bipolar subjects reveal dysregulation of linoleic acid metabolism', *Journal of Psychiatric Research*. Elsevier Ltd, vol. 57, no.1, pp 58–64.
- Farhud, DD, Malmir, M, and Khanahmadi, M 2014, 'Happiness & health: the biological factors-systematic review article', *Iranian J Publ Health*, vol.43, no.11, pp 1468–1477.
- Farooqui, T and Farooqui, A 2010, *Biogenic amines: pharmacological, neurochemical and molecular*. Nova Science Publishers, New York.
- Fletcher, K, et al 2014, 'The role of psychological factors in bipolar disorder: prospective relationships between cognitive style, coping style and symptom expression', *Acta Neuropsychiatrica*.

- Gibson, RA, et al 2013, 'Docosahexaenoic acid synthesis from alpha-linolenic acid is inhibited by diets high in polyunsaturated fatty acids', *Prostaglandins Leukotrienes and Essential Fatty Acids*, vol.88, no.1, pp 139–146.
- Girotti, M, Donegan, JJ, and Morilak, DA 2012, 'Influence of hypothalamic IL-6 / gp130 receptor signaling on the HPA axis response to chronic stress', *Psychoneuroendocrinology*. Elsevier Ltd. , pp 1-12.
- Goldstein, T, Ha, W, Axelson, DA, Goldstein, BI, Liao, F, et al 2012, 'Predictors of Prospectively Examined Suicide Attempts Among Youth With Bipolar Disorder', *Arch Gen Psychiatry*, vol. 69, no. 11, pp 1113–1122.
- Goldstein, Tina R 2017, 'Early-onset bipolar disorder'. *UPMC Department of Psychiatry*.
- Grosso, G, et al 2014, 'Omega-3 fatty acids and depression: Scientific evidence and biological mechanisms', *Oxidative Medicine and Cellular Longevity*. Hindawi Publishing Corporation.
- Grosso, G, et al 2016, 'Dietary n-3 PUFA , fish consumption and depression: A systematic review and meta-analysis of observational studies', *Journal of Affective Disorders*. Elsevier, vol. 205, pp 269–281.
- Gutiérrez-rojas, L, Jurado, D, and Gurpegui, M 2011, 'Factors associated with work , social life and family life disability in bipolar disorder patients', *Psychiatry Research*. Elsevier Ireland Ltd, vol.186, no.2–3, pp 254–260.
- Hamidah, S, Yian, LN, and Mohd, A 2011) 'Comparison of physico-chemical properties and fatty acid composition of elateriospermum tapos (buah perah), palm oil and soybean oil', *World Academy of Science, Engineering and Technology*, vol.81, no.9, pp 855–858.
- Handono, OT, Bashori, K 2013, 'Hubungan antara penyesuaian diri dan dukungan sosial terhadap stres lingkungan pada santri baru', *Jurnal Fakultas Psikologi*, vol.1, no.2, pp 79–89.
- Hardinsyah, Riyadi, H, dan Napitupulu, V 2012, 'Kecukupan energi, protein, lemak dan karbohidrat', *Departemen Gizi FK UI*, pp 1–26.
- Haryanto, Wahyuningsih, HD, dan Nandiroh, S 2015, 'Sistem deteksi gangguan depresi pada anak-anak dan remaja', *Jurnal Ilmiah Teknik Industri*, vol.14, no.2, pp 142–152.
- Held, C, et al 2017, 'Inflammatory biomarkers interleukin-6 and c-reactive protein and outcomes in stable coronary heart disease: experiences from the STABILITY (Stabilization of Atherosclerotic Plaque by Initiation of Darapladib Therapy) trial', *Jour. of the American Heart Association*, vol. 6.

- Henson, SM, et al 2012, ‘Coping behaviour as an adaptation to stress: post-disturbance preening in colonial seabirds’, *Journal of Biological Dynamics*, vol. 6, no.1, January 2012, pp 17–37.
- Hibbeln, CJR and Gow, RV 2014, ‘The Potential for Military Diets to Reduce Depression, Suicide, and Impulsive Aggression: A Review of Current Evidence for Omega-3 and Omega-6 Fatty Acids’, *Military Medicine*, vol.179, pp 117–128.
- Hoffmire, CA, et al 2012, ‘Prostaglandins , Leukotrienes and Essential Fatty Acids Associations between omega-3 poly-unsaturated fatty acids from fish consumption and severity of depressive symptoms: An analysis of the 2005 – 2008 National Health and Nutrition Examination Survey’, *Prostaglandins Leukotrienes and Essential Fatty Acids*. Elsevier, vol.86, no.4–5, pp 155–160.
- Ilich, JZ, et al 2014, ‘Low-grade chronic inflammation perpetuated by modern diet as a promoter of obesity and osteoporosis’, *LGCI Promotes Obesity And Osteoporosis*, vol.65, no.2, pp 139–148.
- Profil Organisasi Bipolar Care Indonesia n.d, diakses 22 Juni 2020  
<https://www.indorelawan.org/organization/5507291f9fb307fc0f650df9>
- Innes, JK, and Calder, PC 2018, ‘Omega-6 fatty acids and inflammation’, *Prostaglandins, Leukotrienes and Essential Fatty Acids*, Elsevier, pp 1-8.
- Irawati, RI 2016, *Gambaran Harga Diri Siswa Tunanatera di Sekolah Luar Biasa (SLB-A) TPA Bintoro Kabupaten Jember*, Skripsi Program Sarjana, Universitas Jember.
- Jann, MW 2014, ‘Evidence on Pharmacologic Treatments Diagnosis and Treatment of Bipolar Disorders in Adults : A Review of the Evidence on Pharmacologic Treatments’, *American Health & Drug Benefits*, vol.7, no.9, pp 489–499.
- Jenkins, TA, et al 2016, ‘Influence of tryptophan and serotonin on mood and cognition with a possible role of the gut-brain axis’, *Nutrients*, vol.8, no.1, pp 1–15.
- Jiménez, E, et al 2012, ‘Impulsivity and functional impairment in bipolar disorder’, *Journal of Affective Disorders*. Elsevier B.V., vol.136, no.3, pp 491–497.
- Joffre, C, Rey, C, Layé, S 2019, ‘N-3 polyunsaturated fatty acids and the resolution of neuroinflammation’, *Frontiers in Pharmacology*, vol.10, pp 1–16.

- Johnson, M and Bradford, C 2014, 'Omega-3, omega-6 and omega-9 fatty acids: implications for cardiovascular and other diseases', *Journal of Glycomics & Lipidomics*, vol.4, no.4, pp 4–11.
- Kaliannan, K, et al 2015, 'A host-microbiome interaction mediates the opposing effects of omega-6 and omega-3 fatty acids on metabolic endotoxemia', *Nature Publishing Group*. vol.5, pp 1–17.
- KBBI 2008, *Kamus Besar Bahasa Indonesia*. Balai Pustaka: Jakarta.
- Kemner, SM, et al 2015, 'The role of life events and psychological factors in the onset of first and recurrent mood episodes in bipolar offspring: results from the Dutch Bipolar Offspring Study', *Psychological Medicine*, vol.45, pp 2571–2581.
- Koga, N, et al 2019, 'Altered polyunsaturated fatty acid levels in relation to proinflammatory cytokines, fatty acid desaturase genotype, and diet in bipolar disorder', *Translational Psychiatry*. Springer US, vol.9, no.1.
- Köhler-forsberg, O, et al 2017, 'Brain, Behavior, and Immunity Association between C-reactive protein (CRP) with depression symptom severity and specific depressive symptoms in major depression', *Brain, Behaviour and Immunity*, Elsevier, vol.62, pp 344–350.
- Kondo, Tsuyoshi 2011, 'How can we classify mood stabilizers with different properties?', *Clinical Neuropsychopharmacology and Therapeutics*, vol.2, pp 12–23.
- Kring, AM, et al 2014, 'Abnormal Psychology Twelfth Edition-DSM 5 Update', Wiley, vol.37, no.1.
- Kudsiah, H, dkk 2018, 'IbM Kelompok Usaha Bandeng Segar Tanpa Duri di Kabupaten Pangkep Sulawesi Selatan ', *Jurnal Panrita Abdi*, vol.2, no.1, hlm. 55-63
- Kung, S, et al 2013, 'Comparing the Beck Depression Inventory-II (BDI-II) and Patient Health Questionnaire (PHQ-9) depression measures in an integrated mood disorders practice', *Journal of Affective Disorders*. Elsevier, vol.145, no.3, pp 341–343.
- Kurniawan, Y, dan Sulistyarini, I 2017, 'Terapi kognitif perilaku untuk mengurangi episode depresi berat dengan gejala psikotik', *Philantropy Journal of Psychology*, vol.1, no.1, hlm. 65–75.
- Lépine, J, and Briley, M 2011, 'The increasing burden of depression', *Neuropsychiatric Disease and Treatment*, vol.7, no.1, pp 3–7.

- Lim, AY, et al 2014, 'Clinical and sociodemographic correlates of suicidality in patients with major depressive disorder from six Asian countries', *BMC Psychiatry*, vol.14, no.37, pp 1–8.
- Linden, Anne Van Der 2019, *Cross-cultural validation of the Patient Health Questionnaire (PHQ-9) in Bahasa Indonesia to measure depression among people affected by leprosy in Central Java, Indonesia*, Thesis Program Pasca Sarjana, Vrije Universiteit Amsterdam.
- Lucas, M, et al 2011, 'Dietary intake of n-3 and n-6 fatty acids and the risk of clinical depression in women: a 10-y prospective follow-up study 1–4'. *Am J Clin Nutr*, vol.93, pp 1337-1343.
- Lukluiyyati, Novita Reni 2010, *Pola Pengobatan Pasien Depresi di Rumah Sakit Jiwa Daerah Dr. RM. Soedjarwadi Provinsi Jawa Tengah Tahun 2009*. Skripsi Program Sarjana, Universitas Muhammadiyah Surakarta.
- Manenschijn, L, et al 2012, 'Long-term cortisol in bipolar disorder: Associations with age of onset and psychiatric co-morbidity', *Psychoneuroendocrinology*. Elsevier Ltd, vol.37, no.12, pp 1960–1968.
- McManama, KH, et al 2014, 'Differentiating Adolescent Suicide Attempters from Ideators : Examining the Interaction between Depression Severity and Alcohol Use', *Suicide and Life-Threatening Behaviour*, vol.44, no.1, pp 23–33.
- Mcnamara, Robert K 2016, 'Journal of Nutrition & Intermediary Metabolism Role of Omega-3 fatty acids in the etiology , treatment , and prevention of depression : Current status and future directions', *Journal of Nutrition & Intermediary Metabolism*. Elsevier Inc., pp 1-11.
- Merikangas, K, et al 2011, 'Prevalence and Correlates of Bipolar Spectrum Disorder in the World Mental Health Survey Initiative', *Arch Gen Psychiatry*, vol.6, no.3, pp 241–251.
- Miklowitz, DJ, and Gitlin, MJ 2015, *Clinician's Guide to Bipolar Disorder*, The Guilford Press, New York.
- Millner, AJ, Lee, MD, and Nock, MK 2016, 'Describing and Measuring the Pathway to Suicide Attempts: A Preliminary Study', *Suicide and Life Threatening Behaviour*, pp 1–17.
- Mizraji, G, et al. 2018, 'Resolvin D2 restrains Th1 immunity and prevents alveolar bone loss in murine periodontitis', *Frontiers in Immunology*, vol.9, pp 1–10.

- Moradi, Y, et al 2011, ‘A Review on Fish Lipid: Composition and Changes During Cooking Methods’, *Journal of Aquatic Food Product Technology*, vol.20, no.4, pp 37–41.
- Morris, DH 2014, *Flax – A Health and Nutrition Primer*. Fourth Edi. Flax Council of Canada, Canada.
- Muneer, A 2017, ‘Mixed States in Bipolar Disorder: Etiology, Pathogenesis and Treatment’, *Chonnam Medical Journal*, vol.53, pp. 1–13.
- Nalendrya, I, Ilmu, IMB., and Arini, FA 2016, ‘Sosis Ikan Kembung (Rastrelliger Kanagurta L.) sebagai Pangan Sumber Omega 3’, *Jurnal Aplikasi Teknologi Pangan*. vol.5, no.3, hlm 71-75.
- National institute for Health and Care Excellence 2014, *The assessment and management of bipolar disorder in adults, children and young people in primary and secondary care*, The British Psychological Society & The Royal College of Psychiatrists, London.
- Notoatmodjo, Soekidjo 2012, *Metodologi Penelitian Kesehatan*, PT Asdi Mahasatya, Jakarta.
- Novitayani, Sri 2018, ‘Terapi Psikofarmaka Pada Pasien Rawat Jalan Di Rumah Sakit Jiwa Aceh’, *Idea Nursing Journal*, vol.9, no.1.
- Parial, Sonia 2015, ‘Bipolar disorder in women’, *Indian J Psychiatry*, vol.57.
- Parletta, N, et al 2017, ‘A Mediterranean-style dietary intervention supplemented with fish oil improves diet quality randomized controlled trial (HELFIMED)’, *Nutritional Neuroscience*.
- Patrick, RP, and Ames, BN 2015, ‘Vitamin D and the omega-3 fatty acids control serotonin synthesis and action, part 2: relevance for ADHD, bipolar, schizophrenia, and impulsive behavior’, *The FASEB Journal*, Juni 2015, vol.29, pp 1–16.
- Permenakertrans 2014, *Peraturan menteri tenaga kerja dan transmigrasi republik indonesia*. Available at: <https://ngada.org/bn11-2014.htm> (Accessed: 5 March 2020).
- Peraturan Menteri Kesehatan RI 2019, *Angka Kecukupan Gizi*, Peraturan Menteri Kesehatan RI, Jakarta.
- Phillips, ML, and Kupfer, DJ 2013, ‘Bipolar Disorder 2 Bipolar disorder diagnosis: challenges and future directions’, *The Lancet*. Elsevier Ltd, vol.381, no.9878, pp 1663–1671.

- Pradono, J, dan Sulistyowati, N 2013, ‘Hubungan antara tingkat pendidikan, pengetahuan tentang kesehatan lingkungan, perilaku hidup sehat dengan status kesehatan studi korelasi pada penduduk umur 10 – 24 tahun di Jakarta Pusat’, *Buletin Penelitian Sistem Kesehatan*, Januari 2014, vol.17, no.1, pp 89–95.
- Priebe, L, et al 2012, ‘Genome-wide survey implicates the influence of copy number variants (CNVs) in the development of early-onset bipolar disorder’, *Molecular Psychiatry*, vol.17, no.4, pp 421–432.
- Psaltopoulou, T, et al 2013, ‘Mediterranean diet and stroke, cognitive impairment, depression: a meta-analysis’, *Annals of Neurology*. Accepted Article.
- Putra, HP, Taufiq, AR, dan Juliani, A 2013, ‘Studi hubungan antara tingkat pendidikan dan pendapatan keluarga terhadap sikap dalam pengelolaan sampah rumah tangga’, *Jurnal Sains dan Teknologi Lingkungan*, vol.5, no.2, hlm 91–101.
- Remlinger-Molenda, A. et al 2012, ‘Activity of Selected Cytokines in Bipolar Patients During Manic and Depressive Episodes’, *Psychiatria Polska*, vol.46, no.4 pp. 599–611.
- Rituna, N, et al 2013, ‘Relationship between dietary patterns and depressive symptoms: difference by gender, and unipolar and bipolar depression’, *J Nutr Sci Vitaminol*, vol.59, pp 115–122.
- Rosenblat, JD, and McIntyre, RS 2016, ‘Bipolar Disorder and Inflammation’, *Psychiatric Clinics of NA*. Elsevier Inc, vol.39, no.1, pp 125–137.
- Rowland, TA, and Marwaha, S 2018, ‘Epidemiology and risk factors for bipolar disorder’, *Therapeutic Advances in Psychopharmacology*, vol.8, no.9, pp 251–269.
- Saputra, GT 2019, *Dukungan Sosial Keluarga Terhadap Keberfungsi Sosial Penyintas Bipolar di Komunitas Bipolar Care Indonesia*. Skripsi Program Sarjana, Universitas Islam Negeri Syarif Hidayatullah Jakarta.
- Sastroasmoro, S, dan Ismael, S 2014, *Dasar-Dasar Metodologi Penelitian Klinis*, Sagung Seto, Jakarta.
- Savitri, N, dan Puruhita, N 2014, ‘Pengaruh pemberian ikan teri (engraulis encrasicolor) terhadap kadar c-reactive protein (CRP) tikus sprague dawley usia satu bulan’, *Journal of Nutrition College*, vol.3, no.4, hlm 966-971.
- Schaffer, A, et al 2014, ‘International Society for Bipolar Disorders Task Force on Suicide: meta-analyses and meta-regression of correlates of suicide attempts and suicide deaths in bipolar disorder’, *Bipolar Disorders*, September 2014, pp. 15–17.

- Schatzberg, AF, et al 2014, 'HPA axis genetic variation , cortisol and psychosis in major depression'. *Nature Publishing Group*, June 2013, vol.19, pp. 220–227.
- Schoeyen, HK, et al 2011, 'Bipolar disorder patients have similar levels of education but lower socio-economic status than the general population', *Journal of Affective Disorders*. Elsevier B.V., vol.129, no.1–3, pp 68–74.
- Seifuddin, F, et al 2012, 'Meta-Analysis of Genetic Association Studies on Bipolar Disorder', *American Journal of Medical Genetics*, April 2012, pp 1–11.
- Setia, Maninder Singh 2018, 'Methodology Series Module 3: Cross-sectional Studies', *Indian Journal of Dermatology*, May 2016, vol.61, no.3, pp 261–264.
- Shalaby, Mohammed Nader 2017, 'The Determinants of Leadership: Genetic, Hormonal, Personality Traits Among Sport Administrators', *International Journal of Pharmaceutical and Phytopharmacological Research*, vol.7, no.5, pp 9–14.
- Sheppard, KW, and Cheatham, CL 2018, 'Omega-6/omega-3 fatty acid intake of children and older adults in the U.S.: Dietary intake in comparison to current dietary recommendations and the Healthy Eating Index', *Lipids in Health and Disease*. vol. 17, no.1, pp 1–12.
- Shi, Changju 2011, 'A Study of the Relationship between Cognitive Styles and Learning Strategies', *Higher Education Studies*, vol.1, no.1, pp 20–26.
- Simopoulos, Artemis P 2011, 'Evolutionary Aspects of Diet: The Omega-6 / Omega-3 Ratio and the Brain', *Mol Neurobiol*, vol.44, pp 203–215.
- Søborg, K, and Bouzinova, EV 2016, 'The importance of n-6 / n-3 fatty acids ratio in the major depressive disorder', *Medicina. The Lithuanian University of Health Sciences*, vol.52, no.3, pp 139–147.
- Strasser, B, et al 2016, 'Mechanisms of Inflammation-Associated Depression: Immune Influences on Tryptophan and Phenylalanine Metabolisms', *Behavioral Neuroscience*, pp. 95–115.
- Sugawara, H, et al 2011, 'Hypermethylation of serotonin transporter gene in bipolar disorder detected by epigenome analysis of discordant monozygotic twins'. *Nature Publishing Group*, vol.1, no.7, pp 24–27.
- Swenne, I, et al 2011, 'Omega-3 polyunsaturated essential fatty acids are associated with depression in adolescents with eating disorders and weight loss', *Acta Paediatrica*, vol.100, pp 1610–1615.

- Syafarilla, I, Arif, Y, dan Fernandes, F 2019, ‘Risiko gangguan bipolar pada remaja’, *Jurnal Ilmiah Ilmu Kesehatan*, vol.6, no.1, hlm 118-124.
- Thapar, A, and Cooper, M 2013, ‘Copy Number Variation : What Is It and What’, *Journal of the American Academy of Child & Adolescent Psychiatry*, vol.52, no.8, pp 772–774.
- Tondo, L, Vázquez, GH, and Baldessarini, RJ 2017, ‘Depression and Mania in Bipolar Disorder’, *Current Neuropharmacology*, vol. 15, no.3, pp 353–358.
- Trangle, M, et al 2016, ‘Health Care Guideline : Adult Depression in Primary Care’, *Institute for Clinical Systems Improvement*, March 2016.
- Van Der Schot, AC, et al 2010, ‘Genetic and environmental influences on focal brain density in bipolar disorder’, *A Journal of Neurology*, vol.133, pp 3080–3092.
- Vaz, JS, et al 2014, ‘Omega-6 fatty acids and greater likelihood of suicide risk and major depression in early pregnancy’, *Journal of Affective Disorders*. Elsevier, vol.152–154, pp. 76–82.
- Vieta, E 2010, ‘Long-Term Treatment of Bipolar Depression and Other Issues’, *Journal of Clinical Psychiatry*, vol.71, no.3.
- Viktorin, A, et al 2014, ‘The risk of switch to mania in patients with bipolar disorder during treatment with an antidepressant alone and in combination with a mood stabilizer’, *American Journal of Psychiatry*, vol.171, no.10, pp 1067–1073.
- Watson, S, et al 2014, ‘Childhood trauma in bipolar disorder’, *Australian & New Zealand Journal of Psychiatry*, vol.48, no.6, pp 564 –570.
- World Health Organization 2018, ‘Global , regional , and national incidence , prevalence , and years lived with disability for 354 diseases and injuries for 195 countries and territories , 1990 – 2017: a systematic analysis for the Global Burden of Disease Study 2017’, *Global Health Metrics*, vol.392, pp 1789–1858
- Wong, MMC 2011, ‘Management of Bipolar II Disorder’, *Indian Journal of Psychological Medicine*, vol.33, no.1, pp 18-29.
- Yu, Y, et al 2019, ‘Determining a cutoff score for the family burden interview schedule using three statistical methods’, *BMC Medical Research Methodology*, vol.19, no.93, pp 1–8.
- Zannah, U, Puspitasari, IM, Sinuraya, RN, et al 2013, ‘Review: farmakoterapi gangguan bipolar’, *Farmaka*, vol.16, no.1, pp 263–277.