

DAFTAR PUSTAKA

- Abdullah, AZ, Naiem, MF, & Mahmud, NU 2012, ‘Faktor Risiko Kematian Neonatal Dini di Rumah Sakit Bersalin’, *Kesmas: National Public Health Journal*, vol. 6, no. 6, hal. 283, diakses 10 Februari 2020.
<http://dx.doi.org/10.21109/kesmas.v6i6.83.g84>
- Abu-saad, K & Fraser, D 2010, ‘Maternal Nutrition and Birth Outcomes’, *medical journal*, vol. 32, hal. 5–25.
- Adams, MM et al. 2010, *Perinatal Epidemiology for Public Health Practice*, Springer Science + Business Media, New York.
- Alhamda, S & Sriyani, Y 2015, *Buku Ajar Ilmu Kesehatan Masyarakat*, 1 ed., Deepublish, Jakarta.
- Almatsier, S, Soetarjo, S, & Soekatri, M 2013, *Gizi Seimbang Dalam Daur Kehidupan*, Gramedia Pustaka Utama, Jakarta.
- Andriani, M & Wirjatmadi, B 2016, *Peranan Gizi dalam Siklus Kehidupan*, Prenadamedia Group, Jakarta.
- Asih, Y 2014, ‘Indeks Massa Tubuh (IMT) pada Kejadian BBLR di RSUD Pringsewu Lampung’, *Jurnal Keperawatan*, vol. X, no. 1, hal. 70–74.
- Backes, CH et al. 2011, ‘Maternal preeclampsia and neonatal outcomes.’, *Journal of pregnancy*, vol. 2011, hal. 214365.
- Bener, A et al. 2012, ‘Pattern of Maternal Complications and Low Birth Weight : Associated Risk Factors among Highly Endogamous Women’, *Obstetrics and Gynecology*.
- Bonakdar, SA et al. 2019, ‘Pre-pregnancy Body Mass Index and Maternal Nutrition in Relation to Infant Birth Size’, *Journal of Clinical Nutrition*, vol. 8, no. 2, hal. 129–137, diakses 10 Februari 2020.
<https://doi.org/10.7762/cnr.2019.8.2.129>
- Calvo, EB et al. 2009, ‘Reference charts for weight gain and body mass index during pregnancy obtained from a healthy cohort’, *The Journal of Maternal-Fetal and Neonatal Medicine*, vol. 22, no. January, hal. 36–42.
- Cutland, CL et al. 2017, ‘Low birth weight : Case definition & guidelines for data collection , analysis , and presentation of maternal immunization safety data’, *Vaccine*, vol. 35, no. 48, hal. 6492–6500, diakses 10 Februari 2020.
<https://doi.org/10.1016/j.vaccine.2017.01.049>
- Demelash, H et al. 2015, ‘Risk factors for low birth weight in Bale zone hospitals, South-East Ethiopia : A case-control study’, *BMC Pregnancy and Childbirth*, vol. 15, no. 1, hal. 1–10, diakses 10 Februari 2020.

<http://dx.doi.org/10.1186/s12884-015-0677-y>

Dennis, JA 2013, ‘Young maternal age and low birth weight risk: An exploration of racial/ethnic disparities in the birth outcomes of mothers in the United States’, *National Institute Of Health*, vol. 23, no. 1, hal. 1–7, diakses 10 Februari 2020.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3624763/pdf/nihms412728.pdf>

Ekasari, T & Natalia, MS 2019, *Deteksi Dini Preeklamsia dengan Antenatal Care*, Yayasan Ahmar Cendikia Indonesia, makassar.

Fauziyah, S & Sutejo, N 2012, *Keperawatan Maternitas Kehamilan*, 1 ed., Kencana, Jakarta.

Fernando, L et al. 2017, ‘Are there differences in birth weight according to sex and associations with maternal exposure to air pollutants? A cohort study Existem diferenças no peso ao nascer de acordo com sexo e associações com exposição materna a poluentes do ar? Estudo de coo’, *Sao Paulo Med Journal*, vol. 135, no. 4, hal. 347–354.

Ganchimeg, T et al. 2014, ‘Pregnancy and childbirth outcomes among adolescent mothers: a World Health Organization multicountry study.’, *BJOG : an international journal of obstetrics and gynaecology*, vol. 121 Suppl, hal. 40–48.

Ghahfarokhi, SG, Sadeghifar, J, & Mozafari, M 2018, ‘A model to predict low birth weight infants and affecting factors using data mining techniques’, *J Bas Res Med Sci*, vol. 5, no. 3, hal. 1–8.

Goisis, A et al. 2017, ‘Advanced Maternal Age and the Risk of Low Birth Weight and Preterm Delivery: A Within-Family Analysis Using Finnish Population Registers’, *American Journal of Epidemiology*, vol. 186, no. 11, hal. 1219–1226.

Gondwe, A et al. 2018, ‘Pre-pregnancy body mass index (BMI) and maternal gestational weight gain are positively associated with birth outcomes in rural Malawi’, *PLOS ONE*, hal. 1–15, diakses 10 Februari 2020.
[https://doi.org/10.1371/journal.pone.0206035 October](https://doi.org/10.1371/journal.pone.0206035)

Gu, H et al. 2017, ‘A gradient relationship between low birth weight and IQ : A meta- analysis’, *SCIENTIFIC REPORTS*, vol. 7, no. 18035, hal. 1–13.

Han, Z et al. 2011, ‘Maternal underweight and the risk of preterm birth and low birth weight: A systematic review and meta-analyses’, *International Journal of Epidemiology*, vol. 40, no. 1, hal. 65–101.

Hartati, NN, Surinati, IDAK, & Pradnyaningrum, NNDV 2018, ‘Preeklampsia dengan Berat Badan Lahir Rendah (BBLR) pada Ibu Bersalin’, *Gema Keperawatan*, vol. 000, hal. 1–9.

- Harumi, AM 2019, ‘Hubungan Primigravida Dengan Kejadian Preeklampsia Pada Ibu Hamil Di Puskesmas Jagir Surabaya’, *Midwifery Journal: Jurnal Kebidanan UM. Mataram*, vol. 4, no. 2, hal. 79.
- Hayati, I & Easter Yanti, D 2014, ‘Hubungan Status Gizi Dengan Kejadian Bblr Di Wilayah Kerja Puskesmas Kartarahastra Kabupaten Tulang Bawang Barat’, *Jurnal Dunia Kesmas*, vol. 3, hal. 270–275.
- Heredia-Olivera, K & Munares-García, O 2016, ‘Factores maternos asociados al bajo peso al nacer’, *Revista medica del Instituto Mexicano del Seguro Social*, vol. 54, no. 5, hal. 562–567.
- Hofmeyr, GJ et al. 2014, ‘Calcium supplementation during pregnancy for preventing hypertensive disorders and related problems’, *Cochrane Database of Systematic Reviews*, vol. 2014, no. 6.
- Jansen, R et al. 2018, ‘Prepregnancy body mass index , gestational weight gain , and birth weight in the BRISA cohort’, *Rev Saude Publica*, hal. 52:46, diakses 7 Februari 2020.
<https://doi.org/10.11606/S1518-8787.2018052000125>
- Jornayvaz, FR et al. 2016, ‘Low birth weight leads to obesity , diabetes and increased leptin levels in adults: the CoLaus study’, *Cardiovascular Diabetology*, hal. 1–10.
- Kasjono, HS & Yasril 2009, *Teknik Sampling untuk Penelitian Kesehatan*, Graha Ilmu, Yogyakarta.
- Khan, A, Nasrullah, FD, & Jaleel, R 2016, ‘Frequency and risk factors of low birth weight in term pregnancy’, *Pakistan Journal of Medical Sciences*, vol. 32, no. 1, hal. 138–142.
- Khoiriah, A 2015, ‘Hubungan Antara Usia dan Paritas Ibu Bersalin dengan Bayi Berat Lahir Rendah (BBLR) di Rumah Sakit Islam Siti Khadijah Palembang’, *Jurnal Keperawatan*, hal. 310–314.
- Kosim, MS, Yunanto, A, & Dewi, R 2014, *Buku Ajar Neonatologi*, Ikatan Dokter Anak Indonesia, Jakarta.
- Krolow, I et al. 2013, ‘Prognostic factors for low birthweight repetition in successive pregnancies : a cohort study.’
- Lalenoh, DC 2018, *Preeklampsia Berat dan Eklampsia: Tatalaksana Anestia Perioperatif*, Deepublish, Yogyakarta.
- Lestari, RD, Ulfa, IM, & Maryam, S 2015, ‘Hubungan Umur, Paritas, dan Preeklampsia dengan Kejadian Berat Badan Lahir Rendah di RSUD Dr. H. Moch. Ansari Saleh Banjarmasin’, *Jurnal Dinamika Kesehatan*, vol. 13, no. 15, hal. 95–106, diakses 10 April 2020.
<http://akbidsarimulia.ac.id/ejurnal/downlot.php?file=reny dl dan ika mu 95->

106.pdf

- Leveno, KJ et al. 2009, *Obstetri Williams*, 21 ed., Penerbit Buku Kedokteran EGC, Jakarta.
- Lisnawati, Humairah, NN, & Maineny, A 2019, ‘Preeklampsia dan Berat Bayi Lahir Rendah (BBLR) di RSU Anutapura Palu’, *Jurnal Ilmu Kesehatan*, vol. 13, no. 1, hal. 42–47.
- Mahmoodi, Z et al. 2013, ‘Working Conditions , Socioeconomic Factors and Low Birth Weight : Path Analysis’, *Iranian Red Crescent Medical Journal*, vol. 15, no. 9.
- Mallisa, B & Towidjojo, VD 2014, ‘Hubungan Antara Preeklampsia Dengan Kejadian Bayi Berat Badan Lahir Rendah (Bblr) Di Rsud Undata Palu’, *MEDIKA TADULAKO, Jurnal Ilmiah Kedokteran*, vol. 1, no. 3, hal. 1–7, diakses 10 April 2020. <http://jurnal.untad.ac.id/jurnal/index.php/MedikaTadulako/article/view/7934/6273>
- Manuba, IBG 2007, *Pengantar Kuliah Obstetri*, VII, Buku Kedokteran EGC, Jakarta.
- Marmi 2013, *Gizi Dalam Kesehatan Reproduksi*, Pustaka Pelajar, Yogyakarta.
- Monita, F, Suhaimi, D, & Ernalia, Y 2016, ‘Hubungan Usia, Jarak Kelahiran dan Kadar Hemoglobin Ibu Hamil dengan Kejadian Berat Badan Lahir Rendah di RSUD Arifin Achmad Provinsi Riau’, *jurnal Fakultas Kedokteran*, vol. 3, no. 1, hal. 1–17.
- Mutiara, F, Theresia, EM, & Wahyuningsih, HP 2017, ‘Hubungan indeks massa tubuh ibu dengan kejadian bayi berat lahir rendah di rsud wonosari gunungkidul’, *Jurnal Kesehatan Ibu dan Anak*, vol. 11, hal. 8–15.
- Ngwenya, S 2017, ‘Severe preeclampsia and eclampsia : incidence , complications , and perinatal outcomes at a low-resource setting , Mpilo Central Hospital ‘, *International Journal of Women’s Health*, vol. 9, hal. 353–357, diakses 10 April 2020. <http://dx.doi.org/10.2147/IJWH.S131934>
- Notoatmodjo, S 2018, *Metodologi Penelitian Kesehatan*, Rineka Cipta, Jakarta.
- Nurhayati, E 2016, ‘Indeks Massa Tubuh (IMT) Pra Hamil dan Kenaikan Berat Badan Ibu Selama Hamil Berhubungan dengan Berat Badan Bayi Lahir’, *Jurnal Ners dan Kebidanan Indonesia*, vol. 4, no. 1, hal. 1.
- Nurliawati, E 2014, ‘Hubungan antara Preeklampsia Berat dengan Berat Bayi Lahir Rendah (BBLR) di RSU DR. Soekardjo Kota Tasikmalaya pada Tahun 2013’, *Jurnal Kesehatan*, vol. 12, no. 1.

- Nursal, DGA, Tamela, P, & Fitrayeni, F 2017, ‘Faktor Risiko Kejadian Preeklampsia Pada Ibu Hamil Di Rsup Dr. M. Djamil Padang Tahun 2014’, *Jurnal Kesehatan Masyarakat Andalas*, vol. 10, no. 1, hal. 38.
- Oxorn, H & Forte, WR 2010, *Patologi dan Fisiologi Persalinan*, Yayasan Essentia Medica (YEM), Yogyakarta.
- Patel, A et al. 2018, ‘Maternal anemia and underweight as determinants of pregnancy outcomes : cohort study in eastern rural’, , hal. 1–15.
- Pikir, BS et al. 2015, *Hipertensi : manajemen komprehensif*, Airlangga University Press, Surabaya.
- Pinontoan, V & Tombokan, S 2015, ‘Hubungan Umur Dan Paritas Ibu Dengan Kejadian Bayi Berat Lahir Rendah’, *Jurnal Ilmiah Bidan*, vol. 3, no. 1, hal. 90765.
- Proverawati, A & Ismawati, C 2010, *Berat Badan Lahir Rendah (BBLR)*, Nuha Medika, Yogyakarta.
- Rachmawati, AI, Puspitasari, RD, & Cania, E 2017, ‘Faktor-faktor yang Memengaruhi Kunjungan Antenatal Care (ANC) Ibu Hamil’, , vol. 7, no. November, hal. 72–76.
- Rahayu, A & Rodian 2016, ‘Effect of Gestational Diabetes Mellitus to Macrosomia Birth Baby’, *Majority*, vol. 5, no. 10, hal. 17–22.
- Rantung, FA 2015, ‘Hubungan Usia Ibu Bersalin Dengan Kejadian Bayi Berat Lahir Rendah Di Rumah Sakit Pancaran Kasih Gmim Manado’, *Jurnal Keperawatan UNSRAT*, vol. 3, no. 3.
- Ratnasiri, AWG et al. 2018, ‘Recent trends, risk factors, and disparities in low birth weight in California, 2005–2014: a retrospective study’, *Maternal Health, Neonatology and Perinatology*, vol. 4, no. 1, hal. 1–13.
- Risnes, KR et al. 2011, ‘Birthweight and mortality in adulthood: A systematic review and meta-analysis’, *International Journal of Epidemiology*, vol. 40, no. 3, hal. 647–661.
- Ross, MG 2019, *Eclampsia, Medscape*, viewed 19 Februari 2020, diakses 10 Februari 2020.
- Ruindungan, RY, Kundre, R, & Masi, G 2017, ‘Hubungan Pemeriksaan Antenatal Care (Anc) Dengan Kejadian Berat Badan Lahir Rendah (Bblr) Di Wilayah Kerja Rsud Tobelo’, *Jurnal Keperawatan*, vol. 5, no. 1.
- Salawati, L 2012, ‘Hubungan usia, paritas dan pekerjaan ibu hamil dengan bayi berat lahir rendah’, , hal. 138–142.

- Sananpanichkul, P & Rujirabanjerd, S 2015, ‘ASSOCIATION BETWEEN MATERNAL BODY MASS INDEX AND WEIGHT GAIN WITH LOW BIRTH’, , hal. 1085–1091.
- Sandjaja 2014, ‘Risiko Kurang Energi Kronis (Kek) Pada Ibu Hamil Di Indonesia’, *Gizi Indonesia*, vol. 32, no. 2, hal. 128–138.
- Sbrana, M et al. 2016, ‘Alcohol consumption during pregnancy and perinatal results : a cohort study Consumo de álcool durante a gravidez e resultados perinatais : um estudo de coorte’, *Sao Paulo Med Journal*, vol. 134, no. 2, hal. 146–152.
- Setiawan, RP 2016, ‘Hubungan Paritas dan Kontrasepsi dengan Preeklampsia ringan di Puskesmas Jagir’, *Hubungan Paritas dan Kontrasepsi dengan Preeklampsia Ringan di Puskesmas Jagir*, , no. October, hal. 100–112, diakses 12 Februari 2020.
<http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=psyc7&N=EWS=N&AN=2010-99110-433>
- Setyawati, VAV & Hartini, E 2018, *Buku Ajar Dasar Ilmu Gizi Kesehatan Masyarakat*, 1 ed., Deepublish, Yogyakarta.
- Shah, PS 2010, ‘Parity and low birth weight and preterm birth: A systematic review and meta-analyses’, *Acta Obstetricia et Gynecologica Scandinavica*, vol. 89, no. 7, hal. 862–875.
- Sholiha, H & Sumarmi, S 2016, ‘Analisis Risiko Kejadian Berat Bayi Lahir Rendah (Bblr) Pada Primigravida’, *Media Gizi Indonesia*, vol. 10, no. 1, hal. 57–63, <<https://e-journal.unair.ac.id/MGI/article/view/3127>>.
- Sinclair, C 2010, *A Midwife’s Handbook*, Penerbit Buku Kedokteran EGC, Jakarta.
- Singh, G, Chouhan, R, & Sidhu, K 2009, ‘Maternal factors for low birth weight babies’, *Medical Journal Armed Forces India*, vol. 65, no. 1, hal. 10–12, diakses 10 April 2020.
[http://dx.doi.org/10.1016/S0377-1237\(09\)80045-2](http://dx.doi.org/10.1016/S0377-1237(09)80045-2)
- Stright, BR 2005, *Lippincott’s Review Series: Maternal Newborn Nursing*, 3 ed., NB Subekti (ed.), Penerbit Buku Kedokteran EGC, Jakarta.
- Sukarni, I & Margaret 2013, *Kehamilan, Persalinan dan Nifas*, Nuha Medika, Yogyakarta.
- Sumarni 2018, ‘FAKTOR-FAKTOR YANG BERHUBUNGAN DENGAN BBLR PADA IBU HAMIL DENGAN PRE EKLAMPSIA BERAT DI RSUD MARGONO SOEKARDJO PURWOKERTO’,, vol. 11, hal. 46–54.
- Supariasa, IDN, Bakri, B, & Fajar, I 2016, *Penilaian Status Gizi*, 2 ed., E Rezkina & CA Agustin (ed.), Buku Kedokteran EGC, Jakarta.

- Syari, M, Serudji, J, & Mariati, U 2015, ‘Peran Asupan Zat Gizi Makronutrien Ibu Hamil terhadap Berat Badan Lahir Bayi di Kota Padang’, *Jurnal Kesehatan Andalas*, vol. 4, no. 3, hal. 729–736.
- Wahyuningrum, T, Saudah, N, & Wahyu Novitasari, W 2016, ‘Hubungan Paritas Dengan Berat Bayi Lahir Di Rumah Sakit Umum Daerah Dr. Wahidin Sudiro Husodo Mojokerto’, *Midwifery*, vol. 1, no. 2, hal. 87.
- Wang, N et al. 2015, ‘The effect of maternal prenatal smoking and alcohol consumption on the placenta-to-birth weight ratio’, *Placenta*, vol. 35, no. 7, hal. 437–441.
- Wells, JCK et al. 2013, ‘Paternal and Maternal Influences on Differences in Birth Weight between Europeans and Indians Born in the UK’, *PLOS ONE*, vol. 8, no. 5.
- Widiyanti, ES 2015, *Solusio Placenta Manifestasi Klinis, Manajemen , dan Pencegahan*, Denpasar.
- Yang, S et al. 2015, ‘Pre-Pregnancy Body Mass Index , Gestational Weight Gain , and Birth Weight : A Cohort Study in China’, *PLOS ONE*, vol. 10, no. 6, hal. 1–12.