

DAFTAR PUSTAKA

- Acipayam H, Kocak HE, Elbistanli MS 2017, ‘Sudden Sensorineural Hearing Loss’, diakses 22 Januari 2020.
<https://www.intechopen.com/books/an-excursus-into-hearing-loss/sudden-sensorineural-hearing-loss>
- Alexander, TH., & Harris, JP, 2013, *Incidence of Sudden Sensorineural Hearing Loss*, vol. 6, hlm. 1586–1589, diakses 22 Januari 2020.
https://journals.lww.com/otology/neurotology/Abstract/2013/12000/Incidence_of_Sudden_Sensorineural_Hearing_Loss.8.aspx
- American Speech Language Hearing Association, *Degree of Hearing Loss*, diakses 13 Agustus 2019.
<https://www.asha.org/public/hearing/Degree-of-Hearing-Loss/>
- American Speech Language Hearing Association, *Hearing Screening*, diakses 13 Agustus 2019.
<https://www.asha.org/public/hearing/Hearing-Screening/>
- Bashiruddin, J, Risdawati, Bramantyo B, Bardosono S 2018, ‘Relationship between distortion product otoacoustic emission signal-to-noise and hearing threshold change during methylprednisolone therapy for sudden deafness’, *Journal of Physics: Conference Series*, vol. 1073, no. 4, diakses 22 Januari 2020.
<https://iopscience.iop.org/article/10.1088/1742-6596/1073/4/042040/pdf>
- Bayoumy, AB, & de Ru, JA 2019, ‘The use of hyperbaric oxygen therapy in acute hearing loss: a narrative review’, *European Archives of Oto-Rhino-Laryngology*, vol. 276, no. 7, hlm. 1859–1880. doi:10.1007/s00405-019-05469-7.
- Bennet, M, Kertesz, T, & Yeung, P 2005, ‘Hyperbaric oxygen therapy for idiopathic sudden sensorineural hearing loss and tinnitus: A systematic review of randomized controlled trials’, *Journal of Laryngology and Otology*, vol. 119, no. 10, hlm. 791–798, diakses 22 Januari 2020.
<https://www.ncbi.nlm.nih.gov/pubmed/16259656>
- Bhui, K, Dinos, S, Galant-Miecznikowska, M, de Jongh, B, & Stansfeld, S 2016, ‘Perceptions of work stress causes and effective interventions in employees working in public, private and non-governmental organisations: a qualitative study’, *BJPsych Bulletin*, vol. 40, no. 6, 318–325. doi:10.1192/pb.bp.115.050823 , diakses 22 Juni 2020,
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5353523/>

- Bogaz, EA, Maranhao, ASDA, Inoue, DP, Suzuki, FA de B, & Penido, NdeO 2015, 'Variables with prognostic value in the onset of idiopathic sudden sensorineural hearing loss', *Brazilian Journal of Otorhinolaryngology*, vol. 81, no. 5, hlm. 520-526, diakses 13 Agustus 2019. <https://www.ncbi.nlm.nih.gov/pubmed/26248967>
- Chandrasekhar, SS 2019, 'Clinical Practice Guideline: Sudden Hearing Loss (Update)', *Otolaryngology- Head and Neck Surgery (United States)*, 161, pp S1-S45. Doi: 10.1177/0194599819859885, diakses 10 Juli 2020, <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5818684/>
- Čvorović, L, Deric D, Probst R, Hegemann S 2008, 'Prognostic model for predicting hearing recovery in idiopathic sudden sensorineural hearing loss', *Otology and Neurotology*, vol 29 no. 4, pp. 464-469. Doi: 10.1097/MAO.0b013e31816fdcb4, diakses 16 februari 2020, <https://www.ncbi.nlm.nih.gov/pubmed/18434930>
- Dahlan, MS 2015, *Statistik Untuk Kedokteran Dan Kesehatan Edisi 6 Cetakan 2*, Epidemiologi Indonesia, Jakarta.
- Dorota Olex-Zarychta, P 2017, 'Successful treatment of sudden sensorineural hearing loss by means of pharmacotherapy combined with early hyperbaric oxygen therapy. 96(51), diakses 22 Januari 2020, <https://www.ncbi.nlm.nih.gov/pubmed/29390550>
- Duthey, BB 2013, 'Priority Medicines for Europe and the World " A Public Health Approach to Innovation " Update on 2004 Background Paper Background Paper 6 vol 21 Hearing Loss', (February), diakses 22 Januari 2020, https://www.who.int/medicines/areas/priority_medicines/BP6_21Hearing.pdf
- Eisenman , DJ, & Arts, HA 2015, 'Effectiveness of Treatment for Sudden Sensorineural Hearing Loss'. *Archives of Otolaryngology Head And Neck Surgery*. Vol 126 no. 9, 1161-1164, diakses 10 September 2019, <https://www.ncbi.nlm.nih.gov/pubmed/10979137>
- Fattori, B, Berrettini S, Casani A, Nacci A, De Vito A, Iaco GD 2001, 'Sudden hypoacusis treated with hyperbaric oxygen therapy: A controlled study', vol. 80 no. 10, diakses 14 Agustus 2019, <https://www.ncbi.nlm.nih.gov/pubmed/11579852>
- Gill, AL 2004, 'Review Hyperbaric Oxygen : its uses, mechanisms of action and outcomes'. Vol. 97 no. 7, hal. 385-395, diakses 14 Agustus 2019, <https://academic.oup.com/qjmed/article/97/7/385/1605756>

Goman, AM, Reed, NS, & Lin, FR 2017, 'I'. *JAMA Otolaryngology–Head & Neck Surgery*, vol. 143 no. 7, hal 733. doi:10.1001/jamaoto.2016.4642 diakses 15 Januari 2020.
<https://jamanetwork.com/journals/jamaotolaryngology/fullarticle/2606784>

Harada, H and Kato, T 2005, 'Prognostic for sudden sensorineural hearing loss: A retrospective study using logistical regression analysis', *International Tinnitus Journal*, vol. 11 no. 2, hal. 115-118, diakes 11 februari 2020,
<https://pdfs.semanticscholar.org/0fc0/d47648e0c24d888e447b51062dfd20445b6a.pdf>

Hideaki, S, Koichi, H, Khac-Hung, N, Nobusuka, H, Akiko, K, Hiroki, K, Toyoaki, H 2012, ' Efficacy of intratympanic steroid administration on idiopathic sudden sensorineural hearing loss in comparison with hyperbaric oxygen therapy'. *The Laryngoscope*, vol. 122 no. 5, hal. 1154–1157, diakses 13 Agustus 2019
<https://www.ncbi.nlm.nih.gov/pubmed/22447636>

Holy R, Navara M, Dose P, Fundova P, Prazenica P, Hahn A 2011, ' Hyperbaric oxygen therapy idiopathic sudden sensorineural hearing loss (ISSNHL) in association with combine treatment'. *Undersea Hyperb Med*, vol. 38 no. 2: hal. 137-142, diakses 15 Januari 2020,
<https://pubmed.ncbi.nlm.nih.gov/21510273/>

Imsuwansri, T, Poonsap, P, Snidvongs, K 2012, 'Hyperbaric Oxygen Therapy for Sudden Sensorineural Hearing Loss after Failure from Oral and Intratympanic Corticosteroid. *Clinical and Experimental Otorhinolaryngology*', vol. 5 Suppl. 1. doi:10.3342/ceo.2012.5.s1.s99 , diakses 23 juni 2020,
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3369993/>

In ,YR, Sang, HP, Eun, BP, Ho, JK, Sang, HK, Seung, GY 2017, 'Factors Prognostic of Season-Associated Sudden Sensorineural Hearing Loss : A Retrospective Observational Study', 21 (December 2015), hal. 44-48, diakses 10 Juli 2020.
<https://europepmc.org/article/pmc/pmc5392008#free-full-text>

Iskandar, N, Soepardi, E, & Bashiruddin, J 2012, *Buku Ajar Ilmu Kesehatan Telinga Hidung Tenggorokan Kepala dan Leher*, Edisi ke 7, Balai Penerbit FKUI, Jakarta.

Jain, KK 2017, *Textbook of Hyperbaric Medicine*, *Textbook of Hyperbaric Medicine*.

Journal, T 2011, 'Diving and Hyperbaric Medicine' *MEDICINE SOCIETY President Membership*, hal 160-165, diakses 22 Januari 2020,
https://www.dhmjournal.com/images/Journals/46/DHM_Vol46_No1.pdf

Kuhn, M, Heman-Ackah, SE, Shaikh, JA, & Roehm, PC 2011, ‘Sudden Sensorineural Hearing Loss. Trends in Amplification’, vol. 15 no. 3, hal. 91–105. diakses 10 September 2019, <https://www.ncbi.nlm.nih.gov/pubmed/21606048>

Lionello, M, Staffieri C, Breda S, Turato C, Giacomelli L, Magnavita P, Filippis C, Staffieri A, Marioni G 2015, ‘Uni-and multivariate models for investigating potential prognostic factors in idiopathic sudden sensorineural hearing loss’, *European Archives of Oto-Rhino-Laryngology*, vol. 272 no. 8, hal. 1899-1906. Doi: 10.1007/s00405-014-2992-8, diakses 13 Februari 2020.

<https://link.springer.com/article/10.1007/s00405-014-2992-8>

Mamak, A, Yilmaz S, Cansiz H, Inci E, Güçlü E, Dereköylü L 2005, ‘A study of prognostic factors in sudden hearing loss’, *Ear, Nose, and Throat Journal*, vol. 84 no. 10, hal. 641-644. Doi: 10.1177/014556130508401012, diakses 14 Februari, 2020.

<https://www.ncbi.nlm.nih.gov/pubmed/16382746>

Mitsumasa, U, Gen, K, Ryoshuke K, Shin-ya, N, Kaoru, O, Naohito, H, ... Shinichi, U 2017, ‘Relationships among drinking and smoking habits, history of diseases, body mass index and idiopathic sudden sensorineural hearing loss in Japanese patients’ *Acta Oto-Laryngologica*, vol. 137(sup565), S17–S23. doi:10.1080/00016489.2017.1297898 , diakses 24 Februari 2020, <https://www.tandfonline.com/doi/full/10.1080/00016489.2017.1297898>

Muzzi, E, Zennaro, B, Visentin, R, Soldano, F, & Sacilotto, C 2009, ‘Hyperbaric oxygen therapy as salvage treatment for sudden sensorineural hearing loss: review of rationale and preliminary report’ *The Journal of Laryngology & Otology*, vol. 124 no. 02. doi:10.1017/s0022215109992052 , diakses 22 Juni 2020.

<https://pubmed.ncbi.nlm.nih.gov/19943989/>

Nagaoka, J, Anjos M, Takata T, Chaim R, Barros F, Penido N 2010, ‘Idiopathic sudden sensorineural hearing loss: evolution in the presence of hypertension, diabetes mellitus and dyslipidemias’, vol. 76 no. 3, hal. 363-369, diakses 14 Agustus 2019, <https://www.ncbi.nlm.nih.gov/pubmed/20658017>

National Institute on Deafness and Other Communication Disorders (NIDCD) March 2018, *Sudden Deafness*, diakses 15 Januari 2020, <https://www.nidcd.nih.gov/health/sudden-deafness>

Ohno, K, Noguchi Y, Kawashima Y, Yagishita K, Kitamura K 2010, ‘Secondary hyperbaric oxygen therapy for idiopathic sudden sensorineural hearing loss in the subacute and chronic phases’, *Journal of Medical and Dental*

- Sciences.* Vol. 57 no. 2, hal. 127-132, diakses 13 Agustus 2019,
<https://www.ncbi.nlm.nih.gov/pubmed/21073130>
- Plaza, G, Durio, E and Rivera, T 2011 ‘Acta Otorrinolaringológica Española’, vol. 62 March 2010, hal. 144-157, diakses 16 Februari 2020,
<https://www.researchgate.net/publication/251442844> Consenso sobre el diagnóstico y tratamiento de la sordera subita
- Psillas, G, Giaglis, GD And Markou K 2015, ‘Hyperbaric oxygen as salvage treatment for idiopathic sudden sensorineural hearing loss’, vol. 11 no. 1, hal. 39-44, diakses 22 Januari 2020,
<https://www.ncbi.nlm.nih.gov/pubmed/26513946>
- Putra, RM, Munilson, J, Edward, Y, Warto, N, & Rosalinda, R 2018, ‘Injeksi Kortikosteroid Intratimpani Sebagai Salvage Therapy pada Pasien Tuli Mendadak’. vol. 7 Suppl. 3, hal. 96–103, diakses 22 Januari 2020,
<http://jurnal.fk.unand.ac.id/index.php/jka/article/view/859>
- Rauch, SD, 2008, ‘Idiopathic sudden sensorineural hearing loss’, *New England Journal of Medicine*, vol. 359 no. 8, hal. 833, diakses 22 Januari 2020,
<https://www.ncbi.nlm.nih.gov/pubmed/18716300>
- Sadler, TW 2013, *Embriologi Kedokteran Langman*, Edisi 12, EGC, Jakarta.
- Scherer, EQ, Yang, J, Canis, M, Reimann, K, Ivanov, K, Diehl, CD., ... Bolz, S.-S 2010, ‘Tumor Necrosis Factor- Enhances Microvascular Tone and Reduces Blood Flow in the Cochlea via Enhanced Sphingosine-1-Phosphate Signaling. Stroke’. Vol. 41 no. 11), hal. 2618–2624, diakses 10 September 2019.
<https://www.ncbi.nlm.nih.gov/pubmed/20930159>
- Schreiber, BE, Agrup, C, Haskard, DO, & Luxon, LM 2010, ‘ Sudden sensorineural hearing loss. The Lancet, vol. 375 no. 972),hal. 1203–1211. doi:10.1016/s0140-6736(09)62071-7, diakses 22 Juni 2020.
<https://pubmed.ncbi.nlm.nih.gov/20362815/>
- Seiji, H, Ken-ichi, S, Goro, T, Yu-ichi, H, Kumiko, H, Satoru, T, Hiroyuki M, 2017, ‘Hyperbaric Oxygen Therapy as Adjuvant Treatment for Idiopathic Sudden Sensorineural Hearing Loss after Failure of Systemic Steroids’. *Audiology and Neurotology*, vol. 22 no. 1, hal. 9–14. doi:10.1159/000464096, diakses 15 Januari 2020,
<https://pubmed.ncbi.nlm.nih.gov/28423374/>
- Seiji, H, Ken-ichi, S, Goro, T, Yu-ichi, H, Kumiko, H, Satoru, T, Hiroyuki M 2017, ‘Prognostic factors for idiopathic sudden sensorineural hearing loss treated with hyperbaric oxygen therapy and intravenous steroids’ , *Journal of Laryngology and Otology*, vol. 131 no. 1, hal. 77-82, diakses 22 Januari

2020.

<https://www.cambridge.org/core/journals/journal-of-laryngology-and-otology/article/prognostic-factors-for-idiopathic-sudden-sensorineural-hearing-loss-treated-with-hyperbaric-oxygen-therapy-and-intravenous-steroids/31F1A2534C783302A08E8310A3FA3D�>

Sherlock, S, Thistlethwaite K, Khatun M, Perry C, Tabah A 2016, ‘Hyperbaric oxygen therapy in the treatment of sudden sensorineural hearing loss: a retrospective analysis of outcomes’, *Diving and Hyperbaric medicine*, vol 46 no. 3, hal. 160-165, diakses 22 Januari 2020.

https://www.researchgate.net/publication/309316101_Hyperbaric_oxygen_therapy_in_the_treatment_of_sudden_sensorineural_hearing_loss_a_retrospective_analysis_of_outcomes

Sherwood, Lauralee, 2014, *Fisiologi Manusia : dari sel ke sistem* , Edisi 9, EGC, Jakarta

Stachler, RJ, Chandrasekhar, SS, Archer, SM, Rosenfeld, RM, Schwartz, SR, Barrs, DM, ... Robertson, PJ 2012 , ‘Clinical Practice Guideline’. *Otolaryngology-Head and Neck Surgery*, vol. 146 Suppl 3 , S1–S35, diakses 22 Januari 2020.

<https://www.ncbi.nlm.nih.gov/pubmed/22383545>

Sugiyono, 2006, *Metode Penelitian Kuantitatif, Kualitatif dan R & D*, Alfabeta, Bandung.

Takeyuki, F, Hideaki, S, Teruo, S, Tsuyoshi, U, Takanori, M 2007, ‘Hyperbaric oxygen and steroid therapy for idiopathic sudden sensorineural hearing loss’, *European Archives of Oto-Rhino-Laryngology*. Vol. 264 no. 8, hal. 861-866, diakses 22 Januari 2020, <https://www.ncbi.nlm.nih.gov/pubmed/17340130>

Tan, WJT, Thorne, PR, & Vlajkovic, SM 2016, ‘Characterisation of cochlear inflammation in mice following acute and chronic noise exposure’. *Histochemistry and Cell Biology*, vol. 146 no. 2, hal. 219–230. doi:10.1007/s00418-016-1436-5, diakses 15 Januari 2020, <https://pubmed.ncbi.nlm.nih.gov/27109494/>

Tantur, Syahdrajat. 2015. *Panduan Menulis Tugas Akhir Kedokteran & Kesehatan*, Prenamedia Group, Jakarta.

Tortora, GJ and Derrickson, B, 2014, *Principles of Anatomy & Physiology* 14th Ed, Wiley.

Tran, P, Huy, B and Sauvaget, E 2005, ‘Idiopathic Sudden Sensorineural Hearing Loss Is Not an Otologic Emergency’ *Otology and Neurotology*, vol. 26 no. 5, hal. 896-902, diakses 17 Oktober 2019.

Savira Chrisna Dewi, 2020

HUBUNGAN ANTARA USIA, DERAJAT KETULIAN, DAN ONSET TULI MENDADAK DENGAN PERBAIKAN PENDENGARAN MENGGUNAKAN HYPERBARIC OXYGEN THERAPY DI RUMAH SAKIT

ANGKATAN LAUT DR. MINTOHARDJO TAHUN 2016-2019

UPN Veteran Jakarta, Fakultas Kedokteran, Program Studi Kedokteran Program Sarjana
[www.upnvj.ac.id – www.library.upnvj.ac.id – www.repository.upncj.ac.id]

<https://www.ncbi.nlm.nih.gov/pubmed/16151335>

Tsutomu N , Mitsuo T , Ishida I , Ikue, U , Masaaki, T , Junji ,T , Ken, K, Nakamura 2004 ‘A nationwide epidemiological survey regarding sudden deafness in 2001 – factors influencing its prognosis’. *Audiol Jpn*, vol. 47, hal. 109–18, diakses 22 Januari 2020.
https://www.jstage.jst.go.jp/article/audiology1968/47/2/47_2_109/_article/-char/ja/

Weiss, D, Böcker AJ, Koopmann M, Savvas E, Borowski M, Rudack C 2017 ,‘Predictors of hearing recovery in patients with severe sudden sensorineural hearing loss’, *Journal of Otolaryngology – Head and Neck Surgery*. Journal of Otolaryngology – Head & Neck Surgery, vol. 46 no. 1, hal. 1-10. Doi: 10.1186/s40463-017-0207-1, diakses 13 Februari 2020.
<https://journalotohns.biomedcentral.com/articles/10.1186/s40463-017-0207-1>

World Health Organization 2020, *Deafness and Hearing Loss*, diakses 22 Januari 2020.
<https://www.who.int/news-room/fact-sheets/detail/deafness-and-hearing-loss>

Wright, KEM 2006, editor; In: Newton VE, Valley PJ, editors. (eds). ‘Infection and hearing impairment’. Chichester, England: John Wiley. hal.109–126, diakses 10 September 2019,
https://scholar.google.com/scholar_lookup?title=Infection+and+hearing+impairment&publication_year=2006&

Wu, CS, Lin, HC, & Chao, PZ 2006, ‘Sudden Sensorineural Hearing Loss: Evidence from Taiwan’ . *Audiology and Neurotology*, vol. 11 no. 3, hal. 151–156, diakses 22 Januari 2020,
<https://www.ncbi.nlm.nih.gov/pubmed/16449805>

Wei, BP, Stathopoulos, D, & O’Leary, S 2013, ‘Steroids for idiopathic sudden sensorineural hearing loss’. *Cochrane Database of Systematic Reviews*, diakses 22 Januari 2020.
<https://www.ncbi.nlm.nih.gov/pubmed/23818120>

Xenellis, J, Papadimitriou, N, Nikolopoulos, T, Maragoudakis, P, Segas, J, Tzagaroulakis, A, & Ferekidis, E 2006, ‘Intratympanic Steroid Treatment in Idiopathic Sudden Sensorineural Hearing Loss: A Control Study’ *Otolaryngology-Head and Neck Surgery*, vol 134 no. 6, hal. 940–945,
<https://www.ncbi.nlm.nih.gov/pubmed/16730534>

Xiarorui, S 2011, ‘Physiopathology of the cochlear microcirculation’ *Hearing research*, vol. 282 no. 1-2, hal. 10-24, diakses 10 September 2019,
<https://www.ncbi.nlm.nih.gov/pubmed/21875658>