

## DAFTAR PUSTAKA

- Al-Muqsith, AM. 2015. ‘Luka (Vulnus)’. Fakultas Kedokteran Universitas Malikussaleh. <http://arsip.unimal.ac.id/4013/> [diakses 19 April 2020]
- Ardiana, T., Andina, R.P., Muhammad, D.F.2015.’Efektivitas Pemberian Gel Binahong (*Anredera Cordifolia*) 5% Terhadap Jumlah Sel Fibroblast Pada Soket Pasca Pencabutan Gigi Marmut (*Cavia Cobaya*)’. *ODONTO Dental Journal*. Vol.2.No.1.Juli2015.  
<http://jurnal.unissula.ac.id/index.php/odj/article/view/440/0> [diakses 17 Juni 2020]
- Arifin, H., Silvia, R. 2017. ‘Efek Antiinflamasi Krim Ekstrak Etanol Daun Kirinyuh (*Chromolaena odorata (L.) R.M. King & H. Rob* ) Secara Topikal Dan Penentuan Jumlah Sel Leukosit Pada Mencit Putih Jantan’. *Jurnal Farmasi Higea*.Vol.9.No.1.<https://jurnalfarmasihigea.org/index.php/higea/article/view/159> [diakses 15 Juni 2020]
- Awadh Ali N a, Wurster M, Lindequist U, Wessjohan L.2008. ‘Essential oil composition from oleogum resin of *Soqotraen Commiphora kua*’. *Rec.Nat.Prod.* Vol.2. No.3, pp. 70–75. [www.acgpubs.org/RNP](http://www.acgpubs.org/RNP) [diakses 5 September 2020]
- Bhuyan, M., Deb, P.,Dasgupta, D. 2019 ‘Chromolaena Odorata: As Nature’s Wound Healer’, *International Journal Of Current Pharmaceutical Research*. doi: 10.22159/Ijcpr.2019v11i4.34955. [diakses 10 April 2020]
- Boudjeko,T., Megnekou, R., Woguia, A.L., Kegne, F.M., Ngomoyogoli, J.E.K., Tchapoum, C.D.N. 2015. ‘Antioxidant and immunomodulatory properties of polysaccharides from Allanblackia floribunda Oliv stem bark and *Chromolaena odorata (L.) King and H.E. Robins* leaves’, *BMC Research Notes*. doi: 10.1186/s13104-015-1703-x. [diakses 18 Juni 2020]
- Budiman, I., Derick.2015.‘Aktivitas Kesembuhan Luka Rimpang Kunyit (*Curcuma longa Linn.*) Terhadap Luka Insisi pada Mencit Swiss-Webster Jantan Dewasa’. Skripsi. *Fakultas Kedokteran Universitas Kristen Maranatha*.  
[http://repository.maranatha.edu/12829/10/1110205\\_Jurnal.pdf](http://repository.maranatha.edu/12829/10/1110205_Jurnal.pdf) [diakses 5 April 2020]
- Dewi, H. E., Ayu, W. D., Rusli, R. 2019.‘Formulasi Krim Antibakteri Fraksi Etil Asetat Daun Kirinyuh (*Chromolaena odorata*)’. *Jurnal Sains dan Kesehatan*, Vol.2. No.2, pp. 100–106. doi: 10.25026/jsk.v2i2.117. [diakses 6 April 2020]

- Dhar, R., Kimseng, R., Chokchaisiri, R., Hiransai, P., Utaipan, T., Suksamrarn. A .2018. ‘2',4-Dihydroxy-3',4',6'-trimethoxychalcone from *Chromolaena odorata* possesses anti-inflammatory effects via inhibition of NF-κB and p38 MAPK in lipopolysaccharide-activated RAW 264.7 macrophages’. *Immunopharmacology and Immunotoxicology*. doi: 10.1080/08923973.2017.1405437. [diakses 13 Juli 2020]
- Erlienda, A.P., Wijaya, S., Kurnia, S.H. 2018. ‘Standarisasi dari Daun Kirinyuh (*Chromolaena odorata*) dan Simplesia Kering dari Tiga Daerah yang Berbeda’. *Journal Of Pharmacy Science And Practice I.* Vol.5.No.2.Oktober 2018. <https://doi.org/10.33508/jfst.v5i2.2140> [diakses 5 April 2020]
- Frank, A.D.T.G., Wagener, H.E., Van Beurden, J.W., Vonden Hoff, G. J., Adema, Carl, G.F.2003. ‘The heme-heme oxygenase system: a molecular switch in wound healing’. *Blood*. Vol.102.No. 2, pp. 521–528. <https://doi.org/10.1182/blood-2002-07-2248> [diakses 5 September 2020]
- Fialkow, L., Wang, Y., Downey, G.P. 2007. ‘Reactive oxygen and nitrogen species as signaling molecules regulating neutrophil function’. *Free Radical Biol Med*. Vol.42 .No.2, pp.153-164. Januari 2007. doi: 10.1016/j.freeradbiomed.2006.09.030 [diakses 5 September 2020]
- Gifari S, M. 2018. ‘Gambaran Karakteristik Luka Dan Perawatannya Di Klinik Perawatan Luka Griya Afiat Makassar’. *Skripsi*. Universitas Hasanuddin Makassar.[http://digilib.unhas.ac.id/uploaded\\_files/temporary/DigitalCollection/NzI4MDI2YWVkJYzlmZjUwOTUzZWNkZTMMyMTcxYmI1Y2FkZTdmYzhhNQ==.pdf](http://digilib.unhas.ac.id/uploaded_files/temporary/DigitalCollection/NzI4MDI2YWVkJYzlmZjUwOTUzZWNkZTMMyMTcxYmI1Y2FkZTdmYzhhNQ==.pdf) [diakses 6 April 2020]
- Grochot-Przczek, A., Lach, R., Mis, J., Skrzypek, K., Gozdecka, M., Sroczynska, P. 2009. ‘Heme oxygenase-1 accelerates cutaneous wound healing in mice’, *PLoS ONE*. Vol.4. No.6. Juni 2009. doi: 10.1371/journal.pone.0005803 [diakses 4 September 2020]
- Guo, L., Jin-zong, W., Tin, H., Tong, C., Khalid, R. 2008. ‘Chemical Composition, Antifungal and Antitumor Properties of Ether Extracts of *Scapania verrucosa* Heeg. and its Endophytic Fungus *Chaetomium fusiforme*’. *Molecules*.Vol.13, pp.2114-2125. doi: 10.3390/molecules 13092114 [diakses 13 Juli 2020]
- Handi, P., Sriwidodo, Ratnawulan, S. 2017. ‘Review Sistematik : Proses Penyembuhan Dan Perawatan Luka’. *Farmaka Journal*. Vol.15. No.2. doi: 10.24198/JF.V15I2.13366. [diakses 6 April 2020]
- Harfiani, E., Suci, R.N., Basah, K., Arsianti, A., Bahtiar, A.2017. ‘Functional

- analysis of Ageratum conyzoides L. (Babandotan) leaves extract on rheumatoid arthritis model rat'. *Asian Journal of Pharmaceutical and Clinical Research.* Vol. 10. No .3, pp. 429–433. doi: 10.22159/ajpcr.2017.v10i3.16428 [diakses 15 Juni 2020]
- Harris, M. 2011. 'Penentuan Kadar Flavanoid Total dan Aktivitas Antioksidan dari Getah Jarak Pagar dengan Spektrofotometer UV-Visibel'. Skripsi. *Fakultas Farmasi Universitas Andalas Padang.* <http://repo.unand.ac.id/2265/> [diakses 15 Juni 2020]
- Hashim, P.W., Ferneini, A.M. 2017.'Wound healing, in Complications in Maxillofacial Cosmetic Surgery: Strategies for Prevention and Management '. *Springer International Publishing AG.* doi: 10.1007/978-3-319-58756-1\_4 [diakses 10 Agustus 2020]
- Hidayatullah, M. E. 2018. 'Potensi Ekstrak Etanol Tumbuhan Krinyuh (*Chromolaena odorata*) sebagai Senyawa Anti-Bakteri'. *Urecol.* [https://www.researchgate.net/publication/342715279\\_Potensi\\_Ekstrak\\_Etanol\\_Tumbuhan\\_Krinyuh\\_Chromolaena\\_odorata\\_sebagai\\_Senyawa\\_Anti-Bakteri](https://www.researchgate.net/publication/342715279_Potensi_Ekstrak_Etanol_Tumbuhan_Krinyuh_Chromolaena_odorata_sebagai_Senyawa_Anti-Bakteri) [diakses 10 April 2020]
- Indraswary R. 2011. 'Efek Konsentrasi Ekstrak Buah Adas (*Foeniculum vulgare Mill*) Topikal Pada Epitalisasi Penyembuhan Luka Gingiva Labial Sprague Dawley *In Vivo*'. *Majalah Sultan Agung.* Vol.59. No.1, pp.124. <https://scholar.google.co.id/citations?user=5hHyOuQAAAAJ&hl=id> [diakses 17 Juni 2020]
- [ITIS] *Integrated Taxonomy Information System.* 2020. <https://www.itis.gov/> [diakses 20 April 2020]
- Kanase, V., Shaikh, S. 2018.'A pharmacognostic and pharmacological review on *chromolaena odorata* (Siam weed)', *Asian Journal of Pharmaceutical and Clinical Research.* Vol. 11. No.10. Mei 2018. doi: 10.22159/ajpcr.2018.v11i10.26863 [diakses 10 April 2020]
- Kartika, R. W.2015. 'Perawatan Luka Kronis dengan Modern Dressing'. *Cermin Dunia Kedokteran/CDK-230.* Vol. 42. No.7, pp. 546–550. <http://www.cdkjournal.com/index.php/CDK/article/view/992> [diakses 9 Mei 2020]
- Kavitha, V., Mohame, S., Maruthi, R. 2013. 'Studies on phytochemical screening and antioxidant activity of Chromolaena Odorata and Annona squamosa'. *Int J Innov Res.* Vol.2. No. 12. pp. 7315-21. Desember 2013. <https://www.rroij.com/open-access/studies-on-phytochemical-screening-and-antioxidant-activity-of-chromolaena-odorata-and-annona-squamosa.pdf> [diakses 13 Juli 2020]

- Kitchenham, B. 2004. ‘Procedures for Performing Systematic Reviews’. *Eversleigh: Keele University.* <https://www.inf.ufsc.br/~aldo.vw/kitchenham.pdf> [diakses 10 April 2020]
- Ling, S. K., Pisar, M. M., Man, S. 2007. ‘Platelet-activating factor (PAF) receptor binding antagonist activity of the methanol extracts and isolated flavonoids from *Chromolaena odorata* (L.) King and Robinson’, *Biological and Pharmaceutical Bulletin*. Vol. 30. No.6, pp. 1150-1152. doi: 10.1248/bpb.30.1150 [diakses 12 Agustus 2020]
- Madhavan, M. 2015. ‘Quantitative estimation of total phenols and antibacterial studies of leaves extracts of Chromolaena odorata (L.) King & H.E. Robins’, *International Journal of Herbal Medicine*. Vol.3. No.2, pp.20-23. <https://www.florajournal.com/vol3issue2/jun2015/3-1-13.1.pdf> [diakses 6 April 2020]
- Martin, J.F., Plumb, J., Kilbey, R.S., Kish, Y.T. 1983. ‘Changes in volume and density of platelets in myocardial infarction’. *Brit Med J*. Vol.287. pp. 456-9. Agustus 1983. doi: 10.1136/bmj.287.6390.456 [diakses 12 Agustus 2020]
- Mathew, J.J., Vazhacharickal, P.J., Sajeshkumar, N., Joy, J.K. 2016. ‘Phytochemical Analysis and Invitro Hemostatic Activity of Mimosa pudica, Hemigraphis Colorata and Chromolaena Odorata Leaf Extracts’. *CIBTech Journal of Pharmaceutical Sciences*. Vol.5. No.3, pp. 16–34. <http://www.cibtech.org/cjps.htm> [diakses 17 Juni 2020]
- Mei, D., Yukiko, O., Mitsuru, H. 2000. ‘(10E,12Z,15Z)-9-hydroxy-10,12,15-octadecatrienoic acid methyl ester as an anti-inflammatory compound from Ehretia dicksonii’. *Biosci Biotechnol Biochem*. Vol. 64. No.4, pp. 882-886. doi : 10.1271/bbb.64.882 [diakses 10 Agustus 2020]
- Menantika, D. 2018. ‘Potensi Daun Tekelan (*Chromolaena Odorata*) Terhadap Hasil Pembekuan Darah Metode Clotting Time (Lee And White)’. Skripsi. *Universitas Muhammadiyah Semarang*. <http://repository.unimus.ac.id/3300/> [diakses 17 Juni 2020]
- Moher, D., Shamseer, L., Clarke, M., Ghersi, D., Liberati, A., Petticrew, M. 2015. ‘Evaluation of ASTM Standard Test Method E 2177, 6 Retroreflectivity of Pavement Markings in a Condition of 7 Wetness’. *Systematic Reviews*. Vol.4 No. 1, pp. 1–9. Januari 2015. doi: 10.1186/2046-4053-4-1 [diakes 4 April 2020]
- Munte, N., Sartini, Lubis, R. 2016. ‘Skrining Fitokimia Dan Antimikroba Ekstrak Daun Kirinyuh Terhadap Bakteri *Staphylococcus Aureus* Dan *Escherichia Coli*’. *Biolink*. Vol. 2. No. 2.

<http://ojs.uma.ac.id/index.php/biolink/article/view/803> [diakses 5 April 2020]

- Nils, B., Wilfried, A.K. 2000. ‘The role of germacrene D as a precursor in sesquiterpene biosynthesis: investigations of acid catalyzed, photochemically and thermally induced rearrangements’. *Phytochemistry*. Vol. 55. No.2, pp.141-168. September 2000. doi: 10.1016/s0031-9422(00)00266-1 [diakses 11 Agustus 2020]
- Nofikasari, I., Rufaida, A., Aqmarina, C.D., Failasofia, F., Fauzia, A.R., Handajani, J. 2017. ‘Efek aplikasi topikal gel ekstrak pandan wangi terhadap penyembuhan luka gingiva’. *Majalah Kedokteran Gigi Indonesia*. Vol.2. No.2. doi: 10.22146/majkedgiind.9896 [diakses 17 Juni 2020]
- Okoroiwu, H.U., Atangwho, I.J., Uko, E.K., Maryann, O.I. 2016. ‘Haemostatic property of Chromolaena odorata leaf extracts: In vitro and in vivo evaluation in wistar rats’. *Journal of Biological Research*. Vol.89. No.2. November 2016. doi: 10.4081/jbr.2016.6211 [diakses 18 Juni 2020]
- Omokhua, A.G., McGaw, L.J., Finnie, J.F., Van Staden, J. 2016. ‘Chromolaena odorata (L.) R.M. King & H. Rob. (Asteraceae) in sub-Saharan Africa: A synthesis and review of its medicinal potential’. *Journal of Ethnopharmacology*. Vol.183, pp.112-122. doi: 10.1016/j.jep.2015.04.057. [diakses 6 April 2020]
- Oso, B., Abey, N., Oyeleke, O., Olowookere, B. 2018. ‘Comparative Study of the in vitro Antioxidant Properties of Methanolic Extracts of Chromolaena odorata and Ageratum conyzoides used in Wound Healing’. *International Annals of Science*. doi: 10.21467/ias.6.1.8-12 [diakses 17 Juni 2020]
- Padmin, E.A., Valarmathi, A., Rani, M.U.2010. ‘Comparative Analysis of Chemical Composition and Antibacterial Activities of *Mentha spicata* and *Camellia sinensis*’. *Asian J. Exp. Biol. Sci.* Vol. 1. No. 4, pp. 772 – 781. <https://www.yumpu.com/en/document/view/15810717/comparative-analysis-of-chemical-composition-and-antibacterial-> [diakses 11 Agustus 2020]
- Pandith, H., Thongpraditchote, S., Wongkrajang, Y., Gritsanapan, W. 2012. ‘In vivo and in vitro hemostatic activity of Chromolaena odorata leaf extract’. *Pharmaceutical Biology*. Vol. 50. No. 9, pp. 1073–1077. doi: 10.3109/13880209.2012.656849 [diakses 18 Juni 2020]
- Pandith, H., Zhang, X., Liggett, J., Min, K.W., Gritsanapan, W., Baek, S.J. 2013. ‘Hemostatic and Wound Healing Properties of Chromolaena odorata Leaf Extract’. *ISRN Dermatology*. Vol. 2013, pp. 1–8. doi: 10.1155/2013/168269 [diakses 18 Juni 2020]

- Paramita, A. 2016. 'Pengaruh Pemberian Salep Ekstrak Daun Binahong (Anredera cordifoila (Ten) Steenis) Terhadap Kepadatan Kolagen Tikus Putih (*Rattus novergicus*) yang mengalami luka bakar'. Skripsi . *Fakultas Kedokteran Hewan Universitas Airlangga Surabaya.* [http://repository.unair.ac.id/55949/14/KH\\_108-16\\_Par\\_p\\_SKRIPSI.pdf](http://repository.unair.ac.id/55949/14/KH_108-16_Par_p_SKRIPSI.pdf) [diakses 7 April 2020]
- Parimala, D.B., Tamilchelvan, N., Ramasubramaniaraja, R. 2010. 'Inflammation and medicinal plants-an ethnomedical approach'. *J Phytol.* Vol.2. No.2, pp. 49-56. <https://updatepublishing.com/journal/index.php/jp/article/view/2087> [diakses 10 Agustus 2020]
- Pastar, I., Stojadinovic, O., Yin, N. C., Ramirez, H., Aron, G. N. 2013. 'Epithelialization in Wound Healing a Comprehensive Review'. *Advances in Wound Care.* Vol. 3. No.7, pp. 451. doi: 10.1089/wound.2013.0473 [diakses 5 April 2020]
- Pitakpawasutthi, Y., Thitikornpong, W., Palanuvej, C., Ruangrungsi, N. 2016. 'Chlorogenic acid content, essential oil compositions, and in vitro antioxidant activities of *Chromolaena odorata* leaves'. *J Adv Pharm Technol Res.* Vol. 7. No. 2, pp. 37-42. <https://www.japtr.org/text.asp?2016/7/2/37/177200> [diakses 17 Juni 2020]
- Putri, D. A., Fatmawati, S. 2019. 'A New Flavanone as a Potent Antioxidant Isolated from *Chromolaena odorata* L. Leaves'. *Evidence-based Complementary and Alternative Medicine.* Vol. 2019, pp. 1-12. doi: 10.1155/2019/1453612 [diakses 6 April 2020]
- Putrianirma, R., Triakoso, N., Yunita, M.N., Yudaniayanti, I.S., Hamid, I.S., Fikri, F. 2019. 'Efektivitas Ekstrak Daun Afrika (*Vernonia amygdalina*) Secara Topikal Untuk Reepitelisasi Penyembuhan Luka Insisi Pada Tikus Putih (*Rattus novergicus*)'. *Jurnal Medik Veteriner.* Vol 2. No.1, p. 30. doi: 10.20473/jmv.vol2.iss1.2019.30-35 [diakses 6 April 2020]
- Phan, T.T., Hughes, M.A., Cherry, G.W., Le, T.T., Pham, H.M. 1996. 'An aqueous extract of the leaves of *Chromolaena odorata* (formerly *Eupatorium odoratum*) (Eupolin) inhibits hydrated collagen lattice contraction by normal human dermal fibroblasts'. *J Altern Complement Med.* Vol 2. No.3, pp. 335-343. doi: 10.1089/acm.1996.2.335 [diakses 12 Agustus 2020]
- Primadina, N., Basori, A., Perdanakusuma, D.S. 2019. 'Proses Penyembuhan Luka Ditinjau dari Aspek Mekanisme Seluler dan Molekuler'. *Qanun Medika - Medical Journal Faculty of Medicine Muhammadiyah Surabaya.* doi: 10.24198/JF.V15I2.13366 [ diakses 6 April 2020]

- Ramdani, F., Sriasih, M., Drajat, A. S. 2019. 'The Effect of Pakoasi (*C. odorata L.*) Leaf Extract in Curing Open Wound of Rabbit Skin (*Oryctolagus cuniculus*)'. In *Proceedings of the 2nd International Conference Postgraduate School*. Vol. 2018, pp. 457-461. doi: 10.5220/0007544904570461 [diakses 18 Juni 2020]
- Riset Kesehatan Dasar (RISKESDAS). 2013. Badan Penelitian dan Pengembangan Kesehatan Kementerian RI tahun 2013. pp. 47-49 <http://www.depkes.go.id/resources/download/general/Hasil%20Riskesdas%20 2013.pdf>. [diakses 10 April 2020]
- Rizkiyah,N., Oktavina, K.P. 2017. 'Effectiveness Of Ointment Ethanol Extract Kirinyuh Leaf (*Eupatorium Odoratum L.*) Extract In Accelerating Healing Of Small Slice Injury The Male Rat (*Rattus Norvegicus*)'. Skripsi . Akademi Farmasi Putra Indonesia Malang. <http://repository.pimedu.ac.id/id/eprint/216/1/ARTIKEL%20%20KTI.pdf> [diakses 18 Juni 2020]
- Rofida, S., Nurwahdaniati. 2015. 'Antibacterial Activity of Chromolaena odorata (L) King Leaves with Bioautography'. *Pharmacy*. Vol.12.No.1. Juli 2015. <http://jurnalnasional.ump.ac.id/index.php/PHARMACY/article/view/814> [diakses 17 Juni 2020]
- Sahrangi, L., Dyah, A.W., Amir, M. 2016. 'Potensi Antiinflamasi Ekstrak Daun Kirinyuh (*Eupatorium odoratum L.*) Terhadap Tikus Putih (*Rattus norvegicus*)'. Prosiding Seminar Nasional Tumbuhan Obat Indonesia Ke-50. Vol.3. No.2, pp 265-269. <https://doi.org/10.25026/mpc.v3i2.119> [diakses 18 Juni 2020]
- Saputri, D. I. 2016. 'Gambaran Karakteristik Luka di Ruangan Poliklinik luka di RS. DR Wahidin Sudirohusodo Makassar'. Skripsi . Fakultas Keperawatan Universitas Hasanuddin Makassar. [http://digilib.unhas.ac.id/uploaded\\_files/temporary/DigitalCollection/NzI4MDI2YWVkJzlmZjUwOTUzZWNkZTMycxYmI1Y2FkZTdmYzhhNQ==.pdf](http://digilib.unhas.ac.id/uploaded_files/temporary/DigitalCollection/NzI4MDI2YWVkJzlmZjUwOTUzZWNkZTMycxYmI1Y2FkZTdmYzhhNQ==.pdf) [diakses 6 April 2020]
- Sirinthipaporn, A., Jiraungkoorskul, W. 2017. 'Wound healing property review of siam weed, Chromolaena odorata'. *Pharmacognosy Reviews*. doi: 10.4103/phrev.phrev\_53\_16 [diakses 18 Juni 2020]
- Sundaryono, A. 2011. ' Penggunaan batang tanaman betadin (*Jatropha multifida lin*) untuk meningkatkan jumlah trombosit pada musculus'. *Media Medika Indonesia*. Vol. 45. No. 2. <http://ejournal.undip.ac.id/index.php/mmi/article/view/3017> [diakses 12 Agustus 2020]

Thang, P.T., Patrick, S., Teik, L.S., Yung, C.S. 2001. ‘Anti-oxidant effects of the extracts from the leaves of *Chromolaena odorata* on human dermal fibroblasts and epidermal keratinocytes against hydrogen peroxide and hypoxanthine-xanthine oxidase induced damage’. *Burns.* doi: 10.1016/S0305-4179(00)00137-6 [diakses 14 Agustus 2020]

[TJBI] The Joanna Briggs Institute Critical Appraisal Tools. 2020. <https://joannabriggs.org/>. [diakses 16 April 2020]

Uhegbu, F.O., Imo, C., Onwuegbuchulam, C.H., Friday, C. 2016. ‘Lipid lowering, hypoglycemic and antioxidant activities of *Chromolaena odorata* (L) and *Ageratum conyzoides* (L) ethanolic leaf extracts in albino rats’. *Journal of Medicinal Plants Studies.* Vol.4. No.2, pp. 155–159. <https://www.plantsjournal.com/archives/2016/vol4issue2/PartC/4-1-13.pdf> [diakses 17 juni 2020]

Vezza, R., Mezzasoma, A.M., Venditti, G., Gresele, P. 2002. ‘Prostaglandin endoperoxides and thromboxane A2 activate the same receptor isoforms in human platelets’. *Thromb Haemost.* Vol. 87. No.1 , pp. 114-121. <https://pubmed.ncbi.nlm.nih.gov/11848439/> [diakses 12 Agustus 2020]

Vijayaraghavan, K., Rajkumar, J., Bukhari, S.N.A., Al-Sayed, B., Seyed, M.A .2017. ‘*Chromolaena odorata*: A neglected weed with a wide spectrum of pharmacological activities (Review)’. *Molecular Medicine Reports.* Vol. 15. No.3, pp.1007-1016. doi: 10.3892/mmr.2017.6133. [diakses 18 Juni 2020]

Vijayaraghavan, K., Rajkumar, J., Seyed, M. A. 2017. ‘Efficacy of *Chromolaena odorata* leaf extracts for the healing of rat excision wounds’. *Veterinarni Medicina.* Vol.62. No.10, pp.565-578. doi: 10.17221/161/2016-VETMED [diakses 18 Juni 2020]

Wagenparimataer , F.A., Van-Beurden, H.E., Von den Hoff J.W., Adema, G.J., Figdor, C.G. 2003. ‘The heme-heme oxygenase system: A molecular switch in wound healing’. *Blood.* Vol. 102, No.2, pp. 521-528.Maret 2003. doi: 10.1182/blood-2002-07-2248 [diakses 13 Agustus 2020]

Wathoni, N. 2016. ‘Alasan Kurkumin Efektif Mempercepat Penyembuhan Luka di Kulit’. Majalah Farmasetika’.Vol.1 .No.5. Juli 2016. doi: 10.24198/farmasetika.v1i3.9722 [diakses 18 Juni 2020]

Yutika, M., Rusli, R., Ramadhan, A. M. 2015. ‘Aktivitas Antibakteri Daun Kirinyuh (*Chromolaena odorata* (L.) R.M.King & H.Rob.) Terhadap Bakteri Gangren’. *Prosiding Seminar Nasional Kefarmasian Ke-2, Samarinda.* Vol.2. No. 1, pp.75-81. Desember 2015. <https://doi.org/10.25026/mpc.v2i1.43>

Zahara, M. 2019. 'Description of *Chromolaena odorata* L. R.M King and H. Robinson as medicinal plant: A Review', in *IOP Conference Series: Materials Science and Engineering*. Vol.506. doi: 10.1088/1757-899X/506/1/012022 [diakses 6 April 2020]