

DAFTAR PUSTAKA

- Aarathi, M., Kamalanathan, D. and Balakrishnan, V. (2020) 'ISOLATION OF ACTINOMYCETES FROM THE SEDIMENTS OF PICHAVARAM MANGROVE FOREST , SOUTH INDIA AND ANALYSING THEIR ANTIBACTERIAL EFFICACY', 13(4).
- Ambarwati, T., & Gama, A. (2016). Isolasi Actinomycetes Dari Tanah Sawah Sebagai Penhasil Antibiotik. *Jurnal Penelitian Sains Dan Teknologi*.
<https://doi.org/http://hdl.handle.net/11617/437> (Diunduh pada 18 April 2020)
- Anis, N., Latifah, R. and Andreani, S. (2018) 'Journal of Vocational Health Studies', Elsevier, 01(01), pp. 97–101. doi: 10.20473/jvhs. (Diunduh pada 20 Maret 2020)
- Bahar, M. and Zulfa, F. (2018) 'Potention of Antibacterial Isolat Actinomycetes to Proteolytic and Amilolytic Activity Escherichia Coli ATTC 25922', *Jurnal Teknologi Laboratorium. Poltekkes Kemenkes Yogyakarta*, 7(1), p. 25. doi: 10.29238/teknolabjournal.v7i1.101. (Diunduh pada 18 Maret 2020)
- Baltz, R. H. (2017). Antimicrobials From Actinomycetes: Back To The Future. *Microbe*.
- Brooks, G. F., Jawetz, E., Melnick, J. L., & Adelberg, E. A. (2010). *Jawetz, Melnick, & Adelberg's medical microbiology*. New York, McGraw Hill Medical.
- CDC (2012) 'The National Center for Emerging and Zoonotic Infectious'. Available at: https://www.cdc.gov/ncezid/pdf/ncezid_brochure_2012.pdf. (Diunduh pada 8 April 2020)
- Chikezie, I. O. (2017) 'Determination of minimum inhibitory concentration (MIC) and minimum bactericidal concentration (MBC) using a novel dilution tube method', *African Journal of Microbiology Research*, 11(23), pp. 977–980. doi: 10.5897/ajmr2017.8545.

- Cita, Y. P. (2016). Bakteri Salmonella Typhi Dan Demam Tifoid. *Jurnal Kesehatan Masyarakat September - Maret 2011*. (Diunduh pada 12 April 2020)
- Crump, J. A., Sjölund-Karlsson, M., Gordon, M. A., & Parry, C. M. (2016). Epidemiology, Clinical Presentation, Laboratory Diagnosis, Antimicrobial Resistance, And Antimicrobial Management Of Invasive Salmonella Infections. *Clinical Microbiology Reviews*. <https://doi.org/10.1128/Cmr.00002-15> (Diunduh pada 12 April 2020)
- Deshwal, V., & Tarik, M. (2018). Isolation And Characterization Of Antibiotic Producing Actinomycetes Against Certain Pathogens. *Journal Of Plant Development Sciences*, 10(9), 529–532. (Diunduh pada 12 April 2020)
- Dianty, R., Ardiningsih, P., Buchary, ;, & Rahman, A. (2015). *Antimicrobial Activity Of Actinomycetes Extract From Sea Water Of Randayan Island, Bengkulu Againts Salmonella Sp. Jurnal Mahasiswa Pspd Fk Universitas Tanjungpura* (Vol. 3). (Diunduh pada 20 Maret 2020)
- Hameş-Kocabaş, E. E., & Uzel, A. (2016). Isolation Strategies Of Marine-Derived Actinomycetes From Sponge And Sediment Samples. *Journal Of Microbiological Methods*. <https://doi.org/10.1016/J.Mimet.2012.01.010> (Diunduh pada 18 April 2020)
- Hasyim, A., & Febriwanti Tulak, Y. (2018). Isolasi Dan Karakterisasi Actinomycetes Sebagai Penghasil Antibiotik Dari Sampel Tanah Pada Peternakan Sapi Di Kecamatan Galesong Kabupaten Takalar. *Biogenesis: Jurnal Ilmiah Biologi*. <https://doi.org/10.24252/Bio.V1i2.454> (Diunduh pada 18 April 2020)
- Id, C. D. B. et al. (2018) ‘A systematic review of antimicrobial resistance in Salmonella enterica serovar Typhi , the etiological agent of typhoid’, pp. 1–15. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6198998/> (Diunduh pada 14 April 2020)

- Ilham, I., Nugraha, J., & Purwanta, M. (2017). Deteksi Igm Anti Salmonella Enterica Serovar Typhi Dengan Pemeriksaan Tubex Tf Dan Typhidot-M. *Jurnal Biosains Pascasarjana*. <https://doi.org/10.20473/Bsn.V19i2.5703> (Diunduh pada 15 April 2020)
- Jakubiec-Krzesniak, K. *et al.* (2018) 'Secondary metabolites of actinomycetes and their antibacterial, antifungal and antiviral properties', *Polish Journal of Microbiology*, 67(3), pp. 259–272. doi: 10.21307/pjm-2018-048. https://www.researchgate.net/publication/327420108_Secondary_Metabolites_of_Actinomycetes_and_their_Antibacterial_Antifungal_and_Antiviral_Properties/link/5b8fe02092851c6b7ec09d27/download (Diunduh pada 14 September 2020)
- Jaroni, D. (2016). Salmonella: Salmonella Typhi. In *Encyclopedia Of Food Microbiology: Second Edition*. <https://doi.org/10.1016/B978-0-12-384730-0.00296-2> (Diunduh pada 15 April 2020)
- Jawetz, E., Melnick, J., Adelberg, E. and Carroll, K., 2016. *Jawetz, Melnick, & Adelberg's Medical Microbiology*. 27th ed. New York: McGraw-Hill Education.
- Kumalasari, A., Fathurahman, N., & Nur, M. (2016). Potensi Actinomycetes Sebagai Sumber Senyawa Bioaktif Antibiotik Dari Kawasan Karst Bantimurung, Sulawesi Selatan. *Pelita - Jurnal Penelitian Mahasiswa Uny*. (Diunduh pada 15 April 2020)
- Kumar, R. R., & Jadeja, V. J. (2016). Isolation Of Actinomycetes: A Complete Approach. *International Journal Of Current Microbiology And Applied Sciences*. <https://doi.org/10.20546/Ijcmas.2016.505.062> (Diunduh pada 14 April 2020)
- Mahajan, G. B., & Balachandran, L. (2017). Antibacterial Agents From Actinomycetes - A Review. *Frontiers In Bioscience - Elite*. <https://doi.org/10.2741/E373> (Diunduh pada 15 April 2020)

- Mohseni, M. et al. (2013) 'Screening of antibacterial producing actinomycetes from sediments of the caspian sea.', *International journal of molecular and cellular medicine*, 2(2), pp. 64–71. <http://www.ncbi.nlm.nih.gov/pubmed/24551793><http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC3920526>. (Diunduh pada 15 April 2020)
- Nanasombat S, Phunpruch S, Jsichlsd T. 2012. Screening and identification of lactic acid bacteria from raw seafoods and Thai fermented seafoods products for their potential use as starter cultures. *Songklanakarinn Journal of Science and Technology* 34 (3): 255-262. (Diunduh pada 6 Juni 2020)
- Nurkanto, A., & Agusta, A. (2016). Identifikasi Molekular Dan Karakterisasi Morfo-Fisiologi Actinomycetes Penghasil Senyawa Antimikroba. *Jurnal Biologi Indonesia*. <https://doi.org/10.14203/jbi.v11i2.2193> (Diunduh pada 14 April 2020)
- Poulos C. et al. (2011) 'Cost of illness due to typhoid fever in five Asian countries.' *Trop Med and Int Health*;16(3):314–323. <https://www.ncbi.nlm.nih.gov/pubmed/21223462> (Diunduh pada 18 Maret 2020)
- Pujiati, P. (2016). Isolasi Actinomycetes Dari Tanah Kebun Sebagai Bahan Petunjuk Praktikum Mikrobiologi. *Florea: Jurnal Biologi Dan Pembelajarannya*. <https://doi.org/10.25273/florea.v1i2.390> (Diunduh pada 12 April 2020)
- Purwani, J., Elsanti, Taylor, P., Ghag, S. B., Shekhawat, U. K. S., Ganapathi, T. R., ... Wibowo, A. (2017). Identifikasi Molekular Dan Karakterisasi Morfo-Fisiologi Actinomycetes Penghasil Senyawa Antimikroba (Molecular Identification And Morpho-Physiological Characterization Of Actinomycetes With Antimicrobial Properties). *Jurnal Fitopatologi Indonesia*. <https://doi.org/10.1016/J.Hpj.2018.08.001> (Diunduh pada 15 April 2020)
- Rai, K., Khadka, S. and Shrestha, B. (2018) 'Actinomycetes: Isolation ,

Characterization and Screening for Antimicrobial Activity from Different Sites of Chitwan, Nepal', 3(1), pp. 25–30. doi: 10.11648/j.ijmb.20180301.14.

<http://www.sciencepublishinggroup.com/journal/paperinfo?journalid=396&doi=10.11648/j.ijmb.20180301.14> (Diunduh pada 28 Agustus 2020)

Sharma, M. (2016). Actinomycetes: Source, Identification, And Their Applications. *International Journal Of Current Microbiology And Applied Sciences*. (Diunduh pada 14 April 2020)

Sulistiyani, N., & Akbar, A. (2017). Aktivitas Isolat Actinomycetes Dari Rumput Laut (*Eucheuma Cottonii*) Sebagai Penghasil Antibiotik Terhadap *Staphylococcus Aureus* Dan *Escherichia Coli*. *Jurnal Ilmu Kefarmasian Indonesia*. (Diunduh pada 15 April 2020)

Suryani, S., Roza, R. M., Martina, A., Program, M., Biologi, S., Biologi, D. J., ... Pekanbaru, W. (2014). *Seleksi Dan Uji Antibakteri Aktinomisetes Asal Tanah Gambut Rimbo Panjang Kampar Riau Terhadap Escherichia Coli Dan Salmonella Typhi*. *Jom Fmipa* (Vol. 1). (Diunduh pada 18 Maret 2020)

Pratiwi, T. A. (2017). 'UJI EFEKTIVITAS ANTIBAKTERI ISOLAT *ACTINOMYCETES* DARI SAMPEL TANAH KEBUN RAYA BOGOR TERHADAP BAKTERI *Staphylococcus aureus* ATCC 25923 SECARA IN VITRO' <http://repository.upnvj.ac.id/4782/> (Diunduh pada 19 April 2020)

Valli S, et al. (2012) 'Antimicrobial potential of Actinomycetes species isolated from marine environment.' *Asian Pac J Trop Biomed*; 2:469-73. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3609324/> (Diunduh pada 15 Maret 2020)

Ventura, M., Canchaya, C., Tauch, A., Chandra, G., Fitzgerald, G. F., Chater, K. F., ... Nikapitiya, C. (2016). Uji Awal Aktivitas Antimikroba Dari Actinomycetes 9isp1 Dari Spons Asal Perairan Pulau Randayan. *E-Jurnal Ilmu Dan Teknologi Kelautan Tropis*. <https://doi.org/10.3390/D9040040> (Diunduh pada 14 April 2020)

- Vitriani, P. (2016). Potensi Antibiotik Isolat Actinomycetes Dari Material Vulkanik Gunung Merapi Erupsi Tahun 2010 Terhadap Tr I C Hop Hy T On Ment Agr Ophyte S. *Journal Of Chemical Information And Modeling*. <https://doi.org/10.1017/Cbo9781107415324.004> (Diunduh pada 14 April 2020)
- Wain, J., Hendriksen, R. S., Mikoleit, M. L., Keddy, K. H., & Ochiai, R. L. (2016). Typhoid Fever. In *The Lancet*. [https://doi.org/10.1016/S0140-6736\(13\)62708-7](https://doi.org/10.1016/S0140-6736(13)62708-7) (Diunduh pada 12 April 2020)
- WHO (2009) 'Global Health Risks'. http://www.who.int/healthinfo/global_burden_disease/GlobalHealthRisks_report_full.pdf (Diunduh pada 14 Maret 2020)
- Yanestria, Sheila & Rahmaniar, Reina & Wibisono, Freshinta & Effendi, Mustofa. (2019). Detection of invA gene of Salmonella from milkfish (Chanos chanos) at Sidoarjo wet fish market, Indonesia, using polymerase chain reaction technique. *Veterinary World*. 12. 170-175. [10.14202/vetworld.2019.170-175](https://doi.org/10.14202/vetworld.2019.170-175). (Diakses pada 3 Mei 2020)