

DAFTAR PUSTAKA

- Adiwinata, R. *et al.* (2017) 'Tatalaksana Terkini Perlemakan Hati Non Alkoholik', *Jurnal Penyakit Dalam Indonesia*, 2(1), p. 53. doi: 10.7454/jpdi.v2i1.65.
- Aiba, S. *et al.* (2016) 'Gambaran Nilai Hematologi Tikus Putih Betina Dara pada Pemberian Tombong Kelapa', *Acta VETERINARIA Indonesiana*, 4(2), pp. 74–81. doi: 10.29244/avi.4.2.74-81.
- Anneke, R. and Sulistiyaningsih (2018) 'Review: Terapi Herbal sebagai Alternatif Pengobatan Dislipidemia', *Farmaka*, 16, pp. 213–221.
- Arsana, P. M. *et al.* (2015) 'Panduan pengelolaan dislipidemia di Indonesia', *Pb. Perkeni*, p. 4. doi: 10.1002/bit.22430.
- Chakraborty, A. K., Rambhade, S. and Patil, U. (2011) 'Chromolaena odorata (L .): An Overview', *Journal of Pharmacy Research*, 4(3), pp. 573–576. Available at: <http://jprsolutions.info>.
- Chalasan, N. *et al.* (2012) 'The diagnosis and management of non-alcoholic fatty liver disease: Practice Guideline by the American Association for the Study of Liver Diseases, American College of Gastroenterology, and the American Gastroenterological Association', *Hepatology*, 55(6), pp. 2005–2023. doi: 10.1002/hep.25762.
- Ekananda, N. (2015) 'Bay Leaf in dyslipidemia therapy', *Artikel Review J Majority*, 4, pp. 64–69.
- Gani, N., Momuat, L. I. and Pitoi, M. M. (2013) 'Profil Lipida Plasma Tikus Wistar yang Hiperkolesterolemia pada Pemberian Gedi Merah (Abelmoschus manihot L.)', *Jurnal MIPA*, 2(1), p. 44. doi: 10.35799/jm.2.1.2013.765.
- Harfiani, E. *et al.* (2017) 'Functional analysis of Ageratum conyzoides L. (Babandotan) leaves extract on rheumatoid arthritis model rat', *Asian Journal of Pharmaceutical and Clinical Research*, 10(3), pp. 429–433. doi: 10.22159/ajpcr.2017.v10i3.16428.
- Harsa, I. M. S. (2014) 'Efek Pemberian Diet Tinggi Lemak Terhadap Profil lemak

- Darah Tikus Putih (*Rattus norvegicus*)', *Jurnal Ilmiah Kedokteran*, 3(1), pp. 21–28.
- Idoko, A. (2018) 'Hypoglycemic and Lipid Lowering Effect of Aqueous Fresh Leaf Extract of *Chromolaena odorata* (Linn) in Albino Wistar Rats Fed Different Concentrations of Cholesterol Enriched Diet', *Universal Journal of Pharmaceutical Research*, 3(1), pp. 37–42. doi: 10.22270/ujpr.v3i1.r7.
- Jiang, D.-X. *et al.* (2020) 'Prolyl endopeptidase gene disruption attenuates high fat diet-induced nonalcoholic fatty liver disease in mice by improving hepatic steatosis and inflammation', *Annals of Translational Medicine*, 8(5), pp. 218–218. doi: 10.21037/atm.2020.01.14.
- Kumar, S. and Pandey, A. K. (2013) 'Chemistry and biological activities of flavonoids: An overview', *The Scientific World Journal*, 2013. doi: 10.1155/2013/162750.
- Mbuzi, V., Fulbrook, P. and Jessup, M. (2018) 'Effectiveness of programs to promote cardiovascular health of Indigenous Australians: a systematic review', *International Journal for Equity in Health*, 17(1), p. 153. doi: 10.1186/s12939-018-0867-0.
- Oluyemisi Omotayo Omonije, Abubakar Ndamani Saidu, H. L. M. (2020) 'Antioxidant and Hypolipidemic Effects of Methanolic Root Extract of *Chromolaena odorata* in Alloxan-induced Diabetic Rats', *Iranian Journal of Toxicology*, 14(2), pp. 63–70.
- Padmiswari, A. A. I. M., Wiratmini, N. I. and Kasa, I. W. (2017) 'Histologi Testis Tikus (*Rattus norvegicus*) Jantan Yang Diberi Tepung Daun Lamtoro (*Leucaena leucocephala* Lamk. De Wit) Hasil Perendaman', *Metamorfosa: Journal of Biological Sciences*, 4(2), p. 178. doi: 10.24843/metamorfosa.2017.v03.i02.p07.
- Procházková, D., Boušová, I. and Wilhelmová, N. (2011) 'Antioxidant and prooxidant properties of flavonoids', *Fitoterapia*, 82(4), pp. 513–523. doi: 10.1016/j.fitote.2011.01.018.

Widhi Kusuma Wardhana, 2020

POTENSI EKSTRAK DAUN KIRINYUH (*Chromolaena odorata* L.) TERHADAP PERBAIKAN GAMBARAN HISTOPATOLOGI PERLEMAKAN HATI PADA TIKUS PUTIH (*Rattus norvegicus*) DENGAN DISLIPIDEMIA SEBUAH SYSTEMATIC LITERATURE REVIEW

UPN Veteran Jakarta, Fakultas Kedokteran

[www.upnvj.ac.id – www.library.upnvj.ac.id – www.repository.upnvj.ac.id]

- Qiu, M. *et al.* (2020) 'Protective effect of Hedansanqi Tiaozhi Tang against non-alcoholic fatty liver disease in vitro and in vivo through activating Nrf2/HO-1 antioxidant signaling pathway.', *Phytomedicine : international journal of phytotherapy and phytopharmacology*. Germany, 67, p. 153140. doi: 10.1016/j.phymed.2019.153140.
- Ramkumar, S., Raghunath, A. and Raghunath, S. (2016) 'Statin therapy: Review of safety and potential side effects', *Acta Cardiologica Sinica*, 32(6), pp. 631–639. doi: 10.6515/ACS20160611A.
- Ramli, N. S. *et al.* (2014) 'Effects of red pitaya juice supplementation on cardiovascular and hepatic changes in high-carbohydrate, high-fat diet-induced metabolic syndrome rats', *BMC Complementary and Alternative Medicine*, 14(1), pp. 1–10. doi: 10.1186/1472-6882-14-189.
- Shamseer, L. *et al.* (2015) 'Preferred reporting items for systematic review and meta-analysis protocols (prisma-p) 2015: Elaboration and explanation', *BMJ (Online)*, 349(January), pp. 1–25. doi: 10.1136/bmj.g7647.
- Siswanto, S. (2012) 'Systematic Review Sebagai Metode Penelitian Untuk Mensintesis Hasil-Hasil Penelitian (Sebuah Pengantar)', *Buletin Penelitian Sistem Kesehatan*, 13(4 Okt). doi: 10.22435/bpsk.v13i4.
- Somba, Y. R. *et al.* (2016) 'Gambaran Histologik Hati Pada Kelinci Yang Diinduksi Lemak Dengan Pemberian Ekstrak Beras Hitam', *Jurnal e-Biomedik*, 4(2), pp. 2–6. doi: 10.35790/ebm.4.2.2016.13328.
- Song, Y. *et al.* (2014) 'Sasa borealis stem extract attenuates hepatic steatosis in high-fat diet-induced obese rats', *Nutrients*, 6(6), pp. 2179–2195. doi: 10.3390/nu6062179.
- The Joanna Briggs Institute (2017) 'Checklist for Quasi-Experimental Studies', *The Joanna Briggs Institute*, pp. 1–18. Available at: <https://wiki.joannabriggs.org/display/MANUAL/Joanna+Briggs+Institute+Reviewer%27s+Manual>.
- Uhegbu, F. O. *et al.* (2016) 'Lipid lowering, hypoglycemic and antioxidant

Widhi Kusuma Wardhana, 2020

POTENSI EKSTRAK DAUN KIRINYUH (*Chromolaena odorata L.*) TERHADAP PERBAIKAN GAMBARAN HISTOPATOLOGI PERLEMAKAN HATI PADA TIKUS PUTIH (*Rattus norvegicus*) DENGAN DISLIPIDEMIA SEBUAH SYSTEMATIC LITERATURE REVIEW

UPN Veteran Jakarta, Fakultas Kedokteran

[www.upnvj.ac.id – www.library.upnvj.ac.id – www.repository.upnvj.ac.id]

- activities of *Chromolaena odorata* (L) and *Ageratum conyzoides* (L) ethanolic leaf extracts in albino rats', ~ 155 ~ *Journal of Medicinal Plants Studies*, 4(2), pp. 155–159.
- Vinay Kumar, Abul K. Abbas, J. C. A. (2013) *Robbins basic pathology, Philadelphia*,. doi: 10.1136/jcp.47.1.95-d.
- Wang, Y. *et al.* (2015) 'Prevention and treatment effect of total flavonoids in *Stellera chamaejasme* L . on nonalcoholic fatty liver in rats', *Lipids in Health and Disease*. *Lipids in Health and Disease*, pp. 1–9. doi: 10.1186/s12944-015-0082-6.
- Weisbroth, S. H. *et al.* (2015) *LABORATORY ANIMAL MEDICINE American College of Laboratory Animal Medicine Series*.
- Yenti, R., Afrianti, R. and Endang P, A. (2016) 'FORMULASI KRIM EKSTRAK ETANOL DAUN KIRINYUH (*Eupatorium odoratum* L.) SEBAGAI ANTIINFLAMASI', *Scientia : Jurnal Farmasi dan Kesehatan*, 4(1), p. 7. doi: 10.36434/scientia.v4i1.72.
- Zeka, K. *et al.* (2017) 'Flavonoids and Their Metabolites: Prevention in Cardiovascular Diseases and Diabetes', *Diseases*, 5(3), p. 19. doi: 10.3390/diseases5030019