

DAFTAR PUSTAKA

- Anders, H.J., Andersen, K., Stecher, B., 2013. The intestinal microbiota, a leaky gut, and abnormal immunity in kidney disease. *Kidney Int.* 83, 1010–1016. <https://doi.org/10.1038/ki.2012.440>
- Barker, S.L., Pastor, J., Carranza, D., Quiones, H., Griffith, C., Goetz, R., Mohammadi, M., Ye, J., Zhang, J., Hu, M.C., Kuro-o, M., Moe, O.W., Sidhu, S.S., 2015. The demonstration of α Klotho deficiency in human chronic kidney disease with a novel synthetic antibody. *Nephrol. Dial. Transplant.* 30, 223–233. <https://doi.org/10.1093/ndt/gfu291>
- Benghanem Gharbi, M., Elseviers, M., Zamd, M., Belghiti Alaoui, A., Benahadi, N., Trabelssi, E.H., Bayahia, R., Ramdani, B., De Broe, M.E., 2016. Chronic kidney disease, hypertension, diabetes, and obesity in the adult population of Morocco: how to avoid “over”- and “under”-diagnosis of CKD. *Kidney Int.* 89, 1363–1371. <https://doi.org/10.1016/j.kint.2016.02.019>
- Cha, S.K., Ortega, B., Kurosu, H., Rosenblatt, K.P., Kuro-o, M., Huang, C.L., 2008. Removal of sialic acid involving Klotho causes cell-surface retention of TRPV5 channel via binding to galectin-1. *Proc. Natl. Acad. Sci. U. S. A.* 105, 9805–9810. <https://doi.org/10.1073/pnas.0803223105>
- Coresh, J., Astor, B.C., Greene, T., Eknoyan, G., Levey, A.S., 2003. Prevalence of chronic kidney disease and decreased kidney function in the adult US population: Third National Health and Nutrition Examination Survey. *Am. J. Kidney Dis.* 41, 1–12. <https://doi.org/10.1053/ajkd.2003.50007>
- Disease, K., Menon, V., Shlipak, M.G., Wang, X., Coresh, J., Greene, T., 2007. Annals of Internal Medicine Article Cystatin C as a Risk Factor for Outcomes in Chronic. *Ann. Intern. Med.* 19–28.
- Eloot, S., Schepers, E., Barreto, D. V., Barreto, F.C., Liabeuf, S., van Biesen, W., Verbeke, F., Glorieux, G., Choukroun, G., Massy, Z., Vanholder, R., 2011. Estimated glomerular filtration rate is a poor predictor of concentration for a broad range of uremic toxins. *Clin. J. Am. Soc. Nephrol.* 6, 1266–1273. <https://doi.org/10.2215/CJN.09981110>
- Fotheringham, J., Campbell, M.J., Fogarty, D.G., El Nahas, M., Ellam, T., 2014. Estimated albumin excretion rate versus urine albumin-creatinine ratio for the estimation of measured albumin excretion rate: Derivation and validation of an estimated albumin excretion rate equation. *Am. J. Kidney Dis.* 63, 405–414. <https://doi.org/10.1053/j.ajkd.2013.08.009>

- Garasto, S., Fusco, S., Corica, F., Rosignuolo, M., Marino, A., Montesanto, A., De Rango, F., Maggio, M., Mari, V., Corsonello, A., Lattanzio, F., 2014. Estimating glomerular filtration rate in older people. *Biomed Res. Int.* 2014. <https://doi.org/10.1155/2014/916542>
- Glasscock, R.J., 2016. Evaluation of proteinuria redux. *Kidney Int.* 90, 938–940. <https://doi.org/10.1016/j.kint.2016.07.044>
- Gupta, S., Rajiah, P., Middlebrooks, E.H., Baruah, D., Carter, B.W., Burton, K.R., Chatterjee, A.R., Miller, M.M., 2018. Systematic Review of the Literature: Best Practices. *Acad. Radiol.* 25, 1481–1490. <https://doi.org/10.1016/j.acra.2018.04.025>
- Helal, I., Fick-Brosnahan, G.M., Reed-Gitomer, B., Schrier, R.W., 2012. Glomerular hyperfiltration: Definitions, mechanisms and clinical implications. *Nat. Rev. Nephrol.* 8, 293–300. <https://doi.org/10.1038/nrneph.2012.19>
- Hu, M.C., Kuro-o, M., Moe, O.W., 2013. Renal and Extrarenal Actions of Klotho. *Semin. Nephrol.* 33, 118–129. <https://doi.org/10.1016/j.semephrol.2012.12.013>
- Hu, M.C., Kuro-O, M., Moe, O.W., 2013. Klotho and chronic kidney disease. *Contrib. Nephrol.* 180, 47–63. <https://doi.org/10.1159/000346778>
- Hu, M.C., Shi, M., Zhang, J., Pastor, J., Nakatani, T., Lanske, B., Razzaque, M.S., Rosenblatt, K.P., Baum, M.G., Kuro-O, M., Moe, O.W., 2010. Klotho: a novel phosphaturic substance acting as an autocrine enzyme in the renal proximal tubule. *FASEB J.* 24, 3438–3450. <https://doi.org/10.1096/fj.10-154765>
- Hu, M.C., Shi, M., Zhang, J., Quiñones, H., Griffith, C., Kuro-o, M., Moe, O.W., 2011. Klotho deficiency causes vascular calcification in chronic kidney disease. *J. Am. Soc. Nephrol.* 22, 124–136. <https://doi.org/10.1681/ASN.2009121311>
- Hu, M.C., Shiizaki, K., Kuro-o, M., Moe, O.W., 2013. Fibroblast Growth Factor 23 and Klotho: Physiology and Pathophysiology of an Endocrine Network of Mineral Metabolism. *Annu. Rev. Physiol.* 75, 503–533. <https://doi.org/10.1146/annurev-physiol-030212-183727>
- Imai, E., Horio, M., Watanabe, T., Iseki, K., Yamagata, K., Hara, S., Ura, N., Kiyohara, Y., Moriyama, T., Ando, Y., Fujimoto, S., Konta, T., Yokoyama, H., Makino, H., Hishida, A., Matsuo, S., 2009. Prevalence of chronic kidney disease in the Japanese general population. *Clin. Exp. Nephrol.* 13, 621–630. <https://doi.org/10.1007/s10157-009-0199-x>

- Inker, L.A., Levey, A.S., Pandya, K., Stoycheff, N., Okparavero, A., Greene, T., 2014. Early change in proteinuria as a surrogate end point for kidney disease progression: An individual patient meta-analysis. *Am. J. Kidney Dis.* 64, 74–85. <https://doi.org/10.1053/j.ajkd.2014.02.020>
- Jameson, J.L., Loscalzo, J., 2013. *Harrison's Nephrology Acid-Base Disorders*. McGraw Hill Education.
- JBI, 2017. Critical Appraisal Tools - JBI [WWW Document]. Joanna Briggs Inst. <https://doi.org/10.1016/j.biortech.2015.09.108>
- KDIGO, 2012. Clinical practice guideline for the evaluation and management of chronic kidney disease.
- Kim, H.R., Nam, B.Y., Kim, D.W., Kang, M.W., Han, J.H., Lee, M.J., Shin, D.H., Doh, F.M., Koo, H.M., Ko, K. Il, Kim, C.H., Oh, H.J., Yoo, T.H., Kang, S.W., Han, D.S., Han, S.H., 2013. Circulating α -klotho levels in CKD and relationship to progression. *Am. J. Kidney Dis.* 61, 899–909. <https://doi.org/10.1053/j.ajkd.2013.01.024>
- Kuro-o, M., Moe, O.W., 2017. FGF23- α Klotho as a paradigm for a kidney-bone network. *Bone* 100, 4–18. <https://doi.org/10.1016/j.bone.2016.11.013>
- Kurosu, H., Ogawa, Y., Miyoshi, M., Yamamoto, M., Nandi, A., Rosenblatt, K.P., Baum, M.G., Schiavi, S., Hu, M.C., Moe, O.W., Kuro-o, M., 2006. Regulation of fibroblast growth factor-23 signaling by Klotho. *J. Biol. Chem.* 281, 6120–6123. <https://doi.org/10.1074/jbc.C500457200>
- Lamb, E.J., Stevens, P.E., 2014. Estimating and measuring glomerular filtration rate: Methods of measurement and markers for estimation. *Curr. Opin. Nephrol. Hypertens.* 23, 258–266. <https://doi.org/10.1097/01.mnh.0000444813.72626.88>
- Li, J., An, C., Kang, L., Mitch, W.E., Wang, Y., 2017. Recent Advances in Magnetic Resonance Imaging Assessment of Renal Fibrosis. *Adv. Chronic Kidney Dis.* 24, 150–153. <https://doi.org/10.1053/j.ackd.2017.03.005>
- Lim, K., Groen, A., Molostvov, G., Lu, T., Lilley, K.S., Snead, D., James, S., Wilkinson, I.B., Ting, S., Hsiao, L.L., Hiemstra, T.F., Zehnder, D., 2015. A-Klotho Expression in Human Tissues. *J. Clin. Endocrinol. Metab.* 100, E1308–E1318. <https://doi.org/10.1210/jc.2015-1800>
- Matsumura, Y., Aizawa, H., Shiraki-Iida, T., Nagai, R., Kuro-O, M., Nabeshima, Y.I., 1998. Identification of the human klotho gene and its two transcripts encoding membrane and secreted klotho protein. *Biochem. Biophys. Res. Commun.* 242, 626–630. <https://doi.org/10.1006/bbrc.1997.8019>

Matsushita, K., Coresh, J., Sang, Y., Chalmers, J., Fox, C., Guallar, E., Jafar, T., Jassal, S.K., Landman, G.W.D., Muntner, P., Roderick, P., Sairenchi, T., Schöttker, B., Shankar, A., Shlipak, M., Tonelli, M., Townend, J., van Zuilen, A., Yamagishi, K., Yamashita, K., Gansevoort, R., Sarnak, M., Warnock, D.G., Woodward, M., Ärnlöv, J., MacMahon, S., Arima, H., Yatsuya, H., Toyoshima, H., Tamakoshi, K., Grams, M., Atkins, R.C., Polkinghorne, K.R., Chadban, S., Klein, R., Klein, B.E.K., Lee, K.E., Sacks, F.M., Curhan, G.C., Katz, R., Iso, H., Kitamura, A., Imano, H., Jafar, T.H., Islam, M., Hatcher, J., Poulter, N., Chaturvedi, N., Wheeler, D.C., Emberson, J., Townend, J.N., Landray, M.J., Brenner, H., Rothenbacher, D., Müller, H., Fox, C.S., Hwang, S.J., Meigs, J.B., Upadhyay, A., Green, J., Kirchner, H.L., Perkins, R., Chang, A.R., Cirillo, M., Hallan, S., Aasarød, K., Øien, C.M., Romundstad, S., Irie, F., Ryu, S., Chang, Y., Cho, J., Shin, H., Chodick, G., Shalev, V., Ash, N., Shainberg, B., Wetzels, J.F.M., Blankestijn, P.J., van Zuilen, A.D., Levey, A.S., Inker, L.A., Menon, V., Peralta, C., Nitsch, D., Fletcher, A., Bulpitt, C., Elley, C.R., Kenealy, T., Moyes, S.A., Collins, J.F., Drury, P., Ohkubo, T., Nakayama, M., Kikuya, M., Imai, Y., Bakker, S.J.L., Hillege, H.L., Lambers Heerspink, H.J., Bergstrom, J., Ix, J.H., Barrett-Connor, E., Judd, S., McClellan, W., Gutierrez, O., Jee, S.H., Kimm, H., Mok, Y., Tangri, N., Sud, M., Naimark, D., Wen, C.P., Wen, S.F., Tsao, C.K., Tsai, M.K., Ärnlöv, J., Lannfelt, L., Larsson, A., Bilo, H.J., Kleefstra, N., Groenier, K.H., Joosten, H., Drion, I., de Jong, P.E., Iseki, K., Stengel, B., Ballew, S.H., 2015. Estimated glomerular filtration rate and albuminuria for prediction of cardiovascular outcomes: A collaborative meta-analysis of individual participant data. *Lancet Diabetes Endocrinol.* 3, 514–525. [https://doi.org/10.1016/S2213-8587\(15\)00040-6](https://doi.org/10.1016/S2213-8587(15)00040-6)

Ming Chang Hu, Makoto Kuro-o, Moe, O.W., Kuro-o, M., 2012. Endocrine Fgfs and Klothos. Chapter 9: Secreted Klotho and Chronic Kidney Disease 126–157.

Morton, R.L., Schlackow, I., Mihaylova, B., Staplin, N.D., Gray, A., Cass, A., 2016. The impact of social disadvantage in moderate-to-severe chronic kidney disease: An equity-focused systematic review. *Nephrol. Dial. Transplant.* 31, 46–56. <https://doi.org/10.1093/ndt/gfu394>

Murphy, D., McCulloch, C.E., Lin, F., Banerjee, T., Bragg-Gresham, J.L., Eberhardt, M.S., Morgenstern, H., Pavkov, M.E., Saran, R., Powe, N.R., Hsu, C.Y., 2016. Trends in prevalence of chronic kidney disease in the United States. *Ann. Intern. Med.* 165, 473–481. <https://doi.org/10.7326/M16-0273>

Neyra, J.A., Hu, M.C., 2016. αKlotho and Chronic Kidney Disease. *Vitam. Horm.* 101, 257–310. <https://doi.org/10.1016/bs.vh.2016.02.000>

- Neyra, J.A., Hu, M.C., 2017. Potential application of klotho in human chronic kidney disease. *Bone* 100, 41–49. <https://doi.org/10.1016/j.bone.2017.01.017>
- Panesso, M.C., Shi, M., Cho, H.J., Paek, J., Ye, J., Moe, O.W., Hu, M.C., 2014. Klotho has dual protective effects on cisplatin-induced acute kidney injury. *Kidney Int.* 85, 855–870. <https://doi.org/10.1038/ki.2013.489>
- Pasala, S., Carmody, J.B., 2017. How to use... serum creatinine, cystatin C and GFR. *Arch. Dis. Child. Educ. Pract. Ed.* 102, 37–43. <https://doi.org/10.1136/archdischild-2016-311062>
- Pati, D., Lorusso, L.N., 2018. How to Write a Systematic Review of the Literature. *Heal. Environ. Res. Des. J.* 11, 15–30. <https://doi.org/10.1177/1937586717747384>
- Pedersen, L., Pedersen, S.M., Brasen, C.L., Rasmussen, L.M., 2013. Soluble serum Klotho levels in healthy subjects. Comparison of two different immunoassays. *Clin. Biochem.* 46, 1079–1083. <https://doi.org/10.1016/j.clinbiochem.2013.05.046>
- Perazella, M.A., 2015. The Urine Sediment as a Biomarker of Kidney Disease. *Am. J. Kidney Dis.* 66, 748–755. <https://doi.org/10.1053/j.ajkd.2015.02.342>
- Qian, J., Zhong, J., Yan, M., Cheng, P., Shi, H., Hao, C., Gu, Y., Lai, L., 2018. Circulating α -Klotho is Related to Plasma Aldosterone and Its Follow-Up Change Predicts CKD Progression. *Kidney Blood Press. Res.* 43, 836–846. <https://doi.org/10.1159/000490138>
- Remer, E.M., Papanicolaou, N., Casalino, D.D., Bishoff, J.T., Blaufox, M.D., Coursey, C.A., Dighe, M., Eberhardt, S.C., Goldfarb, S., Harvin, H.J., Heilbrun, M.E., Leyendecker, J.R., Nikolaidis, P., Oto, A., Preminger, G.M., Raman, S.S., Sheth, S., Vikram, R., Weinfeld, R.M., 2014. ACR appropriateness criteria® on renal failure. *Am. J. Med.* 127, 1041–1048.e1. <https://doi.org/10.1016/j.amjmed.2014.05.014>
- Romagnani, P., Remuzzi, G., Glasscock, R., Levin, A., Jager, K.J., Tonelli, M., Massy, Z., Wanner, C., Anders, H.J., 2017. Chronic kidney disease. *Nat. Rev. Dis. Prim.* 3. <https://doi.org/10.1038/nrdp.2017.88>
- Sakan, H., Nakatani, K., Asai, O., Imura, A., Tanaka, T., Yoshimoto, S., Iwamoto, N., Kurumatani, N., Iwano, M., Nabeshima, Y.I., Konishi, N., Saito, Y., 2014. Reduced renal α -Klotho expression in CKD patients and its effect on renal phosphate handling and vitamin D metabolism. *PLoS One* 9. <https://doi.org/10.1371/journal.pone.008630>

- Sastre, C., Rubio-Navarro, A., Buendía, I., Gómez-Guerrero, C., Blanco, J., Mas, S., Egido, J., Blanco-Colio, L.M., Ortiz, A., Moreno, J.A., 2013. Hyperlipidemia-associated renal damage decreases Klotho expression in kidneys from ApoE knockout mice. *PLoS One* 8, 1–13. <https://doi.org/10.1371/journal.pone.0083713>
- Scholze, A., Liu, Y., Pedersen, L., Xia, S., Roth, H.J., Hocher, B., Rasmussen, L.M., Tepel, M., 2014. Soluble α -Klotho and its relation to kidney function and fibroblast growth factor-23. *J. Clin. Endocrinol. Metab.* 99, 1–8. <https://doi.org/10.1210/jc.2013-4171>
- Seiler, S., Wen, M., Roth, H.J., Fehrenz, M., Flügge, F., Herath, E., Weihrauch, A., Fliser, D., Heine, G.H., 2013. Plasma Klotho is not related to kidney function and does not predict adverse outcome in patients with chronic kidney disease. *Kidney Int.* 83, 121–128. <https://doi.org/10.1038/ki.2012.288>
- Shamseer, L., Moher, D., Clarke, M., Ghersi, D., Liberati, A., Petticrew, M., Shekelle, P., Stewart, L.A., 2015. PRISMA-P (Preferred Reporting Items for Systematic review and Meta-Analysis Protocols) 2015 checklist: recommended items to address in a systematic review protocol *. *Bmj*. <https://doi.org/10.1111/j.1532-950X.2010.00691.x>
- Shimamura, Y., Hamada, K., Inoue, K., Ogata, K., Ishihara, M., Kagawa, T., Inoue, M., Fujimoto, S., Ikebe, M., Yuasa, K., Yamanaka, S., Sugiura, T., Terada, Y., 2012. Serum levels of soluble secreted α -Klotho are decreased in the early stages of chronic kidney disease, making it a probable novel biomarker for early diagnosis. *Clin. Exp. Nephrol.* 16, 722–729. <https://doi.org/10.1007/s10157-012-0621-7>
- Small, D.M., Bennett, N.C., Roy, S., Gabrielli, B.G., Johnson, D.W., Gobe, G.C., 2013. Oxidative stress and cell senescence combine to cause maximal renal tubular epithelial cell dysfunction and loss in an in vitro model of kidney disease. *Nephron - Exp. Nephrol.* 122, 123–130. <https://doi.org/10.1159/000350726>
- Stevens, P.E., O'Donoghue, D.J., De Lusignan, S., Van Vlymen, J., Klebe, B., Middleton, R., Hague, N., New, J., Farmer, C.K.T., 2007. Chronic kidney disease management in the United Kingdom: NEOERICA project results. *Kidney Int.* 72, 92–99. <https://doi.org/10.1038/sj.ki.5002273>
- Sugano, Y., Lardelli, M., 2011. Identification and expression analysis of the zebrafish orthologue of Klotho. *Dev. Genes Evol.* 221, 179–186. <https://doi.org/10.1007/s00427-011-0367-3>
- Sugiura, H., Yoshida, T., Shiohira, S., Kohei, J., Mitobe, M., Kurosu, H., Kuro-O, M., Nitta, K., Tsuchiya, K., 2012. Reduced klotho expression level in kidney

- aggravates renal interstitial fibrosis. *Am. J. Physiol. - Ren. Physiol.* 302, 1252–1265. <https://doi.org/10.1152/ajprenal.00294.2011>
- Tsuchiya, K., Nagano, N., Nitta, K., 2015. Klotho/FGF23 axis in CKD. *Contrib. Nephrol.* 185, 56–65. <https://doi.org/10.1159/000380970>
- Urakawa, I., Yamazaki, Y., Shimada, T., Iijima, K., Hasegawa, H., Okawa, K., Fujita, T., Fukumoto, S., Yamashita, T., 2006. Klotho converts canonical FGF receptor into a specific receptor for FGF23. *Nature* 444, 770–774. <https://doi.org/10.1038/nature05315>
- Vanholder, R., Baurmeister, U., Brunet, P., Cohen, G., Glorieux, G., Jankowski, J., 2008. A bench to bedside view of uremic toxins. *J. Am. Soc. Nephrol.* 19, 863–870. <https://doi.org/10.1681/ASN.2007121377>
- Verbeke, F., Van Biesen, W., Vanholder, R., 2011. The role of collagen metabolism in CKD-associated arterial senescence: Underestimated and underappreciated. *Nephrol. Dial. Transplant.* 26, 2726–2728. <https://doi.org/10.1093/ndt/gfr421>
- Webster, A.C., Nagler, E. V., Morton, R.L., Masson, P., 2017. Chronic Kidney Disease. *Lancet* 389, 1238–1252. [https://doi.org/10.1016/S0140-6736\(16\)32064-5](https://doi.org/10.1016/S0140-6736(16)32064-5)
- Xu, Y., Sun, Z., 2015. Molecular basis of klotho: From gene to function in aging. *Endocr. Rev.* 36, 174–193. <https://doi.org/10.1210/er.2013-1079>
- Yamazaki, Y., Imura, A., Urakawa, I., Shimada, T., Murakami, J., Aono, Y., Hasegawa, H., Yamashita, T., Nakatani, K., Saito, Y., Okamoto, N., Kurumatani, N., Namba, N., Kitaoka, T., Ozono, K., Sakai, T., Hataya, H., Ichikawa, S., Imel, E.A., Econos, M.J., Nabeshima, Y.I., 2010. Establishment of sandwich ELISA for soluble alpha-Klotho measurement: Age-dependent change of soluble alpha-Klotho levels in healthy subjects. *Biochem. Biophys. Res. Commun.* 398, 513–518. <https://doi.org/10.1016/j.bbrc.2010.06.110>
- Zhong, J., Yang, H.C., Fogo, A.B., 2017. A perspective on chronic kidney disease progression. *Am. J. Physiol. - Ren. Physiol.* 312, F375–F384. <https://doi.org/10.1152/ajprenal.00266.2016>
- Zou, D., Wu, W., He, Y., Ma, S., Gao, J., 2018. The role of klotho in chronic kidney disease. *BMC Nephrol.* 19, 1–12. <https://doi.org/10.1186/s12882-018-1094-z>