

## DAFTAR PUSTAKA

- AASM (2005) “International Classification of Sleep Disorders,” *Diagnostic and Coding Manual*. American Academy of Sleep Medicine, hal. 51–55. Tersedia pada: <https://ci.nii.ac.jp/naid/20001061569> (Diakses: 14 Oktober 2020).
- Abrishami, A., Khajehdehi, A. dan Chung, F. (2010) “A systematic review of screening questionnaires for obstructive sleep apnea,” *Canadian Journal of Anesthesia*. Springer, 57(5), hal. 423–438. doi: 10.1007/s12630-010-9280-x.
- Aji, D. N. et al. (2009) “Faktor–Faktor yang Berhubungan dengan Kualitas Hidup Pasien Thalassemia Mayor di Pusat Thalassemia Departemen Ilmu Kesehatan Anak RSCM,” *Sari Pediatri*, 11(2), hal. 85–89.
- Benjavield, A. et al. (2018) “Global Prevalence of Obstructive Sleep Apnea in Adults: Estimation Using Currently Available Data | B67. RISK AND PREVALENCE OF SLEEP DISORDERED BREATHING,” *American Journal of Respiratory and Critical Care Medicine*. Tersedia pada: [www.atsjournals.org](http://www.atsjournals.org) (Diakses: 15 Desember 2020).
- Bielicki, P. et al. (2019) “Smoking status in relation to obstructive sleep apnea severity (OSA) and cardiovascular comorbidity in patients with newly diagnosed OSA,” *Advances in Respiratory Medicine*. Via Medica, 87(2), hal. 103–109. doi: 10.5603/ARM.a2019.0011.
- Borgström, A., Nerfeldt, P. dan Friberg, D. (2013) “Questionnaire OSA-18 has poor validity compared to polysomnography in pediatric obstructive sleep apnea,” *International Journal of Pediatric Otorhinolaryngology*, 77(11), hal. 1864–1868. doi: 10.1016/j.ijporl.2013.08.030.
- Brilliana, F. (2019) “Tingkat Pengaruh Risiko Obstructive Sleep Apnea Terhadap Fungsi Kognitif Pada Siswa Dengan Kegemukan Di Sma Sulthon Aulia Boarding School Pada Tahun 2019.”
- Brown, L. (2004) “No Title,” *The Healthy Families Program: Health Status Assessment (PedsQL™) Final Report. Managed Risk Medical Insurance Board. September*.
- Lo Bue, A., Salvaggio, A. dan Insalaco, G. (2020) “Obstructive sleep apnea in developmental age. A narrative review,” *European Journal of Pediatrics*. Springer, hal. 357–365. doi: 10.1007/s00431-019-03557-8.
- Callosum, T., Astuti dan Goffar, A. (2011) “No Title,” *Uji reliabilitas dan validitas Berlin questionnaire versi Indonesia pada lanjut usia*.
- Christophersen, K.-A., Eide, H. dan Karin Natvig, G. (2011) “Predictors of

- health-related quality of life in a sample of children and adolescents: A school survey," *Article in Journal of Clinical Nursing.* doi: 10.1111/j.1365-2702.2010.03693.x.
- Crabtree, V. M. L., Varni, J. W. dan Gozal, D. (2004) "Health-related quality of life and depressive symptoms in children with suspected sleep-disordered breathing," *Sleep,* 27(6), hal. 1131–1138. doi: 10.1093/sleep/27.6.1131.
- El-Sayed, I. H. (2012) "Comparison of four sleep questionnaires for screening obstructive sleep apnea," *Egyptian Journal of Chest Diseases and Tuberculosis.* Medknow, 61(4), hal. 433–441. doi: 10.1016/j.ejcdt.2012.07.003.
- Fardian, N. et al. (2020) *Korelasi Derajat Obesitas Dengan Risiko Terjadinya Obstructive Sleep Apnea (Osa) Pada Remaja Sma Negeri Di Kecamatan Banda Sakti Kota Lhokseumawe 2018, Jurnal Averrous.* Tersedia pada: <https://ojs.unimal.ac.id/index.php/averrous/article/view/2664> (Diakses: 15 Desember 2020).
- Faßbender, P. et al. (2016) "Obstruktive Schlafapnoe -ein perioperativer Risikofaktor," *Deutsches Arzteblatt International.* Deutscher Arzte-Verlag GmbH, 113(27–28), hal. 463–469. doi: 10.3238/arztebl.2016.0463.
- Fietze, I. et al. (2019) "Prevalence and association analysis of obstructive sleep apnea with gender and age differences - Results of SHIP-Trend," *Journal of Sleep Research.* Blackwell Publishing Ltd, 28(5), hal. e12770. doi: 10.1111/jsr.12770.
- Franklin, K. A. dan Lindberg, E. (2015) "Obstructive sleep apnea is a common disorder in the population-A review on the epidemiology of sleep apnea," *Journal of Thoracic Disease.* Pioneer Bioscience Publishing, hal. 1311–1322. doi: 10.3978/j.issn.2072-1439.2015.06.11.
- Gagnon, K. et al. (2014) "Cognitive impairment in obstructive sleep apnea," *Pathologie Biologie.* Elsevier Masson SAS, hal. 233–240. doi: 10.1016/j.patbio.2014.05.015.
- Ganesh Kumar, S., Majumdar, A. dan Pavithra, G. (2014) "Quality of life and its associated factors using WHOQOL- BREF among elderly in Urban Puducherry, India," *Journal of Clinical and Diagnostic Research.* Journal of Clinical and Diagnostic Research, 8(1), hal. 54–57. doi: 10.7860/JCDR/2014/6996.3917.
- Gheissari, A. et al. (2012) "Validation of Persian Version of PedsQL<sup>TM</sup> 4.0<sup>TM</sup> Generic Core Scales in Toddlers and Children.,," *International journal of preventive medicine.* Wolters Kluwer -- Medknow Publications, 3(5), hal. 341–50. Tersedia pada: <http://www.ncbi.nlm.nih.gov/pubmed/22701775> (Diakses: 11 April 2020).

- Hanifratwi, H., Pramono, D. dan Wistiani, W. (2013) "Hubungan Gangguan Tidur Terhadap Kualitas Hidup Anak Dengan Obesitas," *Jurnal Kedokteran Diponegoro*, 2(1), hal. 137923.
- Harahap, H. S., Indrayana, Y. dan Lestari, R. (2018) "Hubungan Tingkat Risiko Obstructive Sleep Apnea dan Sindroma Metabolik dengan Fungsi Kognitif Global," *Jurnal Kedokteran Brawijaya*. Brawijaya University, 30(2), hal. 133. doi: 10.21776/ub.jkb.2018.030.02.10.
- Hirshkowitz, M. dan Gast, H. (2006) "Sleep-Related Breathing Disorders and Sleepiness," *Sleep Medicine Clinics*. Elsevier, hal. 491–498. doi: 10.1016/j.jsmc.2006.09.002.
- Ho, A. W., Moul, D. E. dan Krishna, J. (2016) "Neck Circumference-Height Ratio as a Predictor of Sleep Related Breathing Disorder in Children and Adults," *Journal of Clinical Sleep Medicine*. American Academy of Sleep Medicine, 12(03), hal. 311–317. doi: 10.5664/jcsm.5572.
- Homoud, M. (2014) "The Correlation Between Sleep Efficiency and the Risk of Obstructive Sleep Apnea," *Internet Journal of Allied Health Sciences and Practice*, 12(1). Tersedia pada: <https://nsuworks.nova.edu/ijahsp/vol12/iss1/10> (Diakses: 11 Desember 2020).
- Hsu, W. Y. et al. (2019) "The association between cigarette smoking and obstructive sleep apnea," *Tobacco Induced Diseases*. The International Society for the Prevention of Tobacco Induced Diseases, 17(April). doi: 10.18332/tid/105893.
- Imayama, I. dan Prasad, B. (2017) "Role of leptin in obstructive sleep apnea," *Annals of the American Thoracic Society*. American Thoracic Society, hal. 1607–1621. doi: 10.1513/AnnalsATS.201702-181FR.
- Kang, K. T. et al. (2012) "Body weight status and obstructive sleep apnea in children," *International Journal of Obesity*. Nature Publishing Group, 36(7), hal. 920–924. doi: 10.1038/ijo.2012.5.
- Lavie, L. (2015) "Oxidative stress in obstructive sleep apnea and intermittent hypoxia - Revisited - The bad ugly and good: Implications to the heart and brain," *Sleep Medicine Reviews*. W.B. Saunders Ltd, hal. 27–45. doi: 10.1016/j.smrv.2014.07.003.
- Luyster, F. S. (2017) "Impact of Obstructive Sleep Apnea and Its Treatments on Partners: A Literature Review," *Journal of Clinical Sleep Medicine*. American Academy of Sleep Medicine, 13(03), hal. 467–477. doi: 10.5664/jcsm.6504.

- Mannarino, M. R., Di Filippo, F. dan Pirro, M. (2012) “Obstructive sleep apnea syndrome,” *European Journal of Internal Medicine*. Elsevier B.V., hal. 586–593. doi: 10.1016/j.ejim.2012.05.013.
- Marcus, C. L. et al. (2012) “Diagnosis and management of childhood obstructive sleep apnea syndrome,” *Pediatrics*. American Academy of Pediatrics, 130(3), hal. 576–584. doi: 10.1542/peds.2012-1671.
- Maretdhidta, C. A. et al. (2013) “Pengaruh back massage durasi 20 menit dan 40 menit untuk meningkatkan kualitas tidur.”
- Mazicioglu, M. M. et al. (2010) “Percentiles and mean values for neck circumference in Turkish children aged 6–18 years,” *Acta Paediatrica*. John Wiley & Sons, Ltd, 99(12), hal. 1847–1853. doi: 10.1111/j.1651-2227.2010.01949.x.
- Mitchell, L. J. et al. (2014) “Weight loss from lifestyle interventions and severity of sleep apnoea: A systematic review and meta-analysis,” *Sleep Medicine*. Elsevier B.V., hal. 1173–1183. doi: 10.1016/j.sleep.2014.05.012.
- Mukhlis, M. dan Bakhtiar, A. (2015) *Obstructive Sleep Apnea (OSA), Obesitas Hypoventilation Syndrome (OHS) dan Gagal Napas*.
- Mulrizna, A. dan Widarto, D. (2017) *Pengaruh Kedisiplinan Siswa (Ageng M dan Widarto) Pengaruh Kedisiplinan Siswa Dan Iklim Sekolah Terhadap Prestasi Belajar Siswa Kelas XI Di Smk Piri 1 Yogyakarta The Influence Of Students Discipline And School Environment To Learning Achievement Of XI Grade Students In Smk Piri 1 Yogyakarta, Jurnal Pendidikan Vokasional Teknik Mesin*.
- Narang, I. et al. (2018) “Utility of Neck, Height, and Tonsillar Size to Screen for Obstructive Sleep Apnea among Obese Youth,” *Otolaryngology - Head and Neck Surgery (United States)*. SAGE Publications Inc., 158(4), hal. 745–751. doi: 10.1177/0194599817740349.
- Natalita, C., Sekartini, R. dan Poesponegoro, H. (2016) “Skala Gangguan Tidur untuk Anak (SDSC) sebagai Instrumen Skrining Gangguan Tidur pada Anak Sekolah Lanjutan Tingkat Pertama,” *Sari Pediatri*, 12(6), hal. 365. doi: 10.14238/sp12.6.2011.365-72.
- Nigro, C. A. et al. (2018) “The influence of gender on symptoms associated with obstructive sleep apnea,” *Sleep and Breathing*. Springer Verlag, 22(3), hal. 683–693. doi: 10.1007/s11325-017-1612-4.
- Notoatmodjo, S. (2010) *Metodologi Penelitian Kesehatan*.
- Osman, A. M. et al. (2018) “Obstructive sleep apnea: current perspectives,” *Nature and Science of Sleep*. Dove Medical Press Ltd, hal. 21–34. doi:

10.2147/NSS.S124657.

- Parmar, A., Baker, A. dan Narang, I. (2019) “Positive airway pressure in pediatric obstructive sleep apnea,” *Paediatric Respiratory Reviews*. W.B. Saunders Ltd, 31, hal. 43–51. doi: 10.1016/j.prrv.2019.04.006.
- Perry, P. (2010) “No Title,” *Sleep Quality Associated with Obesity to Elementary School Children*.
- Pham, L. V. dan Schwartz, A. R. (2015) “The pathogenesis of obstructive sleep apnea,” *Journal of Thoracic Disease*. Pioneer Bioscience Publishing, hal. 1358–1372. doi: 10.3978/j.issn.2072-1439.2015.07.28.
- Rachmawati, D. (2015) “Rerata Nilai Kualitas Hidup pada Mahasiswa PSPD FKIK UIN Syarif Hidayatullah Jakarta Dengan Excessive Daytime Sleepiness (EDS) dan Tidak EDS: Studi analitik dengan menggunakan kuesioner Epworth Sleepiness Scale dan SF-36 version 2.0.”
- Rahma Yuni, S. (2018) “Hubungan Gangguan Tidur Dengan Kualitas Hidup Pada Anak Usia Sekolah Penderita Leukemia Limfoblastik Akut Di Rsup Dr. M.Djamil Padang Tahun 2018.”
- Schwartz, A. R. et al. (2010) “Obesity and upper airway control during sleep,” *Journal of Applied Physiology*. American Physiological Society Bethesda, MD, hal. 430–435. doi: 10.1152/japplphysiol.00919.2009.
- Setiadi (2013) *Konsep dan praktik penulisan riset keperawatan edisi 2*.
- Sharma, S. K. et al. (2006) “Validation of the modified Berlin questionnaire to identify patients at risk for the obstructive sleep apnoea syndrome,” *Indian Journal of Medical Research*, 124(3), hal. 281–290. doi: 10.1378/chest.130.4\_meetingabstracts.265s-c.
- Shelton, K. E. et al. (2012) “Pharyngeal Fat in Obstructive Sleep Apnea,” <http://dx.doi.org/10.1164/ajrccm/148.2.462>. American Lung Association. doi: 10.1164/AJRCCM/148.2.462.
- Simou, E., Britton, J. dan Leonardi-Bee, J. (2018) “Alcohol and the risk of sleep apnoea: a systematic review and meta-analysis,” *Sleep Medicine*, 42. doi: 10.1016/j.sleep.2017.12.005.
- Sitaresmi, M. N. et al. (2008) “Health-related quality of life assessment in Indonesian childhood acute lymphoblastic leukemia,” *Health and Quality of Life Outcomes*. BioMed Central, 6(1), hal. 1–8. doi: 10.1186/1477-7525-6-96.
- Stansbury, R. C. dan Strollo, P. J. (2015) “Clinical manifestations of sleep apnea,” *Journal of Thoracic Disease*. Pioneer Bioscience Publishing, hal. E298–

- E310. doi: 10.3978/j.issn.2072-1439.2015.09.13.
- Steier, J. *et al.* (2014) “Predicted relative prevalence estimates for obstructive sleep apnoea and the associated healthcare provision across the UK,” *Thorax*. BMJ Publishing Group, 69(4), hal. 390–392. doi: 10.1136/thoraxjnl-2013-203887.
- Su, M. S. *et al.* (2016) “Obesity in children with different risk factors for obstructive sleep apnea: a community-based study,” *European Journal of Pediatrics*. Springer Verlag, 175(2), hal. 211–220. doi: 10.1007/s00431-015-2613-6.
- Susanto, A. D. *et al.* (2016) *Prevalensi Obstructive Sleep Apnea Berdasarkan Kuesioner Berlin pada Polisi Lalu Lintas di Jakarta Timur Prevalence of Obstructive Sleep Apnea based on Berlin Questionnaire among Traffic Police at East Jakarta, J Respir Indo*.
- Syahdrajat (2019) *Panduan Penelitian Untuk Skripsi Kedokteran dan Kesehatan*.
- Talukder, D. C. *et al.* (2018) “Associations between Adenotonsillar Hypertrophy, Age, and Obesity in Children with Obstructive Sleep Apnea,” *Journal of Dhaka Medical College*. Bangladesh Journals Online (JOL), 26(2), hal. 167–172. doi: 10.3329/jdmc.v26i2.38838.
- Tang, A. *et al.* (2015) “Influence of Tonsillar Size on OSA Improvement in Children Undergoing Adenotonsillectomy,” *Otolaryngology - Head and Neck Surgery (United States)*. SAGE Publications Inc., 153(2), hal. 281–285. doi: 10.1177/0194599815583459.
- Tsukada, E. *et al.* (2018) “Prevalence of childhood obstructive sleep apnea syndrome and its role in daytime sleepiness,” *PLOS ONE*. Didedit oleh K. Hashimoto. Public Library of Science, 13(10), hal. e0204409. doi: 10.1371/journal.pone.0204409.
- Varni, J. W., Burwinkle, T. M. dan Seid, M. (2005) “The PedsQL™ as a pediatric patient-reported outcome: Reliability and validity of the PedsQL™ measurement model in 25,000 children,” *Expert Review of Pharmacoeconomics and Outcomes Research*. Taylor & Francis, hal. 705–719. doi: 10.1586/14737167.5.6.705.
- Varni, J. W. dan Limbers, C. A. (2009) “The Pediatric Quality of Life Inventory: Measuring Pediatric Health-Related Quality of Life from the Perspective of Children and Their Parents,” *Pediatric Clinics of North America*. Elsevier, hal. 843–863. doi: 10.1016/j.pcl.2009.05.016.
- Varni, J. W., Seid, M. dan Kurtin, P. S. (2001) “PedsQL™ 4.0: Reliability and Validity of the Pediatric Quality of Life Inventory™ Version 4.0 Generic Core Scales in Healthy and Patient Populations,” *Medical Care*. Lippincott

- Williams & Wilkins, 39(8), hal. 800–812. doi: 10.1097/00005650-200108000-00006.
- Wang, J. *et al.* (2019) “Correlations between obstructive sleep apnea and adenotonsillar hypertrophy in children of different weight status,” *Scientific Reports*. Nature Publishing Group, 9(1), hal. 1–7. doi: 10.1038/s41598-019-47596-5.
- Wiadnyana, I. P. G. P. *et al.* (2010) “Prevalensi Kemungkinan Obstructive Sleep Apnea dan Faktor-Faktor yang Berhubungan pada Pengemudi Taksi X di Jakarta,” *Jurnal Respirologi Indonesia*, 30, hal. 59–64.
- Widodo, D. P. dan Soetomenggolo, T. S. (2016) “Perkembangan Normal Tidur pada Anak dan Kelainannya,” *Sari Pediatri*, 2(3), hal. 139. doi: 10.14238/sp2.3.2000.139-45.