

DAFTAR PUSTAKA

- An, S. J., Kim, T. J., & Yoon, B. W 2017, Epidemiology, Risk Factors, and Clinical Features of Intracerebral Hemorrhage: An Update. *Journal of stroke*, 19(1), 3–10. Diakses pada 18 Juni 2020 <https://doi.org/10.5853/jos.2016.00864>
- Andika & Chairul, 2017, Hubungan Tekanan Darah dengan Mortalitas pada Pasien Stroke Hemoragik Akut di RSUP Haji Adam Malik Medan, *Fakultas Kedokteran Universitas Sumatera Utara*, Medan.
- Aslanyan S, Weir CJ, Lees KR. Elevated pulse pressure during the acute period of ischemic stroke is associated with poor stroke outcome. *Stroke*. 2004;35: e153–e155. Diakses pada 1 Desember 2020 <https://www.ahajournals.org/doi/abs/10.1161/01.STR.0000126598.88662.16>
- Ayyagari, R. et al. (2014) ‘Pulse pressure and stroke risk: development and validation of a new stroke risk model.’, *Current medical research and opinion. England*, 30(12), pp. 2453–2460. doi: 10.1185/03007995.2014.971357.
- Bederson JB, Connolly ES, Batjer HH, Dacey RG, Dion JE, Diringer MN, Duldner JE, Harbaugh RE, Patel AB, Rosenwasser RH 2009, American Heart Association. Guidelines for the management of aneurysmal subarachnoid hemorrhage: a statement for healthcare professionals from a special writing group of the Stroke Council, American Heart Association. *Stroke*. 2009 Mar;40(3):994-1025. diakses pada 18 Juni 2020 <https://pubmed.ncbi.nlm.nih.gov/19164800/>
- Chang JJ, Khorchid Y, Dillard K, Kerro A, Burgess LG, Chekassky G, Goyal N, Chapple K, Alexandrov AW, Buechner D, Alexandrov AV, Tsivgoulis G, 2017, Elevated Pulse Pressure Levels Are Associated With Increased InHospital Mortality in Acute Spontaneous Intracerebral Hemorrhage, *American Journal of Hypertension* Jul 1;30(7):719-727 diakses pada 3 Mei 2020 <https://doi.org/10.1093/ajh/hpx025>
- Chatterjee S 2011, ECG Changes in Subarachnoid Haemorrhage: A Synopsis. *Neth Heart J*. 2011 Jan;19(1):31-4. diakses pada 18 Juni 2020 <https://pubmed.ncbi.nlm.nih.gov/22020856/>
- de Rooij NK, Linn FH, van der Plas JA, Algra A, Rinkel GJ 2007, Incidence of subarachnoid haemorrhage: a systematic review with emphasis on region,

Saarah Dicha Pramasinta, 2021

HUBUNGAN TEKanan NADI DENGAN KEJADIAN MORTALITAS PADA PASIEN STROKE HEMORAGIK DI RSUD CILEUNGI TAHUN 2019

UPN Veteran Jakarta, Fakultas Kedokteran

[www.upnvj.ac.id – www.library.upnvj.ac.id - www.repository.upnvj.ac.id]

age, gender and time trends. *J. Neurol. Neurosurg. Psychiatry*. 2007 Dec;78(12):1365-72 diakses pada 18 Juni 2020
<https://pubmed.ncbi.nlm.nih.gov/17470467/>

Feigin VL, Forouzanfar MH, Krishnamurthi R, Mensah GA, Connor M, Bennett DA, et al.; Global Burden of Diseases, Injuries, and Risk Factors Study 2010 (GBD 2010) and the GBD Stroke Experts Group, 2014, Global and regional burden of stroke during 1990-2010: findings from the Global Burden of Disease Study 2010. *Lancet*. 2014 Jan 18;383(9913):245–54, diakses pada 3 April 2020
[http://dx.doi.org/10.1016/S01406736\(13\)61953-4](http://dx.doi.org/10.1016/S01406736(13)61953-4)

Feigin V, Parag V, Lawes CM, Rodgers A, Suh I, Woodward M, Jamrozik K, Ueshima H 2005, Asia Pacific Cohort Studies Collaboration. Smoking and elevated blood pressure are the most important risk factors for subarachnoid hemorrhage in the Asia-Pacific region: an overview of 26 cohorts involving 306,620 participants. *Stroke*. 2005 Jul;36(7):1360-5. diakses pada 18 Juni 2020
<https://www.ncbi.nlm.nih.gov/pubmed/15933249>

Fragata I, Canhão P 2019, Imaging predictors of outcome in acute spontaneous subarachnoid hemorrhage: a review of the literature. *Acta Radiol*. 2019 Feb;60(2):247-259. diakses pada 18 Juni 2020
<https://www.ncbi.nlm.nih.gov/pubmed/29792042>

Gaberel T, Magheru C, Emery E. Management of non-traumatic intraventricular hemorrhage. *Neurosurg Rev*. 2012;35(4):485-495. diakses pada 18 Juni 2020 [doi:10.1007/s10143-012-0399-9](https://doi.org/10.1007/s10143-012-0399-9)

Ginwalla M, Rader F, Pasala T, Jhonson J, Dunlap M, 2011, Pulse Pressure Widening is a Determinant of Diastolic Dysfunction. *Journal of Cardiac Failure*, 2011: 17 diakses pada 3 Mei 2020 <https://doi.org/10.1016/j.cardfail.2011.06.296>

Gorelick, P. B., Qureshi, S. and Farooq, M. U. (2019) 'Management of blood pressure in stroke', *International Journal of Cardiology Hypertension*, 3, p. 100021. doi: <https://doi.org/10.1016/j.ijchy.2019.100021>.

Guyton, AC, Hall, JE 2014, *Buku Ajar Fisiologi Kedokteran*. Edisi 12. Jakarta: EGC

Hägg-Holmberg, S, Dahlström, EH, Forsblom, CM et al. 2019 The role of blood pressure in risk of ischemic and hemorrhagic stroke in type 1 diabetes. *Cardiovasc Diabetol* 18, 88 diakses pada 13 Juli 2020
<https://doi.org/10.1186/s12933-019-0891-4>

- Hallevi H, Albright KC, Aronowski J, et al. 2008, Intraventricular hemorrhage: anatomic relationships and clinical implications. *Neurology*. 2008;70(11):848–852. diakses pada 18 Juni 2020 <https://www.ncbi.nlm.nih.gov/pubmed/18332342>
- Hartwig, MS 2012, *Patofisiologi Konsep Klinis Proses-Proses Penyakit*. Edisi ke6. Jakarta: EGC. hlm. 1105-32
- Hinson, HE, Hanley, DF, Ziai, WC 2010, Management of intraventricular hemorrhage. *Current neurology and neuroscience reports*, 10(2), 73–82. <https://doi.org/10.1007/s11910-010-0086-6>
- Homan TD & Cichowski E, 2020, *Physiology, Pulse Pressure*, Treasure Island (FL): StatPearls Publishing Available from: diakses pada 3 Mei 2020 <https://www.ncbi.nlm.nih.gov/books/NBK482408/>
- Hong KS, Bang OY, Kang DW, Yu KH, Bae HJ, Lee JS, et al. 2013 Stroke statistics in Korea: part I. Epidemiology and risk factors: a report from the Korean stroke society and clinical research center for stroke. *J Stroke*. 15:2–20. Diakses pada 17 Juni 2020 <https://dx.doi.org/10.5853/jos.2013.15.1.2>
- Johnson W, Onuma O, Owolabi M, Sachdev S, 2016, Stroke: a global response is needed. *Bulletin of the World Health Organization* 2016;94:634-634A, diakses pada 3 April 2020 <http://dx.doi.org/10.2471/BLT.16.181636>
- Kairys N, M Das J, Garg M 2020, Acute Subarachnoid Hemorrhage (SAH). *StatPearls, Treasure Island: StatPearls Publishing*; 2020 Jan diakses pada 18 Juni 2020 <https://www.ncbi.nlm.nih.gov/books/NBK518975/>
- Keep RF, Hua Y, Xi G 2012, Intracerebral haemorrhage: mechanisms of injury and therapeutic targets. *Lancet Neurol*. 11:720–731. Diakses pada 18 Juni 2020 [https://doi.org/10.1016/s1474-4422\(12\)70104-7](https://doi.org/10.1016/s1474-4422(12)70104-7)
- Krishnamurthi RV, Moran AE, Forouzanfar MH, Bennett DA, Mensah GA, Lawes CM, et al. 2014, The global burden of hemorrhagic stroke: a summary of findings from the GBD 2010 study. *Glob Heart*. 2014;9:101–106. Diakses pada 18 Juni 2020 <https://pubmed.ncbi.nlm.nih.gov/25432119/>
- Liu, C. *et al.* (2020) ‘Factors affecting in-hospital cost and mortality of patients with stroke : Evidence from a case study in a tertiary hospital in China’, *The International journal of health planning and management*. doi: 10.1002/hpm.3090.

Saarah Dicha Pramasinta, 2021

HUBUNGAN TEKANAN NADI DENGAN KEJADIAN MORTALITAS PADA PASIEN STROKE HEMORAGIK DI RSUD CILEUNGSI TAHUN 2019

UPN Veteran Jakarta, Fakultas Kedokteran

[www.upnvj.ac.id – www.library.upnvj.ac.id - www.repository.upnvj.ac.id]

- Ayyagari, R. *et al.* (2014) 'Pulse pressure and stroke risk: development and validation of a new stroke risk model.', *Current medical research and opinion*. England, 30(12), pp. 2453–2460. doi: 10.1185/03007995.2014.971357.
- Chang, J. J. *et al.* (2017) 'Elevated pulse pressure levels are associated with increased in-hospital mortality in acute spontaneous intracerebral hemorrhage', *American Journal of Hypertension*. doi: 10.1093/ajh/hpx025.
- Gorelick, P. B., Qureshi, S. and Farooq, M. U. (2019) 'Management of blood pressure in stroke', *International Journal of Cardiology Hypertension*, 3, p. 100021. doi: <https://doi.org/10.1016/j.ijchy.2019.100021>.
- Liu, C. *et al.* (2020) 'Factors affecting in-hospital cost and mortality of patients with stroke : Evidence from a case study in a tertiary hospital in China', *The International journal of health planning and management*. doi: 10.1002/hpm.3090.
- Michinaga, S. and Koyama, Y. (2015) 'Pathogenesis of brain edema and investigation into anti-edema drugs.', *International journal of molecular sciences*, 16(5), pp. 9949–9975. doi: 10.3390/ijms16059949.
- Mustanoja, S. *et al.* (2018) 'Blood pressure levels in the acute phase after intracerebral hemorrhage are associated with mortality in young adults.', *European journal of neurology*. England, 25(8), pp. 1034–1040. doi: 10.1111/ene.13662.
- Notoatmodjo, S 2012, *Metodologi Penelitian Kesehatan*, Rineka Cipta, Jakarta.
- Okazaki T, Kuroda Y 2018, Aneurysmal subarachnoid hemorrhage: intensive care for improving neurological outcome. *J Intensive Care*. 2018;6:28. diakses pada 18 Juni 2020 <https://www.ncbi.nlm.nih.gov/pubmed/29760928>
- Owolabi MO, Akarolo-Anthony S, Akinyemi R, Arnett D, Gebregziabher M, Jenkins C, et al., Members of the H3Africa Consortium, 2015, The burden of stroke in Africa: a glance at the present and a glimpse into the future. *Cardiovasc J Afr*. Mar-Apr;26(2) Suppl 1:S27–38, diakses pada 3 April 2020 <http://dx.doi.org/10.5830/CVJA-2015-038>
- Pan YS, Jing J, Wang YL, Zhao XQ, Song B, Wang WJ, Wang D, Liu GF, Liu LP, Wang CX, Wang YJ 2014, Use of statin during hospitalization improves the outcome after intracerebral hemorrhage. *CNS Neurosci Ther* 2014; 20:548–555. diakses pada 18 Juni 2020

<https://www.ncbi.nlm.nih.gov/pubmed/24750990>

Pegoli M, Mandrekar J, Rabinstein AA, Lanzino G 2020, Predictors of excellent functional outcome in aneurysmal subarachnoid hemorrhage. *J. Neurosurg.* 2015 Feb;122(2):414-8 diakses pada 18 Juni 2020
<https://www.ncbi.nlm.nih.gov/pubmed/25495745>

Qureshi AI, Mendelow AD, Hanley DF 2009, Intracerebral haemorrhage. *Lancet.* 2009; 373:1632–1644. Diakses pada 18 Juni 2020
<https://pubmed.ncbi.nlm.nih.gov/19427958>

Rabinstein AA, Lanzino G 2018, Aneurysmal Subarachnoid Hemorrhage: Unanswered Questions. *Neurosurg. Clin. N. Am.* 2018 Apr;29(2):255-262. diakses pada 18 Juni 2020
<https://pubmed.ncbi.nlm.nih.gov/29502715/>

Rossi, C & Cordonnier, C 2014, 'Pathophysiology of Non-traumatic Intracerebral Haemorrhage', in Oxford Textbook of Stroke and Cerebrovascular Disease.

Septianto, R 2019, Tekanan Darah Saat Masuk Rumah Sakit Sebagai Faktor Prediktor Mortalitas Stroke Hemoragik di RSUD DR. H. Abdul Moeloek Bandar Lampung Tahun 2018-2019, *Fakultas Kedokteran Universitas Lampung*, Lampung.

Shea AM, Reed SD, Curtis LH, Alexander MJ, Villani JJ, Schulman KA 2007, Characteristics of nontraumatic subarachnoid hemorrhage in the United States in 2003. *Neurosurgery.* 2007 Dec;61(6):1131-7 diakses pada 18 Juni 2020 <https://www.ncbi.nlm.nih.gov/pubmed/18162891>

Shipman KE, Ramalingam SK, Dawson CH, Yasear ZA 2019, Subarachnoid haemorrhage. *Clin Med (Lond).* 2019 Jan;19(1):88-89. diakses pada 18 Juni 2020 <https://pubmed.ncbi.nlm.nih.gov/30651258/>

Steiner T, Diringer MN, Schneider D, et al. 2006, Dynamics of intraventricular hemorrhage in patients with spontaneous intracerebral hemorrhage: risk factors, clinical impact, and effect of hemostatic therapy with recombinant activated factor VII. *Neurosurgery.* 2006;59(4):767–773 diakses pada 18 Juni 2020 <https://www.ncbi.nlm.nih.gov/pubmed/17038942>

Tang SC, Yin JH, Liu CH... et al. 2017, Low Pulse Pressure After Acute Ischemic Stroke is Associated With Unfavorable Outcomes: The Taiwan Stroke Registry *J Am Heart Assoc.* 2017;6: e005113. diakses pada 1 Desember 2020 <http://doi.org/10.1161/JAHA.116.005113>

- Tadi P, Lui F, ed 2020, *Acute Stroke (Cerebrovascular Accident)*, Treasure Island (FL): StatPearls Publishing, diakses pada 3 April 2020 <https://www.ncbi.nlm.nih.gov/books/NBK535369/>
- Tien YT, Chang MH, Lee YS, Liaw YF, Chen PL. Pulse blood pressure correlates with late outcome in acute ischemic stroke without significant culprit artery stenosis. *J Stroke Cerebrovasc Dis*. 2016;25:1229–1234. Diakses pada 1 Desember 2020 <https://pubmed.ncbi.nlm.nih.gov/26935120/>
- Toth G, Cerejo R 2018, Intracranial aneurysms: Review of current science and management. *Vasc Med*. 2018 Jun;23(3):276-288. diakses pada 18 Juni 2020 <https://www.ncbi.nlm.nih.gov/pubmed/29848228>
- Vasan, RS 2008, Pathogenesis of Elevated Peripheral Pulse Pressure, *Hypertension AHA Journal* 2008;51:33–36 diakses pada 13 Juli 2020 <https://doi.org/10.1161/HYPERTENSIONAHA.107.101196>
- Vemmos KN, Tsivgoulis G, Spengos K, Manios E, Daffertshofer M, Kotsis V, Lekakis JP, Zakopoulos N. 2004, Pulse pressure in acute stroke is an independent predictor of long-term mortality. *Cerebrovasc Dis*. 2004;18(1):30-6. Diakses pada 1 Desember 2020 <http://doi.org/10.1159/000078605>.
- Vespa PM, O’Phelan K, Shah M, Mirabelli J, Starkman S, Kidwell C, et al. 2003, Acute seizures after intracerebral hemorrhage: a factor in progressive midline shift and outcome. *Neurology*. 2003;60:1441–1446. diakses pada 18 Juni 2020 <https://www.ncbi.nlm.nih.gov/pubmed/12743228>
- World Health Organization 2012, *Global Health Estimates*. Geneva: World Health Organization, diakses pada 3 April 2020 http://www.who.int/healthinfo/global_burden_disease/en/
- Zakopoulos NA, Ikonomidis I, Vemmos KN, Manios E, Spiliopoulou I, Tsivgoulis G, Spengos K, Psaltopoulou D, Mavrikakis M, Mouloupoulos SD. Twenty-fourhour heart rate and blood pressure are additive markers of left ventricular mass in hypertensive subjects. *Am J Hypertens*. 2006;19:170–177. Diakses pada 1 Desember 2020 <https://pubmed.ncbi.nlm.nih.gov/16448887/>