

DAFTAR PUSTAKA

- Abera, A. dan Ameya, G 2018, "Pulmonary Tuberculosis and Associated Factors Among Diabetic Patients Attending Hawassa Adare Hospital, Southern Ethiopia," *The Open Microbiology Journal*, 12(1), hal. 333–342. doi: 10.2174/1874285801812010333.
- Achanta, S. *et al* 2013, "Screening tuberculosis patients for diabetes in a tribal area in South India," *Public Health Action*, 3(1), hal. 43–47. doi: 10.5588/pha.13.0033.
- American Diabetes Association 2020a, "Classification and Diagnosis of Diabetes: Standards of Medical Care in Diabetes," *Diabetes Care*, 43(1), hal. S14–S31. doi: 10.2337/dc20-S002.
- American Diabetes Association 2020b, *Diabetes Complications*. Tersedia pada: <https://www.diabetes.org/diabetes/complications> (Diakses: 31 Oktober 2020).
- Arianto, E 2012, *Hubungan antara Gizi Kurang dengan Prevalensi Tuberkulosis Paru pada Pasien Diabetes Melitus Tipe 2 di Rumah Sakit Dr. Cipto Mangunkusumo Tahun 2010*. Universitas Indonesia.
- Arlinda, D. *et al* 2017, "Pengaruh Diabetes Melitus terhadap Gambaran Klinis dan Keberhasilan Pengobatan Tuberkulosis di Tujuh RSUD Kelas A dan B di Jawa dan Bali," *Media Penelitian dan Pengembangan Kesehatan*, 27(1), hal. 31–38. doi: 10.22435/mpk.v27i1.4130.31-38.
- Atmosukarto, S. S 2000, "Pengaruh Lingkungan Pemukiman dalam Penyebaran Tuberkulosis," *Media Litbang Kesehatan*, 9.
- Azlin, A., Syafril, S. dan Ganie, R. A 2019, "The Difference of Vitamin D Levels Between Controlled And Uncontrolled Type 2 Diabetes Mellitus Patients," *Indonesian Journal of Clinical Pathology and Medical Laboratory*, 26(1), hal. 18–22.
- Berkowitz, N. *et al* 2018, "The Prevalence and Determinants of Active Tuberculosis among Diabetes Patients in Cape Town, South Africa, a High HIV/TB Burden Setting," *Diabetes Research and Clinical Practice*. The Authors, 138, hal. 16–25. doi: 10.1016/j.diabres.2018.01.018.

Michel Kezia Yosephine, 2021

FAKTOR-FAKTOR YANG MEMPENGARUHI KEJADIAN TUBERKULOSIS PARU PADA PENDERITA DIABETES MELITUS DI RSUP PERSAHABATAN JAKARTA TAHUN 2020

UPN Veteran Jakarta, Fakultas Ilmu Kesehatan, Program Studi Kesehatan Masyarakat Program Sarjana
[www.upnvj.ac.id – www.library.upnvj.ac.id – www.repository.upnvj.ac.id]

- CDC 2012, *Tuberculosis (TB)*. Tersedia pada: https://www.cdc.gov/tb/publications/faqs/qa_introduction.htm.
- CDC 2013, *Transmission and Pathogenesis of Tuberculosis*. doi: 10.1038/ng.2747.
- Centers for Disease Control and Prevention 2016, *Tuberculosis*. Tersedia pada: <https://www.cdc.gov/tb/topic/testing/tbtesttypes.htm> (Diakses: 22 Oktober 2020).
- Chukwu, J. *et al* 2019, "Prevalence and Predictors of Tuberculosis among Diabetes Patients in Nigeria ; A Multicentre Study," *Journal of Tuberculosis*, 2(1), hal. 1013.
- Coker, R. *et al* 2006, "Risk factors for pulmonary tuberculosis in Russia: case-control study," *British Medical Journal*, 332, hal. 85–87. doi: 10.1136/bmj.38701.440961.7C.
- Decroli, E 2019, *Diabetes Melitus Tipe 2*. Padang: Pusat Penerbitan Bagian Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Andalas.
- Destiany, C. *et al* 2020, "Risk Factor of Pulmonary Tuberculosis among People with Diabetes Mellitus in Makassar," *Enfermería Clínica*, 30(4), hal. 269–272. doi: <https://doi.org/10.1016/j.enfcli.2020.02.017>.
- Dewi, D. P. R. *et al* 2017, "Risk factors of pulmonary tuberculosis among diabetes mellitus patients in Denpasar City," *Public Health and Preventive Medicine Archive*, 5(1), hal. 19–23. doi: 10.15562/phpma.v5i1.36.
- Dooley, K. E 2009, "Tuberculosis and Diabetes Mellitus: Convergence of Two Epidemics," *National Institutes of Health*, 9(12), hal. 737–746. doi: 10.1016/S1473-3099(09)70282-8.
- Dwipayana, I. M. P 2016, *Diabetes Melitus Tuberkulosis*. Universitas Udayana.
- Faurholt-Jepsen, D. *et al* 2013, "Diabetes is a strong predictor of mortality during tuberculosis treatment: a prospective cohort study among tuberculosis patients from Mwanza, Tanzania," *Tropical Medicine and International Health*, 18(7), hal. 822–829. doi: 10.1111/tmi.12120.
- Hackett, E., Jacques, N. dan Gallagher, A 2013, "Type1 Diabetes," 5, hal. 69–72.
- Hapsari, P. N. F. dan Isfandiari, M. A 2017, "Hubungan Sosioekonomi Dan Gizi Dengan Risiko Tuberkulosis Pada Penderita Dm Tipe 2," *Jurnal Berkala Epidemiologi*, 5(2), hal. 185–194. doi: 10.20473/jbe.v5i2.2017.185-194.

Michel Kezia Yosephine, 2021

FAKTOR-FAKTOR YANG MEMPENGARUHI KEJADIAN TUBERKULOSIS PARU PADA PENDERITA DIABETES MELITUS DI RSUP PERSAHABATAN JAKARTA TAHUN 2020

UPN Veteran Jakarta, Fakultas Ilmu Kesehatan, Program Studi Kesehatan Masyarakat Program Sarjana
www.upnvj.ac.id – www.library.upnvj.ac.id – www.repository.upnvj.ac.id

- International Diabetes Federation 2019, *Worldwide toll of diabetes, Diabetes Atlas*. Tersedia pada: <https://www.diabetesatlas.org/en/sections/worldwide-toll-of-diabetes.html> (Diakses: 10 Oktober 2020).
- International Diabetes Federation 2020, *About Diabetes*. Tersedia pada: <https://www.idf.org/aboutdiabetes/what-is-diabetes.html> (Diakses: 22 Oktober 2020).
- Kaur, H. dan Kochar, R 2017, “Stress and Diabetes Mellitus,” *International Journal of Health Sciences and Research*, 7(7), hal. 265–272. doi: https://www.ijhsr.org/IJHSR_Vol.7_Issue.7_July2017/37.pdf.
- Kemkes RI 2014, *Kamus PUSDATIN, Pusdatin Kemkes*. Tersedia pada: <https://pusdatin.kemkes.go.id/folder/view/full-content/structure-kamus.html>.
- Kemkes RI 2015a, “Konsensus Pengelolaan Tuberkulosis dan Diabetes melitus (TB-DM) di Indonesia,” hal. 51.
- Kemkes RI 2015b, *Petunjuk Teknis Penemuan Pasien TB-DM Di Fasilitas Kesehatan Rujukan Tingkat Lanjut, Kementerian Kesehatan RI*.
- Kemkes RI 2018a, *CEGAH, CEGAH, dan CEGAH: Suara Dunia Perangi Diabetes*. Tersedia pada: <https://www.kemkes.go.id/article/view/18121200001/prevent-prevent-and-prevent-the-voice-of-the-world-fight-diabetes.html> (Diakses: 10 Oktober 2020).
- Kemkes RI 2018b, “Hasil Utama Riset Kesehatan Dasar 2018,” *Riskesdas*, hal. 1–100. Tersedia pada: <http://www.depkes.go.id/resources/download/info-terkini/hasil-riskesdas-2018.pdf>.
- Kemkes RI 2018c, *Infodatin Tuberculosis, Kementerian Kesehatan RI*. Tersedia pada: <https://www.depkes.go.id/article/view/18030500005/waspada-peningkatan-penyakit-menular.html> <http://www.depkes.go.id/article/view/17070700004/program-indonesia-sehat-dengan-pendekatan-keluarga.html>.
- Kemkes RI 2018d, *Klasifikasi Obesitas Setelah Pengukuran IMT, P2PTM Kemenkes RI*. Tersedia pada: <http://p2ptm.kemkes.go.id/infographic-p2ptm/obesitas/klasifikasi-obesitas-setelah-pengukuran-imt>.
- Kemkes RI 2018e, *Profil Kesehatan Indonesia Tahun 2017*. Jakarta.
- Kemkes RI 2019a, *Data dan Informasi profil Kesehatan Indonesia 2018*.

Michel Kezia Yosephine, 2021

FAKTOR-FAKTOR YANG MEMPENGARUHI KEJADIAN TUBERKULOSIS PARU PADA PENDERITA DIABETES MELITUS DI RSUP PERSAHABATAN JAKARTA TAHUN 2020

UPN Veteran Jakarta, Fakultas Ilmu Kesehatan, Program Studi Kesehatan Masyarakat Program Sarjana
[www.upnvj.ac.id – www.library.upnvj.ac.id – www.repository.upnvj.ac.id]

- Kemenkes RI 2019b, “Laporan Nasional Riset Kesehatan Dasar 2018.” Jakarta.
- Kemenkes RI 2019c, *Tabel Batas Ambang indeks Massa tubuh (IMT)*. Tersedia pada: <http://www.p2ptm.kemkes.go.id/infographic-p2ptm/obesitas/tabel-batas-ambang-indeks-massa-tubuh-imt>.
- Kemenkes RI 2019d, *Tanda dan Gejala Diabetes*. Tersedia pada: <http://www.p2ptm.kemkes.go.id/artikel-sehat/tanda-dan-gejala-diabetes> (Diakses: 25 Oktober 2020).
- Khalil, N. H. dan Ramadan, R. A 2016, “Study of Risk Factors for Pulmonary Tuberculosis among Diabetes Mellitus Patients,” *Egyptian Journal of Chest Diseases and Tuberculosis*. The Egyptian Society of Chest Diseases and Tuberculosis, 65(4), hal. 817–823. doi: 10.1016/j.ejcdt.2016.05.009.
- Khardori, R 2020, *Type 1 Diabetes Mellitus*, *Medscape*. Tersedia pada: <https://emedicine.medscape.com/article/117739-overview#a3> (Diakses: 26 Oktober 2020).
- Klekotka, R. B., Mizgala, E. dan Król, W 2015, “The etiology of lower respiratory tract infections in people with diabetes,” *Pneumonologia i Alergologia Polska*, 83(5), hal. 401–408. doi: 10.5603/PiAP.2015.0065.
- Kolahian, S., Leiss, V. dan Nürnberg, B 2019, “Diabetic lung disease: fact or fiction?,” *Reviews in Endocrine and Metabolic Disorders*. Reviews in Endocrine and Metabolic Disorders, 20(3), hal. 303–319. doi: 10.1007/s11154-019-09516-w.
- Laporan Tahunan RSUP Persahabatan Tahun 2019 2020*, Tersedia pada: <https://cloud.bssn.go.id/s/nM3mDzCkgyRx4S#pdfviewer>.
- Leung, C. C. *et al* 2008, “Diabetic Control and Risk of Tuberculosis: A Cohort Study,” *American journal of epidemiology*, 167(12), hal. 1486–1494. doi: 10.1093/aje/kwn075.
- Magfira, N. *et al.* (2019) “Association of Obesity and Negative Acid-Fast Bacilli Finding Among Pulmonary Tuberculosis Patients with Type 2 Diabetes Mellitus,” *Jurnal Epidemiologi Kesehatan Indonesia*, 3(2), hal. 67–70.
- Maliana, D 2010, *Faktor-Faktor yang Mempengaruhi Kejadian Tuberkulosis Paru pada Penderita Diabetes Melitus di Balai Besar Kesehatan Paru Masyarakat (BBKPM) Surakarta*. Universitas Muhammadiyah Surakarta.

Michel Kezia Yosephine, 2021

FAKTOR-FAKTOR YANG MEMPENGARUHI KEJADIAN TUBERKULOSIS PARU PADA PENDERITA DIABETES MELITUS DI RSUP PERSAHABATAN JAKARTA TAHUN 2020

UPN Veteran Jakarta, Fakultas Ilmu Kesehatan, Program Studi Kesehatan Masyarakat Program Sarjana
[www.upnvj.ac.id – www.library.upnvj.ac.id – www.repository.upnvj.ac.id]

- Maryuni, S 2019, *Faktor Risiko Kejadian Tuberkulosis Paru pada Penderita Diabetes Melitus (Studi Kasus Di RSUP Dr. Kariadi)*. Universitas Negeri Semarang.
- Meirisandy, S. dan Tabri, N 2019, “Nutritional Status Affects Serum Interleukin-8 Level in Active Pulmonary Tuberculosis and Latent Tuberculosis Patients,” *International Journal of Medical Reviews and Case Reports*, 3(9), hal. 572–577. doi: 10.5455/ijmrcr.il-8-pulmonary-tuberculosis.
- Mihardja, L., Lolong, D. B. dan Ghani, L 2016, “Prevalensi Diabetes Melitus Pada Tuberkulosis Dan Masalah Terapi,” *Jurnal Ekologi Kesehatan*, 14(4), hal. 350–358. doi: 10.22435/jek.v14i4.4714.350-358.
- Mildawati, Diani, N. dan Wahid, A 2019, “Hubungan Usia, Jenis Kelamin dan Lama Menderita Diabetes dengan Kejadian Neuropati Perifer Diabetik,” *Caring Nursing Journal*, 3(2), hal. 31–37.
- Muller, L. M. A. J. *et al* 2005, “Increased risk of common infections in patients with type 1 and type 2 diabetes mellitus,” *Clinical Infectious Diseases*, 41(3), hal. 281–288. doi: 10.1086/431587.
- Nadliroh, Z 2015, *Prevalensi Terjadinya Tuberkulosis pada Pasien Diabetes Melitus (di RSUP Dr. Kariadi Semarang)*. Universitas Diponegoro.
- Nanda, O. D., Wiryanto, R. B. dan Triyono, E. A 2018, “Hubungan Kepatuhan Minum Obat Anti Diabetik dengan Regulasi Kadar Gula Darah pada Pasien Perempuan Diabetes Melitus,” *Open access under CC BY – SA license*, 2(4), hal. 340–348.
- Nasruddin, H., Hadi, S. dan Pratiwi, M. E 2019, “Analisis Faktor-Faktor Risiko Terjadinya TB Paru pada Pasien DM Tipe 2 DI RS Ibnu Sina Makassar,” *UMI Medical Journal*, 2(2), hal. 8–19. doi: 10.33096/umj.v2i2.21.
- Niazi, Asfandyar K. dan Kalra, S 2012, “Diabetes and Tuberculosis: A Review of The Role of Optimal Glycemic Control,” *Journal of Diabetes & Metabolic Disorders*, 11(28). Tersedia pada: <http://www.jdmndonline.com/content/11/1/28%0A>.
- Notoatmodjo, S 2003, *Pendidikan dan Perilaku Kesehatan*. Jakarta: PT Rineke Cipta.
- Ramadhan, N. *et al* 2018, “Pengendalian Diabetes Melitus Tipe 2 pada Pasien di Puskesmas Jayabaru Kota Banda Aceh,” *Media Litbangkes*, 28(4), hal. 239 – 246. doi: <https://doi.org/10.22435/mpk.v28i4.63>.

Michel Kezia Yosephine, 2021

FAKTOR-FAKTOR YANG MEMPENGARUHI KEJADIAN TUBERKULOSIS PARU PADA PENDERITA DIABETES MELITUS DI RSUP PERSAHABATAN JAKARTA TAHUN 2020

UPN Veteran Jakarta, Fakultas Ilmu Kesehatan, Program Studi Kesehatan Masyarakat Program Sarjana
[www.upnvj.ac.id – www.library.upnvj.ac.id – www.repository.upnvj.ac.id]

- Ramamurti, T 1999, "Pathology of Mycobacterial Infecrtion in Diabetes," *INT. J. DIAB. DEV. COUNTRIES*, 19, hal. 56–60.
- Restada, E. J 2016, *Hubungan Lama Menderita dan Komplikasi Diabetes Melitus dengan Kualitas Hidup pada Penderita Diabetes Melitus di Wilayah Puskesmas Gatak Sukoharjo*. Universitas Muhammadiyah Surakarta.
- Restrepo, B. I 2016, "Diabetes and tuberculosis," *HHS Public Access*, 4(6), hal. 1–21. doi: 10.1007/978-3-319-97367-8_1.
- Ryu, Y. J 2015, "Diagnosis of pulmonary tuberculosis: Recent advances and diagnostic algorithms," *The Korean Academy of Tuberculosis and Respiratory Diseases*, 78(2), hal. 64–71. doi: 10.4046/trd.2015.78.2.64.
- Safithri, F 2011, "Diagnosis TB Dewasa dan Anak Berdasarkan ISTC (International Standard for TB Care)," 7(15). doi: 10.22219/sm.v7i2.4078.
- Simanjuntak, G. V. dan Simamora, M 2020, "Lama Menderita Diabetes Mellitus Tipe 2 Sebagai Faktor Risiko Neuropati Perifer Diabetik," *Holistik Jurnal Kesehatan*, 14(1), hal. 96–100.
- Soelistijo, S. *et al* 2015, *Konsensus Pengelolaan Dan Pencegahan Diabetes Melitus Tipe2, Perkeni*. Pengurus Besar Perkumpulan Endokrinologi Indonesia. Tersedia pada: <https://www.google.com/url?sa=t&source=web&rct=j&url=https://pbperkeni.or.id/wp-content/uploads/2019/01/4.-Konsensus-Pengelolaan-dan-Pencegahan-Diabetes-melitus-tipe-2-di-Indonesia-PERKENI-2015.pdf&ved=2ahUKEwjy8KOs8cfoAhXCb30KHQb1Ck0QFjADegQIBhAB&usg=AOv>.
- Umakanth, M 2017, "Anemia among Tuberculosis Patient in Teaching Hospital Batticaloa, Sri Lanka," *International Journal of Medical and Health Research*, 3(5), hal. 95–97.
- Wagnew, F. *et al* 2018, "Meta-analysis of the prevalence of tuberculosis in diabetic patients and its association with cigarette smoking in African and Asian countries," *BMC Res Notes*, 11(298), hal. 1–7. doi: 10.1186/s13104-018-3390-x.
- Werdhani, R. A 1995, *PATOFISIOLOGI, DIAGNOSIS, DAN KLAFISIKASI TUBERKULOSIS*.
- WHO 2006, "Definition and Diagnosis of Diabetes Mellitus and Intermediate Hyperglycemia." Switzerland.

Michel Kezia Yosephine, 2021

FAKTOR-FAKTOR YANG MEMPENGARUHI KEJADIAN TUBERKULOSIS PARU PADA PENDERITA DIABETES MELITUS DI RSUP PERSAHABATAN JAKARTA TAHUN 2020

UPN Veteran Jakarta, Fakultas Ilmu Kesehatan, Program Studi Kesehatan Masyarakat Program Sarjana
[www.upnvj.ac.id – www.library.upnvj.ac.id – www.repository.upnvj.ac.id]

- WHO 2013, *Definitions and Reporting Framework for Tuberculosis - 2013 Revision*. Tersedia pada: <http://www.ncbi.nlm.nih.gov/pubmed/23611033>.
- WHO 2016, *Tuberculosis and Diabetes*. Tersedia pada: http://www.who.int/tb/publications/tb-diabetes-framework/en/%0Ahttp://www.who.int/diabetes/global-report/WHD2016_Diabetes_Infographic_v2.pdf?ua=1.
- WHO 2018, *Tuberculosis in Indonesia, World Health Rankings*. Tersedia pada: <https://www.worldlifeexpectancy.com/indonesia-tuberculosis> (Diakses: 21 Oktober 2020).
- WHO 2020a, *Diabetes*. Tersedia pada: <https://www.who.int/news-room/fact-sheets/detail/diabetes> (Diakses: 24 Oktober 2020).
- WHO 2020b, *Global Tuberculosis Report*.
- WHO 2020c, *Tuberculosis*. Tersedia pada: <https://www.who.int/news-room/fact-sheets/detail/tuberculosis> (Diakses: 12 Oktober 2020).
- Wijayanto, A. *et al* 2015, “Faktor Terjadinya Tuberkulosis Paru pada Pasien Diabetes Mellitus Tipe 2,” *J Respir Indo*, 35(1), hal. 1–11.
- Workneh, M. H., Bjune, G. A. dan Yimer, S. A 2017, “Prevalence and associated factors of tuberculosis and diabetes mellitus comorbidity: A systematic review,” *Plos One*, 12(4), hal. 1–25. doi: 10.1371/journal.pone.0175925.
- Wulandari, D. R. dan Sugiri, Y. J 2013, “Diabetes Melitus dan Permasalahannya pada Infeksi Tuberkulosis,” 33(2), hal. 126–134. Tersedia pada: https://www.mendeley.com/catalogue/bc2e9618-c2d6-3888-a60f-c9e9bb109a2a/?utm_source=desktop (Diakses: 31 Oktober 2020).
- Yorke, E. *et al* 2017, “The Bidirectional Relationship between Tuberculosis and Diabetes,” *Tuberculosis Research and Treatment*. Hindawi, hal. 1–6. doi: 10.1155/2017/1702578.