

DAFTAR PUSTAKA

Teguh Sastrodiwongso, Ir. MSE. *Propulsi Kapal dan Tahan Kapal*. Jakarta : Fakultas Teknologi Kelautan Universitas Darma Persada, 1992.

Teguh Sastrodiwongso, Ir. MSE. *Hambatan Kapal Dan Daya Mesin Penggerak*. Jakarta : Fakultas Teknologi Kelautan Universitas Darma Persada, 1992.

Soekarsono N.A. *Sistim dan Perlengkapan Kapal*. Jakarta ; PT. Pamator Pressindo, 1995.

Biro Klasifikasi Indonesia, *Rules For The Classification And Construction Of Seagoing Steel Ships 2006*, Jakarta 2006.

Ir. Iswadi Nur, MT. *Diktat Kontruksi Kapal 1 dan 2* ; Jakarta Fakultas Teknik Universitas Pembangunan Nasional “Veteran” Jakarta. 2009

Ir. Iswadi Nur, MT. *Diktat Tugas Perancangan Kapal 1 dan 2* ; Jakarta Fakultas Teknik Universitas Pembangunan Nasional “Veteran” Jakarta. 2009

Soekarsono N. A. *Teori Bangunan Kapal* : Jakarta Fakultas Teknologi Kelautan Universitas Darma Persada Desember 1986

www.dephub.go.id

www.asdp.go.id

www.google.com

www.wikipedia.com

www.yanmar.com

Yanmar N330 Series 2207kw-3310kw Marine Diesel Engine



Type	6N330-UN	6N330-SN	6N330-EN	8N330-UN	8N330-SN	8N330-EN
------	----------	----------	----------	----------	----------	----------

Basic Info.

Model NO.	:N330
Fuel	:Diesel Engine
Key Words	:Engine for Boat
Cylinder	:6/8
Export Markets	:Global

Additional Info.

Trademark	:AVESPEED
Packing	:Woodcase
Standard	:CE ISO9001

Origin:China

Product Description

Yanmar N330 Series 2207kw-3310kw Marine Diesel Engine

Engine Parameter:

MCR Power	: 3310~4045kW (4500~5500 HP)
Engine Type	: 4-Stroke, Direct Injection, Turbocharged, Intercooled
Cylinder Numbers	: Inline 6, 8
BorexStroke	: 330x450mm
Engine Rev.	: 600~650rpm
Compress Ratio	: 13.5: 1
BMEP	: 17.7Bar~24.1Bar
Fuel Consumption	: 186+5%g/KW. H
Lube Oil Consumption	: 0.8+20% g/KW. H
NOx Emission	: Tier II D2: 8.17g/kWh / E3: 8.66g/kWh;
Piston Lifting Height	: 2400 mm over crankshaft
Engine Main Model:	

Characteristics:

1. Meet with : ISO3046, ISO8178
2. Main application : Ocean fishing vessels, tugboats/oil tankers, container ships, passenger and cargo ships, engineering vessels
3. Low fuel consumption, high capacity of loading, reliable running, convenient operation, HFO capability

